C 614.1
N87v

The Library
of the
University of North Carolina

Collection of North Caroliniana

C614.1
N87v
1933

UNIVERSITY OF N.C. AT CHAPEL HILL
00032761850

This book must not be taken from the Library building.

LUNC-15M N.36
OP-13370

ANNUAL REPORT

OF THE

BUREAU OF VITAL STATISTICS

OF THE

NORTH CAROLINA
STATE BOARD OF HEALTH

1933

CARL V. REYNOLDS, M.D.
SECRETARY
AND STATE HEALTH OFFICER

CONTENTS

PAGE

Introduction 7

GENERAL TABLES

Table I.—Total births and deaths (exclusive of stillbirths) with rate per 1,000 population for the years 1914-1933 inclusive 16

Table II.—Births (exclusive of stillbirths) in each county, by color, with rate per 1,000 population, per cent attended by physicians and number illegitimate, 1933 17

Table II-A—Births (exclusive of stillbirths) in each city of 10,000 population or over in 1930, by color, with rate per 1,000 population; per cent attended by physicians and number illegitimate, 1933 21

Table III.—Deaths (exclusive of stillbirths) for the State as a whole from each cause, by sex, color and age 1933 (includes all deaths occurring in North Carolina and residents of North Carolina who died in other states) 22

Table IV.—Deaths (exclusive of stillbirths) in each county, by color, with rate per 1,000 population, 1933 68

Table V.—Deaths (exclusive of stillbirths) in each county, by cause of death (abridged international list) and by color of decedent, 1933 72

Table VI.—Deaths (exclusive of stillbirths) in cities or towns, by cause of death (abridged international list) and by color of decedent, 1933 122

Table VII.—Death rates per 100,000 population (by place of death, also by place of usual residence) in each county, from nine important causes, with estimated population, 1933 132

Table VIII.—Deaths (exclusive of stillbirths) by cause by certain subdivisions of the first year of life, 1933 136

Table IX.—Deaths under 1 year of age (exclusive of stillbirths), and maternal deaths in each county with rates per 1,000 live births, 1933 138

Table X.—Cases and deaths from special diseases by month of occurrence, 1933 140

Table XI.—Cases from 30 of the reportable diseases by counties, 1933 144

Table XII.—Death rates per 100,000 population from ten important causes, for the State as a whole, with estimated population for each year, 1914-1933 148

245422

LETTER OF TRANSMITTAL

Raleigh, N. C., March 27, 1935.

To His Excellency, J. C. B. Ehringhaus,
Governor of North Carolina,
Raleigh.

My dear Governor Ehringhaus:

I have the honor of transmitting the report for the Bureau of Vital Statistics covering the calendar year, 1933.

With assurance of my very great respect, I am

Very sincerely,

Carl V. Reynolds, M.D.,
Secretary and State Health Officer.

r/e

INTRODUCTION

The annual report of the Bureau of Vital Statistics presents a tabulation of the births and deaths occurring in North Carolina as recorded with the State Board of Health. State-wide registration was begun in 1914, and the first report related to that year. Reports have been published for every year since, with the exception of 1918 and 1919.

This data is of inestimable value to the public health worker. It is useful in outlining future policies and practices and in calculating the results of past endeavors. To the individual the registration of a birth occurring in North Carolina makes it possible always to obtain an official record of the facts surrounding his advent into life. The purposes for which certified copies of birth certificates are requested indicate that their value is becoming more generally realized from year to year. Likewise, the demand for death certificates shows that this vital record is essential in upholding the right of citizens in the establishment of necessary facts in the closing event of life.

In the 1933 Annual Report of the Bureau of Vital Statistics the Abridged International List of Causes of Death has been used in tabulating deaths by counties and cities. This is the same plan that was followed for 1931 and 1932. Information for the State as a whole has been tabulated according to the detailed International List of Causes of Death. Deaths have been allocated to the place of legal residence of the deceased before death. Prior to 1932, deaths had been recorded by place of occurrence only. This gives a distorted rate for those counties that have medical centers within their borders and for the counties from which the patients are drawn. Deaths by counties and cities are tabulated by place of occurrence and by place of residence.

Although tabulation by residence corrects one, probably the greatest, source of error in comparing the rates of different localities, there are other factors that must be taken into consideration. The rates are crude rates, in the calculation of which no allowance is made for the difference in the sex, age, and color distribution of the population. For the State as a whole, 90 per cent of the deaths are believed to be reported. For any single area, the percentage may be above or below that figure, and this degree of completeness of reported deaths should be borne in mind when comparing two areas.

Population

The total population of North Carolina in 1930 was 3,170,276, a gain in ten years of 611,153 or 23.9 per cent. This was the largest addition on record. There was an increase of 352,836 between 1910 and 1920,

and an increase of 312,477 for the period 1900-1910. It is not reasonable to predict as great a growth between 1930 and 1940 as occurred in the last decade.

Population is based upon three factors—births, deaths, and migration. All are important not only in themselves, but in relation to each other. The excess of births over deaths, or the natural increase, has varied at times rather widely, but for the past five years, with the exception of the present year, it shows that the source of future population is increasing. Between the census of 1920 and 1930 the State gained 611,153 persons, but the natural increase for the decade was 498,583. This means that North Carolina gained approximately 113,000 by immigration.

Of the total population in 1930, 809,847 or 25.5 per cent were considered urban. This included all incorporated places of 2,500 inhabitants or more. In 1920 there were fourteen cities over 10,000 population. By 1930 there were 21 in this group. The gain in these cities accounted for 71.3 per cent of the actual urban gain. In 1920 there was not a single city with a population as great as 50,000. By 1930 there were five cities—Asheville, Charlotte, Durham, Greensboro, and Winston-Salem—with a population greater than 50,000. The gain in these cities accounted for 46.6 per cent of the actual urban gain.

The mid-year population of the State in 1933, as estimated by the Bureau of the Census, was 3,275,000. The estimate for 1932 was 3,244,000. This represents an annual increase of 31,000 over 1932. Incidently, the natural increase in population in 1933 was 45,019, or a loss to the State by emigration of approximately 14,000 persons. Of the total number of North Carolina's inhabitants, 70.5 per cent (2,310,000) are white, 29.0 per cent (965,000) Negro, and 0.5 per cent "other races," the majority of which are Indians. Approximately 0.3 per cent are foreign-born.

NATALITY

Live Births: During 1933 there were 75,322 live births recorded with the Bureau of Vital Statistics, 2,558 fewer than for 1932. This is equivalent to a rate of 23.0 per 1,000 population, a decrease of 1.0 from the rate of 24.0 for 1932, and lowest ever recorded. Of the 75,322 live births, 51,490 were white, 23,265 Negro, and 567 Indian, which gave a birth rate of 22.3 per 1,000 population for white, 24.5 for Negro, and 35.4 for Indian. For the first fifteen years of State registration, the birth rate ranged between a high of 33.4 in 1915 and a low of 27.5 for 1928. There has been a gradual decline in the birth rate since 1921.

CHART 1. Birth and Death Rates per 1,000 Population for North Carolina: 1914-1932, Inclusive.



Stillbirths: In conformity with statistical practice, the stillbirths were not included in the totals of either births or deaths. Parallel to the decrease in the number of births, there were 521 fewer stillbirths than last year. The 3,122 stillbirths represents a rate of 41.4 per 1,000 live births. If they were classified as a single cause of death, the rate based on a 100,000 population would be a little more than that of tuberculosis and influenza combined. In every 100 deliveries there were approximately four stillbirths.

Mortality

In the compilation of mortality statistics, the cause of death as stated by the physician is used as the basis of classification by causes. Since the accuracy of statistics can be no greater than that of the material upon which it is based, it is desirable that physicians give as accurate and complete a diagnosis of cause of death as possible. A specific cause, rather than a general condition or symptom is essential if the greatest accuracy is to be expected. Hundreds of certificates are queried as to cause of death yearly in order to classify them correctly. We are duly appreciative of the prompt and courteous replies given by most

physicians when asked to give a more specific statement as to cause of death. Occasionally a certificate is queried that should not have been, but this can hardly be prevented considering that the clerks do not have the advantage of medical training and must follow more closely a rule of thumb.

Health conditions during 1933, as indicated by the death rate, were generally favorable throughout North Carolina. There were fewer deaths in the State from all causes in proportion to the total population at all ages than in any year since the beginning of State registration in 1914. The 30,496 deaths, exclusive of 3,122 stillbirths reported for 1933, represents an annual death rate of 9.3 per 1,000 population. When the number of deaths of residents of other states (367) are excluded and the residents of North Carolina (89) who died elsewhere are added, the total number of resident deaths is 30,118. The mortality rate for 1932 was 9.6; for 1931, 10.2; for 1930, 11.2; and for 1929, 12.4. (See Chart 1.) Considered in terms of total deaths, the deaths reported for 1933 were 504 fewer than for 1932, and 2,573 fewer than in 1931.

The principal causes of death in 1933 in order of their importance were heart disease, nephritis, congenital malformations and diseases of early infancy, cerebral hemorrhage, tuberculosis, the pneumonias, all accidents and cancer. These eight causes make up approximately 68 per cent of the 30,496 deaths recorded. The hazards to life and health in North Carolina have undergone a noticeable change since 1914, the first year of registration. For the most part, there has been improvement, but in some instances the change has been for the worse. The declines in death rates from specific causes have been gradual and, therefore, not very outstanding from one year to the next. But when the last twenty years are considered a great gain is evident.

CHART 2. Leading Causes of Death in North Carolina, 1914 and 1932.



Chart 2 shows the death rates in North Carolina from the six leading causes of death in 1914, and in 1933. The relative positions of the various causes of death have changed within the last score of years. Tuberculosis is an outstanding example of the success of preventive medicine and public health in the control of infectious diseases. In 1914 this disease was the leader among all causes of death. Today it has fallen to fifth place.

Heart disease ranks first in 1933 in the list of causes of death. The death rate from this disease is more than one-third higher than it was twenty years ago. It is true that a part of this increase merely reflects the increasing proportion of older persons in the population, among whom chiefly deaths from heart disease occur; but a large part of the increase is due to a definite rise in heart disease mortality. Nephritis, not among the six leading causes of death in 1914, ranks second in 1933. What has been said regarding the increase of heart disease is equally true of nephritis.

Diarrhea and enteritis, a major cause of death in 1914, does not appear among the six leaders in 1933. The rate has fallen from 98.8 per 100,000 population in 1914 to 32.8 in 1933. Modern sanitary measures have played a large part in reducing the death rate from diarrhea among infants.

CHART 3. DEATH RATES PER 100,000 POPULATION FOR SPECIFIED CAUSES IN NORTH CAROLINA ON ARITHLOG-GRID: 1914-1933.



The decreases in the death rates from typhoid fever, diarrhea and enteritis, diphtheria and tuberculosis are shown in Chart 3. The rates are charted on semi-logarithmic grid in order to avoid error in making direct comparisons of rates between the various causes. The inclination of the lines indicate the proportionate change in each instance. It is readily discernible that typhoid fever had the greatest improvement

in mortality, diphtheria second, diarrhea and enteritis third, and tuberculosis fourth. While the trend throughout the entire period has been downward for all four causes, the mortality from tuberculosis has shown less fluctuations from year to year. Diphtheria has had two well defined rises during this period. It is further shown that the rates for diphtheria and for diarrhea and enteritis are higher for 1933 than they were for 1932.

Typhoid Fever: There was a noticeable decrease in the number of deaths from typhoid fever. The 128 deaths from this cause were thirty fewer than the 158 for 1932, with a consequent lowering of the death rate from 4.9 per 100,000 population to 3.9. Of these deaths 15 occurred in June, 28 in July, 22 in August, and 17 in September. There has been a great improvement in this condition since 1914 with its rate of 35.8 for every 100,000 population, or a total of 839 deaths, to the present rate of 3.9. For three years prior to 1933 the rate remained practically stationary, but for the present year a favorable decrease has been manifested.

Smallpox: This is the second consecutive year that no deaths were reported from smallpox. There were 35 cases reported to the Division of Epidemiology. In 1932 there were 72 cases reported with no deaths.

Diphtheria: The records concerning diphtheria do not show so favorably. There were 218 deaths with a rate of 6.7 per 100,000 population compared to 165 deaths with a rate of 5.1 for 1932. There has been a 70 per cent reduction in the mortality rate from this disease since 1915. The rate for 1933 is only slightly over half of what the rate was five years ago. Diphtheria is a disease for which we have a specific protective vaccination and is, therefore, a disease against which public health activities can be very effective. In round numbers, five-sixths of the deaths from diphtheria occur in children under five years of age. This indicates that vaccination to be most profitable must be done early in infancy.

Influenza and Pneumonia: There were 2,072 deaths from pneumonia, and 997 deaths from influenza, making a total of 3,169 recorded for 1933. The deaths from these two combined gave a rate of 96.8 per 100,000 population for 1933, as against a rate of 102.5 for 1932.

Tuberculosis: The death rate from all forms of tuberculosis was 64.4 in 1933 and 68.1 in 1932. In the past 20 years the mortality rate has declined by more than 50 per cent. Tuberculosis ranked first among the causes of death in 1914. Since then it has fallen to the record low rate for 1933, and to fifth place in the causes of death.

Of the 2,110 deaths 47.5 per cent were males and 52.5 per cent females, 42.6 per cent were white, 57.0 per cent Negroes, and 0.4 per cent Indian. The colored rate of 125.3 for tuberculosis is more than three times the white rate of 39.0.

Cancer: Cancer accounted for 1,738 deaths in 1933, giving a rate of 53.1 against a rate of 51.7 for 1932 and 48.2 for 1931. While the trend of cancer mortality has been steadily upward, it is not unreasonable to hope for at least a retarding in the increase. Early diagnosis offers a genuine opportunity for a cure. If the public can be convinced of this fact, the ascending rate will be checked.

Pellagra: The deaths from pellagra continued to decline for 1933. There were approximately one hundred fewer deaths in 1933 than the number recorded for 1932, reducing the rate from 14.6 to 11.4 per 100,000 population. The 374 deaths in 1933 were only a few more than one-third of the 1015 for 1930, the peak year for pellagra deaths.

Suicides and Homicides: The deaths from suicides decreased and those from homicides increased for 1933, the total showing 28 more than for 1932. There were 268 suicidal and 440 homicidal deaths.

Accidental Causes: Automobile accidents accounted for the greatest number of accidental deaths in 1933. There were 203 more deaths from all types of automobile accidents than for the preceding year. There were 807 in 1933 and 604 in 1932. Deaths from railroad accidents, exclusive of collision with automobiles, decreased from 134 in 1932 to 106 in 1933.

Maternal Mortality: The diseases of pregnancy, childbirth and the puerperal state continued to make the creation of new life hazardous in North Carolina. There was a decrease in the number of puerperal deaths, but the ratio to the number of live births remained about the same since parallel to the decrease in deaths there were fewer births. There were 535 maternal deaths in 1933 to 560 in 1932, giving a rate of 7.1 per 1,000 live births for the former year and 7.2 for the latter. This is in excess of the rate of approximately 6.5 for the United States Registration Area. There were 319 white, 2 Indian, and 214 Negro puerperal deaths, accounting for a death rate of 6.2 per 1,000 live births for the white and 9.3 for the Negro. The rate for the white is higher than it was for 1932, while the colored rate has fallen from 10.3. The annual rates for the past five years are 6.6 for the white, and 11.4 for the colored. Albuminuria and exlampsia accounted for more of the puerperal deaths than any other single cause. Approximately a third of the deaths were due to this cause. The second and third greatest offenders were puerperal septicemia and other accidents of childbirth,

respectively. Eighty-nine maternal deaths were chargeable to puerperal septicemia and 64 to other accidents of childbirth.

Infant Mortality: The total number of deaths under one year of age was 4,974. This is 197 fewer than for 1932, but because of the fewer number of births in 1933 the rate remained practically stationary. The rate for 1933 was 66.0 per 1,000 live births and 66.4 for 1932. Of the total deaths 2,824 were white and 2,151 colored. This gave a white rate of 54.8 and a colored rate of 90.2.

Of the total number of deaths under one year of age, 1,253 occurred under one day of age, and almost half in the first two weeks. Over fifty per cent are caused by the group known as "diseases of early infancy." Mortality from this group of causes, to which fall victims mainly infants under one month old, has changed but slightly or has actually increased. Deaths from these causes must be lowered if the present death rate of infants is to be improved. The progress made in saving young lives has been due primarily to the reduction in the number of deaths from infectious and gastrointestinal diseases. Diarrhea and enteritis as a cause of infant mortality has been reduced materially.

Every birth and death occurring in North Carolina should be recorded with the Bureau of Vital Statistics. Birth and death records have a wide variety of uses which are of great importance to individuals. Vital statistics are of practical value to every citizen of the State. For health organizations, accurate certificates are essential if our true problems are to be known, if our programs are to be intelligently planned, if we are to ascertain the effectiveness of the procedure, and if errors in our work are to be detected. Incomplete or incorrect records may lead to costly mistakes. It is, therefore, incumbent upon every citizen of North Carolina to do whatever possible to promote the completeness of our birth and death records.

TABLE I—TOTAL BIRTHS AND DEATHS (EXCLUSIVE OF STILLBIRTHS) WITH RATE PER 1000 POPULATION FOR THE YEARS 1914-1933 INCLUSIVE

YEAR	Births		Deaths	
	Number	Rate	Number	Rate
1914	*71,931	31.2	29,044	12.4
1915	*79,409	33.4	31,324	13.2
1916	76,658	31.9	31,372	13.0
1917	76,539	31.8	33,989	14.1
1918	76,175	30.8	42,411	17.6
1919	69,791	29.3	30,114	12.4
1920	81,407	31.8	32,336	12.6
1921	87,456	33.4	29,010	11.0
1922	81,673	30.8	30,660	11.5
1923	84,190	31.3	32,396	12.0
1924	87,023	31.9	33,234	12.2
1925	83,700	29.7	32,524	11.5
1926	82,459	28.8	34,608	12.1
1927	83,330	28.7	32,911	11.3
1928	80,887	27.5	36,133	12.3
1929	77,164	24.7	36,894	12.4
1930	76,717	24.1	35,739	11.2
1931	74,743	23.2	33,069	10.2
1932	77,880	24.0	31,000	9.6
1933	75,322	23.0	30,496	9.3

*Stillbirths included in births 1914 and 1915.

TABLE II—BIRTHS (EXCLUSIVE OF STILLBIRTHS) IN EACH COUNTY, BY COLOR, WITH RATE PER 1000 POPULATION; PER CENT ATTENDED BY PHYSICIANS AND NUMBER ILLEGITIMATE—1933

County	Place of Birth		Usual Place of Residence		Place of Birth		Usual Place of Residence		Place of Birth		Usual Place of Residence		Per Cent Attended by Physicians		Number Illegitimates				Number Illegitimates			
	Total		Total		White		White		Colored		Colored				Place of Birth				Usual Place of Residence			
	No.	Rate	No.	Rate	No.	Rate	No.	Rate	No.	Rate	No.	Rate	White	Col.	Total	White	Col.	Ind.	Total	White	Col.	Ind.
Entire State	75,322	23.0	75,238	23.0	51,490	22.3	51,407	22.2	23,265	24.1	23,264	24.1	85.2	27.0	6,469	1,457	4,946	66	6,454	1,441	4,947	66
Alamance	1,033	23.6	1,070	24.4	813	23.2	843	24.0	220	25.2	227	26.0	99	81	37	11	26	------	47	18	29	------
Alexander	318	24.5	328	25.2	295	24.8	304	25.5	23	20.9	24	21.8	84	30	29	24	5	------	31	26	5	------
Alleghany	165	23.0	168	23.4	156	22.8	159	23.2	9	26.2	9	26.2	88	70	6	4	2	------	6	4	2	------
Anson	678	23.0	666	22.6	331	23.3	320	22.5	347	22.6	346	22.6	78	11	70	3	67	------	70	3	67	------
Ashe	519	24.7	527	25.1	508	24.7	516	25.0	11	27.5	11	27.5	54	27	30	28	2	------	31	29	2	------
Avery	347	28.7	330	27.3	341	28.9	324	27.4	6	20.0	6	20.0	54	67	23	21	2	------	22	20	2	------
Beaufort	804	22.5	800	22.4	487	22.2	482	22.0	317	23.0	318	23.0	86	17	90	9	81	------	95	13	82	------
Bertie	712	27.2	713	27.2	229	20.1	231	20.3	483	32.6	482	32.5	66	4	98	2	96	------	97	2	95	------
Bladen	687	30.1	690	30.3	394	29.6	397	29.8	293	30.8	293	30.8	65	9	59	12	47	------	60	13	47	------
Brunswick	469	29.3	475	29.7	294	29.4	298	29.8	175	29.1	177	29.5	44	5	46	7	39	------	46	7	39	------
Buncombe	1,789	17.2	1,754	16.9	1,567	18.2	1,533	17.8	222	12.6	221	12.5	96	50	116	49	67	------	116	49	67	------
Burke	673	22.1	679	22.3	610	21.9	615	22.1	63	23.3	64	24.1	75	54	31	16	15	------	33	18	15	------
Cabarrus	994	21.6	1,028	22.3	818	21.6	852	22.5	176	21.2	176	21.2	94	37	53	17	36	------	53	17	36	------
Caldwell	844	28.7	848	28.8	784	29.1	788	29.3	60	24.0	60	24.0	86	67	39	22	17	------	40	23	17	------
Camden	96	17.4	97	17.6	44	13.3	45	13.6	52	23.6	52	23.6	68	0.2	13	3	10	------	13	3	10	------
Carteret	387	22.5	380	22.1	322	22.0	316	21.6	65	25.0	64	23.7	89	35	25	5	20	------	25	5	20	------
Caswell	451	24.2	457	24.6	220	22.0	226	22.6	231	26.8	231	26.8	92	32	29	1	28	------	30	3	27	------
Catawba	1,064	23.3	1,078	23.6	949	23.4	964	23.8	115	22.1	114	21.9	88	34	53	30	23	------	57	34	23	------
Chatham	397	16.4	415	17.1	255	15.7	264	16.5	142	17.8	146	18.2	86	25	24	3	21	------	26	4	22	------
Cherokee	376	23.1	379	23.2	373	23.4	375	23.6	2	5.0	2	5.0	51	50	17	16	1	------	18	17	1	------
Chowan	266	23.3	266	23.3	133	22.2	133	22.2	133	24.6	133	24.6	95	26	31	1	30	------	31	1	30	------
Clay	136	24.3	138	24.6	135	24.5	137	24.9	1	10.0	1	10.0	87	100	------	------	------	------	------	------	------	------
Cleveland	1,249	22.8	1,252	22.8	969	23.0	971	23.0	280	22.0	281	22.1	92	17	62	14	48	------	63	14	49	------

TABLE II—*Continued*

County	Place of Birth		Usual Place of Residence		Place of Birth		Usual Place of Residence		Place of Birth		Usual Place of Residence		Per Cent Attended by Physicians		Number Illegitimates				Number Illegitimates			
	Total		Total		White		White		Colored		Colored				Place of Birth				Usual Place of Residence			
	No.	Rate	No.	Rate	No.	Rate	No.	Rate	No.	Rate	No.	Rate	White	Col.	Total	White	Col.	Ind.	Total	White	Col.	Ind.
Columbus	1,065	27.3	1,092	27.6	704	26.3	728	27.2	352	28.9	354	29.0	52	4	82	13	68	1	84	15	68	1
Craven	652	21.1	661	21.4	315	19.7	324	20.2	337	22.6	337	22.6	74	9	90	9	81	------	91	11	80	------
Cumberland	1,137	24.2	1,119	23.8	721	24.7	700	24.0	414	23.2	417	23.4	86	18	115	29	86	------	119	30	89	------
Currituck	137	20.4	140	20.9	90	20.2	93	20.9	47	20.8	47	20.8	93	42	12	1	11	------	12	1	11	------
Dare	124	23.8	128	24.6	113	23.5	116	24.2	11	27.5	12	30.0	64	------	8	3	5	------	9	3	6	------
Davidson	1,095	21.9	1,105	22.1	980	22.0	990	22.2	115	21.2	115	21.2	95	76	44	20	24	------	46	22	24	------
Davie	329	22.7	337	23.2	259	21.4	266	22.0	70	29.1	71	29.5	88	33	18	4	14	------	19	4	15	------
Duplin	920	25.6	934	26.0	580	25.6	594	26.2	340	25.5	340	25.5	80	24	74	9	65	------	79	14	65	------
Durham	1,639	22.9	1,448	20.2	1,053	22.6	893	19.2	586	23.4	555	22.2	98	59	291	96	195	------	210	29	181	------
Edgecombe	1,173	23.6	1,180	23.8	402	18.8	406	19.0	771	27.2	774	27.3	89	19	236	11	225	------	244	16	228	------
Forsyth	2,355	20.0	2,289	19.5	1,603	20.4	1,541	19.6	752	19.1	748	19.0	98	59	225	29	196	------	224	29	195	------
Franklin	705	23.6	717	24.0	336	20.1	346	20.7	369	28.0	371	28.1	87	26	39	5	34	------	42	7	35	------
Gaston	1,749	21.1	1,776	21.5	1,516	21.8	1,543	22.1	233	17.8	233	17.8	98	45	90	39	51	------	91	41	50	------
Gates	219	20.7	220	20.8	86	15.6	85	15.4	133	26.0	135	26.4	77	10	21	2	19	------	22	2	20	------
Graham	116	19.3	121	20.2	114	19.6	118	20.3	------	------	1	5.0	49	------	8	8	------	------	9	9	------	------
Granville	724	25.0	729	25.1	296	20.0	300	20.2	428	30.1	429	30.2	90	45	57	3	54	------	58	3	55	------
Greene	509	26.6	525	27.5	244	24.6	253	25.5	265	28.8	272	29.5	93	21	53	2	51	------	57	2	55	------
Guilford	2,666	18.7	2,625	18.4	2,166	19.4	2,128	19.0	500	16.2	497	16.1	99	68	175	75	100	------	153	55	98	------
Halifax	1,442	26.3	1,443	26.3	467	20.2	470	20.3	975	30.6	973	30.5	84	7	192	21	171	------	191	21	170	------
Harnett	1,091	27.6	1,114	28.1	766	26.6	785	27.3	319	29.2	323	29.6	84	18	76	19	57	------	80	21	59	------
Haywood	727	25.0	736	25.3	717	25.2	726	25.5	10	14.2	10	14.2	91	100	27	25	2	------	27	25	2	------
Henderson	567	23.3	562	23.1	520	23.6	515	23.4	47	20.4	47	20.4	86	40	17	11	6	------	18	12	6	------
Hertford	380	21.3	384	21.6	110	14.8	113	15.2	270	26.0	271	26.0	76	9	37	1	36	------	39	2	37	------
Hoke	360	24.5	365	24.8	92	17.0	98	18.1	241	25.9	240	25.8	74	7	65	4	54	7	65	4	54	7

Hyde	185	21.5	192	22.3	93	18.2	100	19.6	92	26.2	92	26.2	72	21	20	3	17	------	20	3	17	------
Iredell	966	20.0	906	18.8	756	19.5	696	18.0	210	21.8	210	21.8	97	22	82	16	66	------	79	13	66	------
Jackson	479	26.3	483	26.5	458	26.9	461	27.1	8	6.6	9	7.5	56	4	26	22	1	3	26	22	1	3
Johnston	1,576	26.7	1,588	26.9	1,213	26.6	1,221	26.8	363	26.8	367	27.1	83	12	114	31	83	------	118	33	85	------
Jones	284	27.0	286	27.2	139	24.0	141	24.3	145	30.8	145	30.8	78	19	39	2	37	------	40	3	37	------
Lee	359	20.4	356	20.2	216	18.0	212	17.6	143	25.5	144	25.7	89	17	45	7	38	------	45	7	38	------
Lenoir	838	22.8	820	22.2	453	21.6	439	21.0	385	24.2	381	24.0	86	9	118	18	100	------	116	16	100	------
Lincoln	571	24.1	558	23.5	482	23.8	469	23.2	89	25.4	89	25.4	96	27	16	7	9	------	16	7	9	------
McDowell	538	25.7	539	25.8	505	26.8	506	26.8	33	16.5	33	16.5	85	67	25	20	5	------	26	21	5	------
Macon	375	27.2	374	27.1	367	27.5	366	27.5	6	12.0	6	12.0	65	83	18	17	1	------	18	17	1	------
Madison	546	26.9	552	27.2	545	27.2	551	27.5	1	3.3	1	3.3	40	100	27	26	1	------	28	27	1	------
Martin	705	29.6	711	29.9	341	27.0	347	27.5	364	32.5	364	32.5	81	7	94	10	84	------	96	12	84	------
Mecklenburg	2,371	17.4	2,306	16.9	1,595	16.6	1,530	16.0	776	19.2	776	19.2	99	65	313	73	240	------	278	38	240	------
Mitchell	428	29.7	438	30.4	428	29.8	438	30.5	------	------	------	------	64	------	11	11	------	------	12	12	------	------
Montgomery	316	19.2	321	19.4	246	19.3	251	19.8	70	18.4	70	18.4	78	18	26	8	18	------	26	8	18	------
Moore	566	19.2	564	19.2	340	17.7	338	17.6	226	22.1	226	22.1	83	9	65	13	52	------	66	14	52	------
Nash	1,270	23.2	1,257	22.9	700	23.0	689	22.6	570	23.3	568	23.2	87	28	124	21	103	------	125	22	103	------
New Hanover	855	19.7	815	18.8	516	19.5	481	18.2	339	19.9	334	19.6	97	55	113	8	105	------	110	6	104	------
Northampton	619	22.3	628	22.6	128	12.4	133	12.9	491	28.0	495	28.2	76	14	71	2	69	------	72	2	70	------
Onslow	449	29.2	454	29.5	300	26.5	305	27.0	149	36.3	149	36.3	82	34	43	5	38	------	43	5	38	------
Orange	389	17.9	436	20.1	247	16.9	282	19.3	142	20.0	154	21.6	99	57	27	2	25	------	34	3	31	------
Pamlico	269	28.9	272	29.2	122	20.0	125	20.4	147	45.9	147	45.9	76	16	27	1	26	------	30	4	26	------
Pasquotank	423	21.8	416	21.4	226	20.3	219	19.7	197	23.7	197	23.7	92	12	33	5	28	------	33	5	28	------
Pender	398	25.2	408	25.8	164	20.0	172	21.0	234	30.7	236	31.0	73	6	58	1	57	------	60	2	58	------
Perquimans	246	23.0	248	23.2	103	19.1	105	19.5	143	27.0	143	27.0	89	14	30	1	29	------	30	1	29	------
Person	577	25.5	587	26.0	330	24.2	340	25.0	240	26.6	240	26.6	91	44	30	2	28	------	31	3	28	------
Pitt	1,502	26.8	1,515	27.0	646	22.4	657	22.8	856	31.4	858	31.5	84	15	243	14	229	------	253	22	231	------
Polk	231	22.0	226	20.9	198	22.2	194	21.8	33	20.6	32	20.0	82	33	14	10	4	------	12	9	3	------
Randolph	885	23.8	896	24.1	811	24.3	822	24.6	74	19.0	74	19.0	87	50	37	23	14	------	38	24	14	------
Richmond	832	23.4	841	23.7	523	24.2	532	24.7	309	22.2	309	22.2	90	19	99	13	86	------	104	18	86	------
Robeson	1,904	27.8	1,893	27.6	812	25.1	803	24.8	678	28.8	677	28.8	87	20	248	36	162	50	250	38	162	50
Rockingham	1,259	24.1	1,268	24.2	974	24.0	982	24.2	280	23.7	281	23.8	94	88	54	15	39	------	55	16	39	------
Rowan	1,220	20.7	1,231	20.9	952	20.2	964	20.5	268	22.6	267	22.4	96	32	82	24	58	------	88	30	58	------
Rutherford	1,045	24.9	1,043	24.8	904	24.8	902	24.8	141	25.1	141	25.1	92	45	45	28	17	------	46	28	18	------
Sampson	1,101	27.0	1,112	27.2	667	25.1	678	25.5	410	28.6	410	28.6	64	8	82	7	74	1	84	9	74	1
Scotland	510	24.3	511	24.3	200	21.7	201	21.8	288	24.4	288	24.4	80	9	89	10	78	1	89	10	78	1
Stanly	701	22.8	692	22.5	654	24.1	644	23.8	47	13.0	48	13.6	84	32	21	12	9	------	23	14	9	------

TABLE II—*Continued*

County	Place of Birth		Usual Place of Residence		Place of Birth		Usual Place of Residence		Place of Birth		Usual Place of Residence		Per Cent Attended by Physicians		Number Illegitimates				Number Illegitimates			
	Total		Total		White		White		Colored		Colored				Place of Birth				Usual Place of Residence			
	No.	Rate	No.	Rate	No.	Rate	No.	Rate	No.	Rate	No.	Rate	White	Col.	Total	White	Col.	Ind.	Total	White	Col.	Ind.
Stokes	511	22.6	517	22.9	468	23.2	473	23.5	43	19.2	44	17.6	88	42	10	5	5	------	10	5	5	------
Surry	987	24.1	982	24.0	917	24.0	912	23.9	70	25.0	70	25.0	86	28	35	18	17	------	37	20	17	------
Swain	244	21.1	244	21.1	208	20.1	209	20.2	3	2.3	3	2.3	67	67	16	13	------	3	16	13	------	3
Transylvania	248	25.8	249	25.9	237	26.3	238	26.4	11	18.3	11	18.3	53	9	8	5	3	------	9	6	3	------
Tyrrell	142	27.3	142	27.3	79	22.5	79	22.5	63	37.0	63	37.0	76	11	11	------	11	------	11	------	11	------
Union	985	23.6	984	23.5	764	24.1	763	24.1	221	21.6	221	21.6	82	36	39	14	25	------	41	16	25	------
Vance	616	21.9	610	21.7	300	19.1	297	18.9	316	25.4	313	25.2	93	17	41	4	37	------	42	6	36	------
Wake	1,913	19.5	1,890	19.3	1,079	17.1	1,072	17.0	834	23.8	818	23.3	93	38	207	16	191	------	198	21	177	------
Warren	671	28.3	678	28.6	157	18.0	160	18.3	514	34.2	518	34.5	66	11	60	2	58	------	61	2	59	------
Washington	297	25.6	299	25.8	115	18.5	116	18.7	182	33.7	183	33.8	70	3	49	3	46	------	50	3	47	------
Watauga	440	28.4	441	28.4	430	28.2	431	28.3	10	33.3	10	33.3	71	80	8	7	1	------	8	7	1	------
Wayne	1,113	20.4	1,114	20.4	651	21.2	652	21.2	462	19.3	462	19.3	95	33	106	15	91	------	109	17	92	------
Wilkes	1,061	28.8	1,056	28.7	998	29.3	993	29.2	63	22.5	63	22.5	56	32	62	46	16	------	63	47	16	------
Wilson	1,167	25.2	1,165	25.2	672	25.4	672	25.4	495	24.8	493	24.8	95	22	137	14	123	------	142	19	123	------
Yadkin	398	21.7	424	23.2	379	21.9	404	23.3	19	19.0	20	20.0	88	58	13	9	4	------	13	9	4	------
Yancey	406	28.0	412	28.4	405	28.2	411	28.6	1	6.1	1	6.1	65	100	25	25	------	------	25	25	------	------

Indian Births: Total, 567; Cherokee 1; Columbus 9; Cumberland 2; Graham 2; Harnett 6; Hoke 27; Jackson 13; Macon 2; Person 7; Robeson 414; Rockingham 5; Sampson 24; Scotland 22; Swain 33.

TABLE II-A—BIRTHS (EXCLUSIVE OF STILLBIRTHS) IN EACH CITY OF 10,000 POPULATION OR OVER IN 1930, BY COLOR, WITH RATE PER 1,000 POPULATION; PER CENT ATTENDED BY PHYSICIANS AND NUMBER ILLEGITIMATE—1933

City	Total Place of Birth		Total Place of Residence		White Place of Birth		White Place of Residence		Colored Place of Birth		Colored Place of Residence		Per Cent Attended by Physicians		Number Illegitimate Place of Birth	Number Illegitimate Place of Residence	Number Illegitimate Place of Birth	Number Illegitimate Place of Residence
	No.	Rate	No.	Rate	No.	Rate	No.	Rate	No.	Rate	No.	Rate	White	Colored	White	White	Colored	Colored
Totals	12,422	20.7	11,087	17.6	8,422	20.0	7,297	17.3	4,000	19.4	3,790	18.4	99.0	52.1	298	219	1,195	1,138
Asheville	938	17.6	831	15.6	739	19.6	633	16.8	199	12.9	198	12.8	99.7	50.7	30	24	58	58
Charlotte	1,567	18.4	1,393	16.4	1,084	18.1	914	15.3	483	19.1	479	19.0	99.7	78.2	61	22	167	164
Concord	245	20.0	233	19.0	204	20.0	193	18.9	41	20.5	40	20.0	93.1	41.4	4	4	10	10
Durham	1,272	22.3	1,081	19.0	800	22.4	652	18.3	472	22.1	429	20.1	100.0	62.7	35	23	180	159
Elizabeth City	204	19.8	196	19.0	119	18.3	111	17.0	85	22.3	85	22.3	92.4	15.2	1	1	16	16
Fayetteville	322	23.0	288	20.5	207	25.2	173	21.0	115	19.8	115	19.8	97.1	40.8	14	12	27	28
Gastonia	405	22.5	393	21.8	341	23.3	330	22.6	64	18.8	63	18.5	99.4	32.8	9	10	15	14
Goldsboro	298	18.8	291	18.4	164	19.2	158	18.5	134	18.3	133	18.2	98.7	31.3	3	4	38	39
Greensboro	1,022	18.0	932	16.4	785	18.6	701	16.6	237	16.0	231	15.6	99.8	70.8	48	24	46	43
High Point	757	18.1	739	17.8	660	19.9	643	19.4	97	11.6	96	11.5	99.6	64.9	16	18	23	23
Kinston	267	22.8	217	18.6	164	25.6	117	18.2	103	19.4	100	18.8	98.1	9.7	10	7	29	29
New Bern	240	20.0	230	19.1	102	17.8	93	16.3	138	22.0	137	21.8	94.1	13.7	1	3	49	48
Raleigh	735	18.5	625	15.8	430	16.2	351	13.2	305	23.1	274	20.8	97.4	40.0	9	7	107	85
Rocky Mount	441	18.9	311	13.3	230	16.8	172	12.5	211	22.0	139	14.4	99.1	50.2	5	6	61	62
Salisbury	336	19.0	323	18.3	254	18.6	242	17.8	82	20.5	81	20.2	100.0	23.1	5	9	19	19
Shelby	272	21.9	256	20.6	228	23.0	213	21.5	44	17.6	43	17.2	99.5	36.3	1	1	12	12
Statesville	226	20.3	193	17.3	203	21.5	170	18.0	23	13.5	23	13.5	99.5	60.8	6	5	7	7
Thomasville	231	20.8	236	21.2	198	21.5	203	22.0	33	17.3	33	17.3	100.0	93.9	4	4	3	3
Wilmington	780	24.1	612	19.0	479	25.0	346	18.0	301	23.0	266	20.2	97.4	61.1	8	5	97	90
Wilson	340	26.0	324	24.7	161	24.3	149	22.5	179	27.5	175	26.9	98.7	20.6	8	11	58	57
Winston-Salem	1,524	19.1	1,383	17.3	870	19.2	733	16.2	654	19.0	650	18.9	99.6	58.2	20	19	173	172

TABLE III—DEATHS (EXCLUSIVE OF STILLBIRTHS) FOR THE STATE AS A WHOLE RING IN NORTH CAROLINA AND RESIDENTS OF

Cause of Death	Race	All Ages	Under 1 Year	1 to 4 Years	5 to 9 Years	10 to 14 Years
All Causes		30,585	4,975	1,514	550	485
Males	Total	16,376	2,800	825	284	281
	White	10,628	1,627	526	189	172
	Indian	94	22	9	2	3
	Colored	5,654	1,151	290	93	106
Females	Total	14,209	2,175	689	266	204
	White	8,581	1,197	411	170	88
	Indian	75	13	11	4	3
	Colored	5,553	965	267	92	113
I. INFECTIOUS AND PARASITIC DISEASES:						
Males	Total	2,235	278	263	18	65
	White	1,177	134	171	53	26
	Indian	7	------	2	------	2
	Colored	1,051	144	90	28	37
Females	Total	2,224	229	206	81	62
	White	1,063	102	127	54	13
	Indian	14	2	3	------	------
	Colored	1,147	125	76	27	49
1. Typhoid fever	W Male	34	------	1	1	3
	W Female	21	------	1	5	------
	C Male	42	------	1	6	7
	C Female	32	1	2	3	5
3. Typhus fever	W Male	3	------	------	1	------
	W Female	2	------	1	------	------
5. Undulant fever	W Male	2	------	------	------	------
	W Female	------	------	------	------	------
	C Male	------	------	------	------	------
	C Female	2	------	------	------	------
7. Measles	W Male	36	15	12	4	1
	W Female	37	6	13	6	2
	I Male	1	------	1	------	------
	I Female	1	------	1	------	------
	C Male	7	2	3	------	1
	C Female	9	1	3	------	2
8. Scarlet fever	W Male	26	3	14	8	------
	W Female	20	1	8	7	2
	C Male	2	------	------	1	1
	C Female	1	------	1	------	------
9. Whooping-cough	W Male	39	19	18	2	------
	W Female	56	34	21	1	------
	I Male	1	------	1	------	------
	I Female	1	------	1	------	------
	C Male	57	40	16	1	------
	C Female	46	27	18	1	------

FROM EACH CAUSE, BY SEX, COLOR AND AGE—1933 (INCLUDES ALL DEATHS OCCUR-
NORTH CAROLINA WHO DIED IN OTHER STATES)

15 to 19 Years	20 to 24 Years	25 to 29 Years	30 to 34 Years	35 to 44 Years	45 to 54 Years	55 to 64 Years	65 to 74 Years	75 to 84 Years	85 to 94 Years	95 and Over	Unknown
923	1,296	1,179	1,171	2,728	3,261	3,829	4,206	3,306	1,009	134	19
492	660	560	585	1,424	1,744	2,183	2,299	1,706	463	56	14
258	314	284	330	804	1,096	1,579	1,736	1,358	335	15	5
4	6	2	2	4	5	8	15	9	2	1	--------
230	340	274	253	616	643	596	548	339	126	40	9
431	636	619	586	1,304	1,517	1,646	1,907	1,600	546	78	5
185	264	280	274	670	785	1,051	1,447	1,307	419	30	3
2	7	1	1	6	6	4	12	4	1	--------	--------
244	365	338	311	628	726	591	448	289	126	48	2
107	179	143	167	355	216	174	113	70	23	1	--------
26	53	55	75	204	125	110	69	59	17	--------	--------
--------	--------	1	--------	1	1	--------	--------	--------	--------	--------	--------
81	126	87	92	150	90	64	44	11	6	1	--------
158	265	229	184	272	176	120	108	98	32	4	--------
43	74	89	77	122	88	74	82	87	28	3	--------
--------	4	1	--------	1	2	--------	1	--------	--------	--------	--------
115	187	139	107	149	86	46	25	11	4	1	--------
1	5	8	5	4	1	3	2	--------	--------	--------	--------
2	3	--------	3	2	3	--------	1	1	--------	--------	--------
8	10	4	2	3	--------	1	--------	--------	--------	--------	--------
4	4	5	--------	3	5	--------	--------	--------	--------	--------	--------
--------	--------	--------	--------	1	--------	1	--------	--------	--------	--------	--------
--------	--------	1	--------	--------	--------	--------	--------	--------	--------	--------	--------
--------	--------	--------	--------	1	--------	--------	--------	1	--------	--------	--------
--------	--------	--------	--------	--------	--------	--------	--------	--------	--------	--------	--------
--------	--------	--------	--------	--------	--------	--------	--------	--------	--------	--------	--------
--------	1	--------	1	--------	--------	--------	--------	--------	--------	--------	--------
--------	1	--------	--------	1	--------	1	1	--------	--------	--------	--------
1	--------	1	1	1	2	2	2	--------	--------	--------	--------
--------	--------	--------	--------	--------	--------	--------	--------	--------	--------	--------	--------
--------	--------	--------	--------	--------	--------	--------	--------	--------	--------	--------	--------
--------	--------	--------	--------	1	--------	--------	--------	--------	--------	--------	--------
1	--------	2	--------	--------	--------	--------	--------	--------	--------	--------	--------
--------	--------	--------	--------	--------	--------	1	--------	--------	--------	--------	--------
--------	1	1	--------	--------	--------	--------	--------	--------	--------	--------	--------
--------	--------	--------	--------	--------	--------	--------	--------	--------	--------	--------	--------
--------	--------	--------	--------	--------	--------	--------	--------	--------	--------	--------	--------
--------	--------	--------	--------	--------	--------	--------	--------	--------	--------	--------	--------
--------	--------	--------	--------	--------	--------	--------	--------	--------	--------	--------	--------
--------	--------	--------	--------	--------	--------	--------	--------	--------	--------	--------	--------
--------	--------	--------	--------	--------	--------	--------	--------	--------	--------	--------	--------
--------	--------	--------	--------	--------	--------	--------	--------	--------	--------	--------	--------
--------	--------	--------	--------	--------	--------	--------	--------	--------	--------	--------	--------
--------	--------	--------	--------	--------	--------	--------	--------	--------	--------	--------	--------

TABLE III—

Cause of Death	Race		All Ages	Under 1 Year	1 to 4 Years	5 to 9 Years	10 to 14 Years
10. Diphtheria	W	Male	96	11	64	16	3
		Female	82	10	46	23	------
	C	Male	25	5	16	3	------
		Female	15	5	9	------	------
11. Influenza	W	Male	307	51	33	8	5
		Female	272	28	20	3	4
	I	Male	2	------	------	------	------
		Female	4	2	------	------	------
	C	Male	207	48	28	2	13
		Female	204	50	20	8	5
13. Dysentery	W	Male	31	11	10	------	------
		Female	27	4	5	------	------
	I	Male	------	------	------	------	------
		Female	1	------	1	------	------
	C	Male	16	6	6	------	------
		Female	21	7	7	------	1
15. Erysipelas	W	Male	23	8	1	------	------
		Female	30	6	1	1	------
	C	Male	4	1	------	1	------
		Female	2	------	------	------	1
16. Acute poliomyelitis and acute polioencephalitis	W	Male	7	2	2	------	1
		Female	5	------	2	1	------
	I	Male	1	------	------	------	1
		Female	------	------	------	------	------
	C	Male	3	------	1	------	------
		Female	2	------	1	1	------
17. Lethargic or epidemic encephalitis	W	Male	2	------	------	------	------
		Female	7	1	------	------	------
	C	Male	2	------	1	------	------
		Female	4	1	1	1	------
18. Epidemic cerebrospinal meningitis	W	Male	7	2	1	------	2
		Female	4	------	1	1	2
	C	Male	3	1	1	1	------
		Female	4	1	------	2	1
21. Rabies	W	Male	4	------	1	3	------
		Female	1	------	1	------	------
22. Tetanus	W	Male	11	1	2	3	2
		Female	2	1	------	------	------
	I	Male	1	------	------	------	1
		Female	------	------	------	------	------
	C	Male	7	1	------	1	2
		Female	2	------	------	------	1

Continued

15 to 19 Years	20 to 24 Years	25 to 29 Years	30 to 34 Years	35 to 44 Years	45 to 54 Years	55 to 64 Years	65 to 74 Years	75 to 84 Years	85 to 94 Years	95 and Over	Unknown
				1	1						
		1		1		1					
	1										
	1										
7	12	7	12	29	27	34	25	43	14		
11	8	11	11	29	26	20	30	47	21	3	
		1		1							
					1		1				
9	10	6	18	16	14	17	15	8	3		
11	13	12	9	23	20	12	13	5	2	1	
				1	1	1	1	6			
						3	2	8	5		
						1	1		1	1	
		2			1	1		1	1		
		1	1	2	3	1	4	1	1		
2	1	1		3	2	2	4	6	1		
			1					1			
				1							
1						1					
								2			
						1		1			
					2						
			1	2	1	1		1			
			1								
		1									
2											
1				2							
				1							
				2	1						
1											

TABLE III—

Cause of Death	Race		All Ages	Under 1 Year	1 to 4 Years	5 to 9 Years	10 to 14 Years
23. Tuberculosis of the respiratory system	W	Male	433		1	2	4
		Female	397				1
	I	Male					
		Female	6				
	C	Male	470	6	3	4	7
		Female	629	3	3	8	28
24. Tuberculosis of the meninges and central nervous system	W	Male	16	2	4		
		Female	8	1	4		1
	C	Male	11	1	1	2	1
		Female	7	2	3		
25. Tuberculosis of the intestines and peritoneum	W	Male	7				
		Female	14		1		1
	C	Male	15				3
		Female	22			2	
26. Tuberculosis of the vertebral column	W	Male	5		1		1
		Female	2				
	C	Male	7				
		Female	1				
27. Tuberculosis of the joints (vertebral column excepted)	W	Male	1				
		Female	2				
	C	Male	4				
		Female	6				
29. Tuberculosis of the lymphatic system (bronchial mesenteric and retroperitoneal glands excepted)	C	Male	4		1	1	
		Female					
30. Tuberculosis of the genitourinary system	W	Male	6				
	C	Male	3				
31. Tuberculosis of other organs	C	Female	1				
32. Disseminated tuberculosis	W	Male	6	1			
		Female	6				
	C	Male	16		1		
		Female	7		1		1
34. Syphilis	W	Male	23	4	1		
		Female	24	7			
	C	Male	107	28	2	2	
		Female	96	23	5	1	2
35. Gonococcus infection and other venereal diseases	W	Male	1				
		Female	6				
	C	Male	6				1
		Female	16				

Continued

15 to 19 Years	20 to 24 Years	25 to 29 Years	30 to 34 Years	35 to 44 Years	45 to 54 Years	55 to 64 Years	65 to 74 Years	75 to 84 Years	85 to 94 Years	95 and Over	Unknown
12	26	34	52	138	75	54	29	5	1		
20	51	66	53	77	47	35	28	18	1		
	3	1		1	1						
56	83	59	58	92	57	27	18				
88	144	101	80	91	47	24	6	5	1		
1	3	1	1	4							
	1	1									
	1	2		1		1		1			
1	1										
			1	4		1		1			
1				2		5	4				
2	2	1	2	3	1	1					
2	6	3	2	3	1	2	1				
	1	1					1				
		2									
2	1			3		1					
				1							
						1					
					1		1				
1	1	1		1							
	1	1	1	2	1						
	1		1								
				3	2	1					
				1	1	1					
			1								
	2	1		1	1						
2			2				1	1			
	3	5		3	1	2	1				
	1	1		2	1						
	1		1	5	6	4	1				
	2	3	4	1	5	1	1				
2	9	6	9	22	10	7	8		2		
7	9	10	6	17	8	4	4				
		1									
2	1		1	2							
	2	2			1						
	5		6	4	1						

TABLE III—

Cause of Death	Race		All Ages	Under 1 Year	1 to 4 Years	5 to 9 Years	10 to 14 Years
36. Purulent infection, septicemia (nonpuerperal)	W	Male	17	1		1	3
		Female	19	1	1	2	
	I	Male					
		Female	1				
	C	Male	5				
		Female	5				1
38. Malaria	W	Male	19		2		
		Female	11	2			
	C	Male	14		3	3	
		Female	6		1		1
39. Other diseases due to protozoal parasites	W	Male					
		Female	2				
	C	Male	1				
		Female	1				
40. Ankylostomiasis	W	Male	1			1	
		Female					
42. Other diseases caused by helminths	W	Male	5		3	1	1
		Female	5		1	4	
	I	Male	1				
		Female					
	C	Male	5	1	4		
		Female	2		1		
43. Mycoses	W	Male	1	1			
		Female					
	C	Male	5	4	1		
		Female	4	4			
44 (a). Chickenpox	W	Male	1	1			
		Female					
	C	Male	1		1		
		Female					
44 (b). Milk sickness	W	Male	2			1	
		Female					
44 (c). German measles	C	Male	1				1
		Female					
44 (d). Mumps	W	Male	1	1			
		Female					
44 (e). Rocky Mountain spotted fever	W	Male	4			1	
		Female	1				
44 (f). Tularemia	C	Male	1				
		Female					

Continued

15 to 19 Years	20 to 24 Years	25 to 29 Years	30 to 34 Years	35 to 44 Years	45 to 54 Years	55 to 64 Years	65 to 74 Years	75 to 84 Years	85 to 94 Years	95 and Over	Unknown
	1	1	2	2	3	1	2				
	5	1				4	4	1			
	1										
1		1			2		1				
	1			1		2					
1				4	2	5	2	2	1		
2			1	1	1		2	2			
	1			1	2	4					
		1			1	1	1				
	1						1				
	1										
				1							
					1						
			1								
	1										
				1	1		1				
							1				
				1							

TABLE III—

Cause of Death	Race	All Ages	Under 1 Year	1 to 4 Years	5 to 9 Years	10 to 14 Years
II. CANCERS AND OTHER TUMORS:						
Males	Total	721	2	6	5	10
	White	590	1	3	5	8
	Indian	4				
	Colored	127	1	3		2
Females	Total	1,161	1	10	10	3
	White	819	1	9	3	1
	Indian	6			1	
	Colored	336		1	6	2
45. Cancer and other malignant tumors of the buccal cavity and pharynx	W Male	46				
	W Female	23				1
	C Male	7				
	C Female	8			1	
46. Cancer and other malignant tumors of the digestive tract and peritoneum	W Male	265		1		2
	W Female	290		2		
	I Male	1				
	I Female	1				
	C Male	71				1
	C Female	85			2	
47. Cancer and other malignant tumors of the respiratory system	W Male	27				1
	W Female	11				
	C Male	7				
	C Female					
48. Cancer and other malignant tumors of the uterus	W Female	205				
	I Female	3				
	C Female	125				
49. Cancer and other malignant tumors of other female genital organs	W Female	19				
	C Female	7				
50. Cancer and other malignant tumors of the breast	W Male	2				
	W Female	105				
	I Female	1				
	C Female	34				
51. Cancer and other malignant tumors of the male genitourinary organs	W Male	94				
	I Male	1				
	C Male	20		1		
52. Cancer and other malignant tumors of the skin	W Male	40				
	W Female	30	1		1	
	C Male					
	C Female	5				
53. Cancer and other malignant tumors of other or unspecified organs	W Male	86			3	2
	W Female	87		7	2	
	I Male	1				
	I Female	1			1	
	C Male	14		1		
	C Female	31		1	1	1

Continued

15 to 19 Years	20 to 24 Years	25 to 29 Years	30 to 34 Years	35 to 44 Years	45 to 54 Years	55 to 64 Years	65 to 74 Years	75 to 84 Years	85 to 94 Years	95 and Over	Unknown
13	9	9	17	58	113	178	164	113	23	1	
8	6	7	15	43	84	152	139	99	20		
				1		1		1	1		
5	3	2	2	14	29	25	25	13	2	1	
10	14	27	45	165	251	249	232	120	22	1	1
8	10	16	20	87	177	179	188	102	17		1
				2	2	1					
2	4	11	25	76	72	69	44	18	5	1	
1			3	2	5	12	12	9	2		
1				1	2	3	10	3	2		
1						2	3	1			
					4	3					
1	1	1	3	22	40	80	68	39	7		
1	1	3	2	17	50	73	88	47	6		
								1			
						1					
1	1	1		8	21	16	13	6	2	1	
	1	3	5	8	23	19	18	4	2		
1	2			3	5	9	5	1			
1				3	1	2	2	2			
	1		1	3	1		1				
	4	3	9	30	62	47	31	18	1		
				2	1						
2		3	8	33	26	30	14	6	2	1	
				2	6	6	2	2			1
		1		1	1	3	1				
						2					
		1	2	16	26	23	24	11	2		
					1						
			3	11	4	5	6	4	1		
1	1		2	3	6	25	31	20	5		
									1		
1		1		2	3	4	5	3			
		1		1	2	6	12	16	2		
	2				2	6	7	8	3		
				3		1		1			
3	1	3	3	9	20	17	7	14	4		
5	2	4	5	6	12	17	20	4	3		
						1					
2	1				3	2	2	2	3		
	1	3	2	4	7	6	3	2			

TABLE III—

Cause of Death	Race		All Ages	Under 1 Year	1 to 4 Years	5 to 9 Years	10 to 14 Years
54. Nonmalignant tumors	W	Male	21	1	1	2	2
		Female	41				
	I	Male	1				
		Female					
	C	Male	3				
		Female	37			1	1
55. Tumors of which the nature is not specified	W	Male	9		1		1
		Female	8				
	C	Male	5	1	1		1
		Female	4			1	
III. RHEUMATIC DISEASES, NUTRITIONAL DISEASES, DISEASES OF THE ENDOCRINE GLANDS AND OTHER GENERAL DISEASES:							
Males	Total		444	29	14	6	11
	White		310	21	10	4	8
	Indian		2				
	Colored		132	8	4	2	3
Females	Total		589	26	13	8	15
	White		357	15	10	5	9
	Indian		1				1
	Colored		231	11	3	3	5
56. Acute rheumatic fever	W	Male	26		1	3	6
		Female	18			4	2
	C	Male	11			1	1
		Female	13			2	4
57. Chronic rheumatism, osteoarthritis	W	Male	21				
		Female	20				1
	C	Male	11				
		Female	13				
59. Diabetes mellitus	W	Male	139		2		1
		Female	135	1	3	1	4
	I	Male	1				
		Female	1				1
	C	Male	35				2
		Female	63				1
60. Scurvy	W	Male	1		1		
		Female	1	1			
62. Pellagra	W	Male	89		1	1	
		Female	134	1			1
	I	Male	1				
		Female					
	C	Male	58		1		
		Female	111				

Continued.

15 to 19 Years	20 to 24 Years	25 to 29 Years	30 to 34 Years	35 to 44 Years	45 to 54 Years	55 to 64 Years	65 to 74 Years	75 to 84 Years	85 to 94 Years	95 and Over	Unknown
1	1	2	2	2	5		2				
		5	1	10	14	2	4	5			
				1							
			1		1		1				
	1	1	7	15	7	1	2	1			
			2	1	1	1	2				
	1		1	2	2			2			
				1		1					
	1			1		1					
15	12	12	15	45	62	81	90	42	8	2	
8	6	9	10	28	37	63	69	32	5		
							2				
7	6	3	5	17	25	18	19	10	3	2	
15	19	26	32	79	100	102	108	41	4	1	
7	9	9	16	35	55	65	86	33	3		
8	10	17	16	44	45	37	22	8	1	1	
5	2	1		2	2	2	1	1			
2	1	1	1	1	1	1	3	1			
2					3	1	3				
2	1			2	1	1					
			2	3	2	4	4	5	1		
			1	1	1	5	8	3			
1			1	1	1	1	1	3	2		
				1	5	2	3	2			
3	3	4	6	9	18	34	44	13	2		
	4	3	4	7	17	36	37	16	2		
							1				
1	3	1	1	6	7	4	8	2			
1	1	3	2	9	14	18	10	3		1	
	1	4	1	11	15	21	19	13	2		
3	3	4	10	21	29	20	30	12			
							1				
2	3	2	3	10	11	12	7	5	1	1	
2	8	12	14	26	23	13	9	3	1		

TABLE III—

Cause of Death	Race		All Ages	Under 1 Year	1 to 4 Years	5 to 9 Years	10 to 14 Years
63. Rickets	W	Male	5	3	2		
		Female	2	2			
	C	Male	6	4	1	1	
		Female	4	2	2		
64. Osteomalacia	W	Male	1				1
		Female	1				
66. Diseases of the thyroid and parathyroid glands	W	Male	5		1		
		Female	26	1			
	C	Male	1				
		Female	20	3		1	
67. Diseases of the thymus gland	W	Male	15	14	1		
		Female	9	7	1		1
	C	Male	5	4	1		
		Female	2	2			
68. Diseases of the adrenals (Addison's disease, not specified as tuberculous)	W	Male	2				
		Female					
	C	Male	2				
		Female					
69. Other general diseases	W	Male	6	4	1		
		Female	11	2	6		
	C	Male	3		1		
		Female	5	4	1		
IV. DISEASES OF THE BLOOD AND BLOOD-MAKING ORGANS:							
Males	Total		77	7	7	1	6
	White		63	4	7	1	6
	Indian		1	1			
	Colored		13	2			
Females	Total		72	6	6	3	2
	White		58	4	6	2	2
	Indian						
	Colored		14	2		1	
70. Hemorrhagic conditions	W	Male	11	2	2		
		Female	6	1	1		
	I	Male	1	1			
		Female					
	C	Male					
		Female	1	1			
71. Anemias	W	Male	20	1	3		
		Female	28	3	4		1
	C	Male	8	2			
		Female	6	1			

Continued

15 to 19 Years	20 to 24 Years	25 to 29 Years	30 to 34 Years	35 to 44 Years	45 to 54 Years	55 to 64 Years	65 to 74 Years	75 to 84 Years	85 to 94 Years	95 and Over	Unknown
					1						
			1	1		2					
1	1			5	6	3	8		1		
					1						
3		2		6	2	3					
				2							
					2						
							1				
1		1						1			
1										1	
6	6	3	3	8	9	10	6	4	1		
3	4	2	3	6	8	9	5	4	1		
3	2	1		2	1	1	1				
5	6	5	5	13	7	8	4	1	1		
3	5	3	5	9	5	8	4	1	1		
2	1	2		4	2						
2		1			3	1					
2	1					1					
				2	3	6	3	1	1		
		2	2	6	2	4	3	1			
1	2				1	1	1				
1	1			3							

TABLE III—

Cause of Death	Race		All Ages	Under 1 Year	1 to 4 Years	5 to 9 Years	10 to 14 Years
72. Leukemias and pseudoleukemias	W	Male	27	1	2	1	5
		Female	21		1	1	1
	C	Male	3				
		Female	5			1	
73. Diseases of the spleen	W	Male	4				1
		Female	2			1	
	C	Male	2				
		Female	1				
74. Other diseases	W	Male	1				
		Female	1				
	C	Male					
		Female	1				
V. CHRONIC POISONINGS AND INTOXICATIONS:							
Males	Total		96		2	2	
	White		65		1	1	
	Colored		31		1	1	
Females	Total		10		1	2	1
	White		4				
	Colored		6		1	2	1
75. Alcoholism (acute or chronic)	W	Male	61		1	1	
		Female	1				
	C	Male	27				
		Female	3		1		1
76. Chronic poisoning by other organic substances	W	Male	3				
		Female	3				
	C	Male	2		1		
		Female	1				
77. Chronic poisoning by mineral substances	W	Male	1				
		Female					
	C	Male	2			1	
		Female	2			2	
VI. DISEASES OF THE NERVOUS SYSTEM AND OF THE ORGANS OF SPECIAL SENSE:							
Males	Total		1,604	61	28	28	9
	White		1,051	34	20	24	4
	Indian		11	2			
	Colored		542	25	8	4	5
Females	Total		1,495	49	30	13	14
	White		897	28	16	9	7
	Indian		2				
	Colored		596	21	14	4	7

Continued

15 to 19 Years	20 to 24 Years	25 to 29 Years	30 to 34 Years	35 to 44 Years	45 to 54 Years	55 to 64 Years	65 to 74 Years	75 to 84 Years	85 to 94 Years	95 and Over	Unknown
1	4		2	3	1	2	2	3			
	4	1	3	3	3	3	1				
1				2							
1		1		1	1						
		1	1	1							
									1		
1		1									
					1						
					1						
1											
		1									
2	8	7	11	24	30	6	2	2			
1	4	3	8	17	21	6	2	1			
1	4	4	3	7	9			1			
		1	1	1		1	1	1			
			1			1	1	1			
		1		1							
1	4	3	8	17	20	4	2				
						1					
1	4	4	2	7	8			1			
		1									
						2		1			
			1				1	1			
			1								
				1							
					1						
					1						
22	31	27	27	99	230	360	373	247	55	5	2
10	11	18	10	39	136	252	275	185	32	1	
		1			1	3	2	2			
12	20	8	17	60	93	105	96	60	23	4	2
10	15	24	18	99	241	295	331	264	81	11	
5	6	7	10	49	105	162	229	204	59	1	
							2				
5	9	17	8	50	136	133	100	60	22	10	

TABLE III—

Cause of Death	Race		All Ages	Under 1 Year	1 to 4 Years	5 to 9 Years	10 to 14 Years
78. Encephalitis (nonepidemic)	W	Male	19	------	2	4	------
		Female	15	4	------	1	1
	C	Male	7	------	1	2	------
		Female	10	------	1	1	3
79. Meningitis	W	Male	30	12	6	4	1
		Female	16	6	3	2	------
	C	Male	15	6	1	------	1
		Female	18	8	5	------	------
80. Progressive locomotor ataxia (tabes dorsalis)	W	Male	4	------	------	------	------
	C	Male	2	------	------	------	------
81. Other diseases of the spinal cord	W	Male	20	------	------	------	------
		Female	11	------	------	2	1
	C	Male	6	------	------	------	------
		Female	11	------	1	------	------
82. Cerebral hemorrhage, cerebral embolism and thrombosis	W	Male	832	3	3	2	1
		Female	756	4	2	------	1
	I	Male	8	------	------	------	------
		Female	2	------	------	------	------
	C	Male	419	1	------	------	------
		Female	494	------	------	------	------
83. General paralysis of the insane	W	Male	28	------	------	------	------
		Female	14	------	------	------	------
	C	Male	23	------	------	------	------
		Female	10	------	------	------	------
84. Dementia praecox and other psychoses	W	Male	18	------	------	------	------
		Female	17	------	1	------	------
	C	Male	6	------	------	------	------
		Female	8	------	------	------	------
85. Epilepsy	W	Male	28	1	------	3	------
		Female	14	1	1	------	1
	C	Male	28	------	------	1	1
		Female	17	------	------	1	3
86. Convulsions (under 5 years of age)	W	Male	11	9	2	------	------
		Female	6	5	1	------	------
	I	Male	1	1	------	------	------
		Female	--------	------	------	------	------
	C	Male	17	15	2	------	------
		Female	13	9	4	------	------
87. Other diseases of the nervous system	W	Male	32	2	4	2	------
		Female	21	2	------	1	2
	I	Male	1	------	------	------	------
		Female	--------	------	------	------	------
	C	Male	8	------	3	------	1
		Female	9	1	1	2	1

Continued

15 to 19 Years	20 to 24 Years	25 to 29 Years	30 to 34 Years	35 to 44 Years	45 to 54 Years	55 to 64 Years	65 to 74 Years	75 to 84 Years	85 to 94 Years	95 and Over	Unknown
	2	1	1	2	2	2	3				
1				4	3		1				
	2		1			1					
1				2	1	1					
1	1	1		2	2						
	1	1	2		1						
2	2	1		1	1						
	1	1		1	2						
						3	1				
				1		1					
2	1		1	1	1	7	3	3	1		
	1		2			1	2	1	1		
2				2		1	1				
	1		1		2	1	4	1			
2	1	7	3	21	112	221	248	176	31	1	
		1	2	29	95	150	219	197	55	1	
					1	3	2	2			
							2				
2	4	2	10	46	85	93	89	60	21	4	2
1	3	8	5	44	120	129	93	59	22	10	
	1	1	2	4	10	3	5	2			
	1	1	2	4		1	2	3			
		1	2	4	3	9	3		1		
		2			6	1	1				
		1	2	2	2	5	4	2			
				8	2	4	1		1		
2	1		2				1				
	1	1	1	1	4						
3	4	6		4	3	2	2				
2		2	1	2	1	1		1	1		
4	11	4	1	3	3						
2	3	5	1	1		1					
1				2	2	8	9	2			
		1	1		3	4	4	2	1		
		1									
			1	2	1						
1					1		2				

TABLE III—

Cause of Death	Race		All Ages	Under 1 Year	1 to 4 Years	5 to 9 Years	10 to 14 Years
88. Diseases of the organs of vision	C	Male	2				1
89. Diseases of the ear and of the mastoid process	W	Male	29	7	3	9	2
		Female	27	6	8	3	1
	I	Male	1	1			
		Female					
	C	Male	9	3	1	1	1
		Female	6	3	2		
VII. DISEASES OF THE CIRCULATORY SYSTEM:							
Males	Total		2,697	4	11	11	16
	White		1,898	4	8	7	10
	Indian		15			1	
	Colored		784		3	3	6
Females	Total		2,081	7	9	12	10
	White		1,368	5	5	8	5
	Indian		7				
	Colored		706	2	4	4	5
90. Pericarditis	W	Male	18		1	1	
		Female	12				
	C	Male	15				2
		Female	8				
91. Acute endocarditis	W	Male	15	2	1	3	2
		Female	26	1	4	2	1
	I	Male	1			1	
		Female					
	C	Male	8			1	
		Female	17			1	1
92. Chronic endocarditis, valvular diseases	W	Male	354	1	1	1	6
		Female	288	1		3	4
	I	Male	2				
		Female	1				
	C	Male	204		1	2	3
		Female	217		3	1	3
93. Diseases of the myocardium	W	Male	524		2		
		Female	410	1			
	I	Male	3				
		Female	1				
	C	Male	183		2		1
		Female	152		1	1	
94. Diseases of the coronary arteries and angina pectoris	W	Male	350				
		Female	158				
	I	Male	2				
		Female					
	C	Male	60				
		Female	51				

Continued

15 to 19 Years	20 to 24 Years	25 to 29 Years	30 to 34 Years	35 to 44 Years	45 to 54 Years	55 to 64 Years	65 to 74 Years	75 to 84 Years	85 to 94 Years	95 and Over	Unknown
							1				
1	1	1	1	1	2	1					
2	3	1		2		1					
				1			1		1		
				1							
22	18	26	37	187	400	576	693	537	136	19	4
14	7	7	16	89	241	411	535	438	105	5	1
			1		1	1	5	5	1		
8	11	19	20	98	158	164	153	94	30	14	3
15	31	49	53	168	271	371	498	435	133	17	2
11	15	18	17	76	120	242	371	361	105	8	1
						2	3	1	1		
4	16	31	36	92	151	127	124	73	27	9	1
1	1			2		3	1	7	1		
	1					3	3	5			
	1		1	2		2	3	4			
				3	2	1	2				
1			1		1	1	1	2			
3	3	4		3	1	1	2	1			
1	2	1	1	2							
	2		2	6	2	2		1			
4	3	3	3	10	33	52	112	104	20	1	
	4	5	5	20	28	35	87	69	26	1	
							1	1			
									1		
3	1	5	6	26	39	42	37	26	8	4	1
2	7	12	10	30	43	42	37	19	5	3	
1	1	2	4	32	59	114	136	139	31	3	
	3	2	5	21	27	68	112	130	36	5	
						1	1	1			
							1				
1	3	4	3	19	32	44	42	21	5	5	1
	2	6	7	19	30	27	32	18	8	1	
1		1	2	17	73	100	91	53	11	1	
1		1	3	5	20	49	47	24	8		
							2				
	1	1	3	10	15	16	10	2	2		
	1	5	3	5	15	6	8	4	3		1

TABLE III—

Cause of Death	Race		All Ages	Under 1 Year	1 to 4 Years	5 to 9 Years	10 to 14 Years
95. Other diseases of the heart	W	Male	520	1	3	1	2
		Female	396	2	1	3	------
	I	Male	7	------	------	------	------
		Female	4	------	------	------	------
	C	Male	258	------	------	------	------
		Female	220	1	------	1	1
96. Aneurysm (except of the heart)	W	Male	7	------	------	------	------
		Female	2	------	------	------	------
	C	Male	7	------	------	------	------
		Female	2	------	------	------	------
97. Arteriosclerosis (diseases of the coronary arteries excepted)	W	Male	63	------	------	------	------
		Female	49	------	------	------	------
	C	Male	31	------	------	------	------
		Female	16	------	------	------	------
98. Gangrene	W	Male	12	------	------	------	------
		Female	9	------	------	------	------
	C	Male	10	------	------	------	------
		Female	12	------	------	------	------
99. Other diseases of the arteries	W	Male	13	------	------	------	------
		Female	4	------	------	------	------
	C	Male	2	------	------	------	------
		Female	2	------	------	------	------
100. Diseases of the veins (varices, hemorrhoids, phlebitis, etc.)	W	Male	6	------	------	1	------
		Female	9	------	------	------	------
	I	Male	------	------	------	------	------
		Female	1	------	------	------	------
	C	Male	2	------	------	------	------
		Female	------	------	------	------	------
101. Diseases of the lymphatic system (lymphangitis)	W	Female	1	------	------	------	------
102. Idiopathic anomalies of the blood-pressure	W	Male	15	------	------	------	------
		Female	4	------	------	------	------
	C	Male	2	------	------	------	------
		Female	7	------	------	------	------
103. Other diseases of the circulatory system	W	Male	1	------	------	------	------
		Female	------	------	------	------	------
	C	Male	2	------	------	------	------
		Female	2	1	------	------	------
VIII. DISEASES OF THE RESPIRATORY SYSTEM:							
Males	Total		1,285	359	164	26	21
	White		766	181	97	10	9
	Indian		11	5	3	------	------
	Colored		508	173	64	16	12

Continued

15 to 19 Years	20 to 24 Years	25 to 29 Years	30 to 34 Years	35 to 44 Years	45 to 54 Years	55 to 64 Years	65 to 74 Years	75 to 84 Years	85 to 94 Years	95 and Over	Unknown
6	2	1	6	25	67	112	151	103	39		1
7	3	6	2	25	41	72	104	102	26	2	
			1		1		1	3	1		
						1	2	1			
3	2	6	6	36	59	52	56	27	9	2	
2	3	8	12	28	52	43	33	24	9	3	
				1	4	2					
			1			1					
		1			5	1					
				1				1			
						14	26	21	2		
					1	8	13	19	8		
	1			2	5	3	5	8	3	3	1
			1		2	3	5	4		1	
				1	2	1	3	4	1		
					1	1	3	3	1		
				1		3		3	3		
					3	2	4	1	1	1	
					1	6	5	1			
			1			1		2			
					1	1					
	1					1					
						3	1	1			
				2	1	1		4			1
						1					
								2			
	1										
					1	3	8	3			
						2		2			
					1			1			
			1		2		3		1		
				1							
		1			1						
								1			
45	42	37	41	121	88	99	113	98	28	3	
24	19	16	18	70	52	71	88	86	25		
2						1					
19	23	21	23	51	36	27	25	12	3	3	

TABLE III—

Cause of Death	Race		All Ages	Under 1 Year	1 to 4 Years	5 to 9 Years	10 to 14 Years
Females	Total		1,060	257	139	34	16
	White		620	118	81	19	8
	Indian		3	------	------	1	------
	Colored		437	139	58	14	8
104. Diseases of the nasal fossæ and annexæ	W	Male	9	1	------	------	------
		Female	10	3	------	------	------
	C	Male	15	12	------	------	1
		Female	7	6	------	------	------
105. Diseases of the larynx	W	Male	6	2	4	------	------
		Female	------	------	------	------	------
	C	Male	2	------	1	------	------
		Female	5	3	1	------	------
106. Bronchitis	W	Male	22	5	2	------	------
		Female	34	4	2	1	------
	I	Male	1	------	------	------	------
		Female	------	------	------	------	------
	C	Male	13	6	4	------	------
		Female	16	6	3	------	------
107. Bronchopneumonia (including capillary bronchitis)	W	Male	274	126	52	4	2
		Female	224	76	36	7	3
	I	Male	3	3	------	------	------
		Female	1	------	------	1	------
	C	Male	165	77	32	7	5
		Female	125	55	26	7	1
108. Lobar pneumonia	W	Male	365	30	30	5	6
		Female	275	23	32	9	5
	I	Male	4	2	1	------	------
		Female	2	------	------	------	------
	C	Male	210	30	17	4	6
		Female	188	29	14	6	6
109. Pneumonia, unspecified	W	Male	47	17	9	1	1
		Female	40	11	10	1	------
	I	Male	3	------	2	------	------
		Female	------	------	------	------	------
	C	Male	79	46	9	4	------
		Female	71	38	12	1	------
110. Pleurisy	W	Male	10	------	------	------	------
		Female	3	------	1	------	------
	C	Male	2	------	------	1	------
		Female	3	------	1	------	1
111. Congestion, edema, embolism, hemorrhagic infarct, and thrombosis of the lungs	W	Male	8	------	------	------	------
		Female	22	1	------	------	------
	C	Male	2	1	------	------	------
		Female	2	------	------	------	------

Continued

15 to 19 Years	20 to 24 Years	25 to 29 Years	30 to 34 Years	35 to 44 Years	45 to 54 Years	55 to 64 Years	65 to 74 Years	75 to 84 Years	85 to 94 Years	95 and Over	Unknown
25	41	29	28	67	86	88	101	99	42	8	
10	18	14	12	37	46	55	77	84	36	5	
				2							
15	23	15	16	28	40	33	24	15	6	3	
1	2	1	1	3							
1	2	2		1					1		
1					1						
					1						
			1								
			1								
				2	1	1	3	3	5		
				1	5	4	5	8	4		
						1					
			1					1		1	
1		1		1		1	1	2			
5	1	2	3	7	6	18	17	23	8		
3	4	1	1	6	7	13	21	30	16		
5	6	2	4	9	1	4	7	4	1	1	
2	6	1	1	4	6	6	5	3	1	1	
17	14	11	12	46	36	44	62	47	5		
6	10	11	9	21	28	31	43	38	6	3	
1											
				2							
12	13	17	14	35	30	16	13	3			
10	14	10	13	20	25	21	11	6	3		
	1			4	2		2	6	4		
	1			2	3	4	2	2	3	1	
1											
	3	1	2	3	1	2	4	2	2		
1	2	1	1	2	3	1	6	2	1		
		1	1	1	2	2	1	2			
							2				
						1					
				1							
					1	1		3	3		
	1			2	1	1	3	6	6	1	
				1							
								1		1	

TABLE III—

Cause of Death	Race		All Ages	Under 1 Year	1 to 4 Years	5 to 9 Years	10 to 14 Years
112. Asthma	W	Male	13	------	------	------	------
		Female	8	------	------	1	------
	C	Male	10	------	1	------	------
		Female	14	------	1	------	------
113. Pleurisy emphysema	C	Male	1	------	------	------	------
114. Other diseases of the respiratory system (tuberculosis excepted)	W	Male	12	------	------	------	------
		Female	4	------	------	------	------
	C	Male	9	1	------	------	------
		Female	6	2	------	------	------
IX. DISEASES OF THE DIGESTIVE SYSTEM:							
Males	Total		1,310	366	196	41	38
	White		862	213	134	28	28
	Indian		12	5	4	------	------
	Colored		436	148	58	13	10
Females	Total		1,111	301	158	39	35
	White		665	151	96	25	23
	Indian		10	2	4	1	2
	Colored		436	148	58	13	10
115. Diseases of the buccal cavity and annexa and of the pharynx and tonsils (including adenoid vegetations)	W	Male	59	3	6	6	5
		Female	70	2	12	11	3
	I	Male	1	1	------	------	------
		Female	1	------	------	1	------
	C	Male	33	3	4	4	------
		Female	22	2	1	4	2
116. Diseases of the esophagus	W	Male	1	------	------	------	------
		Female	2	------	------	------	------
	C	Male	1	------	------	------	------
		Female	------	------	------	------	------
117. Ulcer of the stomach and duodenum	W	Male	54	------	------	------	------
		Female	16	------	------	------	------
	C	Male	14	------	------	------	------
		Female	15	------	------	------	------
118. Other diseases of the stomach (cancer excepted)	W	Male	64	12	5	2	1
		Female	29	2	3	------	1
	I	Male	1	------	1	------	------
		Female	------	------	------	------	------
	C	Male	36	2	------	------	1
		Female	42	6	5	------	------
119. Diarrhea and enteritis (under 2 years)	W	Male	267	187	80	------	------
		Female	196	140	56	------	------
	I	Male	7	4	3	------	------
		Female	5	2	3	------	------
	C	Male	169	134	35	------	------
		Female	160	109	51	------	------

Continued

15 to 19 Years	20 to 24 Years	25 to 29 Years	30 to 34 Years	35 to 44 Years	45 to 54 Years	55 to 64 Years	65 to 74 Years	75 to 84 Years	85 to 94 Years	95 and Over	Unknown
	1	1		3	1	3	2	2			
				3	2	1	1				
				1	1	4	1	1		1	
1		1			4	3	1	1	1	1	
								1			
1			1	4	3	2	1				
			2	1		1					
1	1	1	1	2	2						
	1	1			1	1					
38	46	43	43	100	120	107	100	60	11	1	
22	29	23	22	59	82	74	88	50	9	1	
	1					1	1				
16	16	20	21	41	38	32	11	10	2		
26	36	45	42	77	93	92	75	71	20	1	
10	20	25	21	36	55	60	63	61	18	1	
							1				
16	16	20	21	41	38	32	11	10	2		
2	7	3	2	5	5	4	9	2			
2	6	6	7	4	7	6	2	2			
1	3	2	2	4	6	4					
1	1	3	1	3	1	2	1				
					1						
				1		1					
				1							
2	3	3	4	7	17	9	8		1		
1	1	1		1	4	3	2	3			
	1		3		2	6	2				
	1	1	3	1	3	2	3	1			
1	1		2	4	9	7	16	3	1		
		1		1	2	5	5	5	4		
1	2	5	3	4	9	6	1	2			
	3		2	5	10	5	2	1	2	1	

TABLE III—

Cause of Death	Race		All Ages	Under 1 Year	1 to 4 Years	5 to 9 Years	10 to 14 Years
120. Diarrhea and enteritis (2 years and over)	W	Male	84	------	32	6	1
		Female	105	------	19	6	------
	I	Male	1	------	------	------	------
		Female	1	------	1	------	------
	C	Male	38	------	15	4	2
		Female	43	------	12	1	------
121. Appendicitis	W	Male	141	1	5	10	12
		Female	89	------	4	8	17
	I	Male	1	------	------	------	------
		Female	2	------	------	------	2
	C	Male	53	------	1	4	6
		Female	36	------	------	4	3
122. Hernia, intestinal obstruction	W	Male	82	9	4	2	4
		Female	57	5	1	------	1
	C	Male	59	7	2	1	------
		Female	44	1	1	------	1
123. Other diseases of the intestines	W	Male	9	------	------	------	2
		Female	13	2	------	------	------
	C	Male	3	1	1	------	------
		Female	11	1	------	------	------
124. Cirrhosis of the liver	W	Male	48	------	------	------	1
		Female	29	------	------	------	1
	I	Male	1	------	------	------	------
		Female	1	------	------	------	------
	C	Male	15	------	------	------	------
		Female	15	------	------	1	------
125. Other diseases of the liver (including yellow atrophy of the liver)	W	Male	11	------	1	1	1
		Female	4	------	1	------	------
	C	Male	5	------	------	------	1
		Female	7	1	------	------	------
126. Biliary calculi	W	Male	5	------	------	------	------
		Female	14	------	------	------	------
	C	Male	1	------	------	------	------
		Female	4	------	------	------	------
127. Other diseases of the gall-bladder and biliary passages	W	Male	30	------	1	1	1
		Female	32	------	------	------	------
	C	Male	4	1	------	------	------
		Female	8	1	------	------	------
128. Diseases of the pancreas	W	Male	2	------	------	------	------
		Female	3	------	------	------	------
	C	Male	3	------	------	------	------
		Female	--------	------	------	------	------
129. Peritonitis, cause not specified	W	Male	5	1	------	------	------
		Female	6	------	------	------	------
	C	Male	2	------	------	------	------
		Female	9	------	------	2	1

Continued

15 to 19 Years	20 to 24 Years	25 to 29 Years	30 to 34 Years	35 to 44 Years	45 to 54 Years	55 to 64 Years	65 to 74 Years	75 to 84 Years	85 to 94 Years	95 and Over	Unknown
--------	1	2	1	5	7	8	9	11	1	--------	--------
--------	2	1	3	4	12	12	19	17	9	1	--------
--------	--------	--------	--------	--------	--------	--------	1	--------	--------	--------	--------
--------	--------	--------	--------	--------	--------	--------	--------	--------	--------	--------	--------
--------	--------	3	--------	2	--------	6	3	2	1	--------	--------
2	1	3	1	--------	6	7	4	4	1	1	--------
14	13	12	8	17	21	16	8	3	1	--------	--------
6	5	8	8	10	7	6	6	3	1	--------	--------
--------	1	--------	--------	--------	--------	--------	--------	--------	--------	--------	--------
--------	--------	--------	--------	--------	--------	--------	--------	--------	--------	--------	--------
6	4	3	8	6	11	4	--------	--------	--------	--------	--------
8	3	6	4	4	1	3	--------	--------	--------	--------	--------
1	2	1	3	7	5	11	15	15	3	--------	--------
1	1	3	--------	7	10	7	7	13	1	--------	--------
5	4	6	1	16	5	1	4	6	1	--------	--------
--------	3	2	7	11	6	7	5	--------	--------	--------	--------
--------	--------	1	--------	--------	1	3	2	--------	--------	--------	--------
--------	--------	3	1	1	1	2	3	--------	--------	--------	--------
1	--------	--------	--------	--------	--------	--------	--------	--------	--------	--------	--------
--------	2	--------	1	3	--------	3	--------	1	--------	--------	--------
1	1	1	2	5	5	7	12	11	1	1	--------
--------	--------	--------	1	2	5	6	4	8	2	--------	--------
--------	--------	--------	--------	--------	--------	1	--------	--------	--------	--------	--------
--------	--------	--------	--------	--------	--------	--------	1	--------	--------	--------	--------
2	--------	--------	1	6	2	4	--------	--------	--------	--------	--------
--------	1	1	1	5	4	1	1	--------	--------	--------	--------
1	--------	--------	--------	2	2	1	1	1	--------	--------	--------
--------	--------	1	--------	--------	--------	--------	1	1	--------	--------	--------
--------	--------	--------	--------	1	1	1	1	--------	--------	--------	--------
--------	1	--------	--------	2	3	--------	--------	--------	--------	--------	--------
--------	--------	--------	--------	--------	3	1	--------	--------	1	--------	--------
--------	1	1	--------	--------	2	4	4	2	--------	--------	--------
--------	1	--------	--------	--------	--------	--------	--------	--------	--------	--------	--------
--------	--------	--------	1	2	1	--------	--------	--------	--------	--------	--------
--------	1	--------	--------	4	5	7	6	4	--------	--------	--------
--------	--------	--------	1	3	3	8	10	6	1	--------	--------
--------	--------	1	1	--------	1	--------	--------	--------	--------	--------	--------
--------	1	--------	--------	3	2	1	--------	--------	--------	--------	--------
--------	--------	--------	--------	--------	--------	--------	2	--------	--------	--------	--------
--------	1	--------	--------	--------	1	--------	--------	1	--------	--------	--------
--------	1	--------	1	1	--------	--------	--------	--------	--------	--------	--------
--------	--------	--------	--------	--------	--------	--------	--------	--------	--------	--------	--------
--------	--------	--------	--------	3	1	--------	--------	--------	--------	--------	--------
--------	3	--------	--------	2	1	--------	--------	--------	--------	--------	--------
--------	--------	--------	1	--------	1	--------	--------	--------	--------	--------	--------
1	--------	--------	--------	3	--------	--------	2	--------	--------	--------	--------

TABLE III—

Cause of Death	Race	All Ages	Under 1 Year	1 to 4 Years	5 to 9 Years	10 to 14 Years
X. DISEASES OF THE GENITOURINARY SYSTEM:						
Males	Total	1,793	9	12	5	10
	White	1,225	6	4	1	6
	Indian	5				
	Colored	563	3	8	4	4
Females	Total	1,502	2	7	10	7
	White	972		4	7	3
	Indian	5				
	Colored	525	2	3	3	4
130. Acute nephritis (including unspecified under 10 years of age)	W Male	56	5	2		3
	W Female	41		1	5	2
	C Male	64	1	7	2	4
	C Female	53	2	3	3	1
131. Chronic nephritis	W Male	923	1	1		2
	W Female	729		2	1	
	I Male	4				
	I Female	4				
	C Male	355	1			
	C Female	359				3
132. Nephritis, unspecified (10 years and over)	W Male	161				
	W Female	135				
	C Male	84				
	C Female	77				
133. Other diseases of the kidneys and ureters (puerperal diseases excepted)	W Male	17		1		1
	W Female	29		1	1	1
	C Male	13	1	1	1	
	C Female	9				
134. Calculi of the urinary passages	W Male	4				
	W Female	11				
	C Male	3				
	C Female	1				
135. Diseases of the bladder	W Male	18				
	W Female	2				
	C Male	6			1	
	C Female					
136. Diseases of the urethra, urinary abscess, etc.	W Male	3				
	C Male	12				
137. Diseases of the prostate	W Male	42				
	W Female					
	I Male	1				
	I Female					
	C Male	25				
	C Female					

Continued

15 to 19 Years	20 to 24 Years	25 to 29 Years	30 to 34 Years	35 to 44 Years	45 to 54 Years	55 to 64 Years	65 to 74 Years	75 to 84 Years	85 to 94 Years	95 and Over	Unknown
12	18	24	22	103	237	367	467	392	102	11	2
7	10	10	12	40	139	258	346	310	70	5	1
					1		3	1			
5	8	14	10	63	97	109	118	81	32	6	1
19	31	37	43	160	222	257	334	275	88	9	1
8	12	11	14	86	98	167	269	225	65	3	
					2	1	2				
11	19	26	29	74	122	89	63	50	23	6	1
2	3	3	1	4	10	7	6	5	5		
2		1	3	8	6	5	2	4	2		
3	4	5	5	12	10	4	4	3			
4	4	6	5	8	11	2	2	2			
5	5	5	7	25	100	205	276	235	51	4	1
5	7	5	6	49	64	125	221	187	54	3	
					1		2	1			
					1	1	2				
	1	6	4	43	58	75	84	58	22	2	1
4	8	12	15	44	94	60	53	45	16	4	1
	2	1	2	7	25	32	43	42	6	1	
	1	1	1	8	22	26	39	29	8		
2	3		1	7	18	18	19	10	4	2	
3	1	1	2	13	13	24	8	3	7	2	
		1		2	2	4	3	2	1		
1	2	3		8		4	3	4	1		
		1			2	2	2	1	2		
		2		2	2	3					
			1		1	1	1				
			1	2	2	3	3				
					1	1	1				
				1							
			1	1		2	3	9	2		
							1	1			
					2			1	2		
				1		1		1			
		2		1	3	4		1	1		
					1	6	14	16	5		
							1				
					2	5	8	7	1	2	

TABLE III—

Cause of Death	Race	All Ages	Under 1 Year	1 to 4 Years	5 to 9 Years	10 to 14 Years
138. Diseases of the male genital organs, not specified as venereal	W Male	1			1	
	C Male	1				
139. Diseases of the female genital organs, not specified as venereal	W Female	25				
	I Female	1				
	C Female	26				
XI. DISEASES OF PREGNANCY, CHILDBIRTH AND THE PUERPERAL STATE:						
Females	Total	535				2
	White	319				
	Indian	2				
	Colored	214				2
140. Abortion with septic conditions	White	18				
	Colored	11				1
141. Abortion without mention of septic condition (to include hemorrhage)	White	22				
	Colored	15				
142. Ectopic gestation	White	4				
	Colored	7				
143. Other accidents of pregnancy (not to include hemorrhage)	White	13				
	Colored	5				
144. Puerperal hemorrhages	White	35				
	Colored	20				
145. Puerperal septicemia (not specified as due to abortion)	White	51				
	Indian	2				
	Colored	36				
146. Puerperal albuminuria and eclampsia	White	104				
	Colored	71				1
147. Other toxemias of pregnancy	White	16				
	Colored	17				
148. Puerperal phlegmasia albadolens, embolus, sudden death (not specified as septic)	White	13				
	Colored	4				
149. Other accidents of labor	White	38				
	Colored	26				
150. Other and unspecified conditions of the puerperal state	White	5				
	Colored	2				
XII. DISEASES OF THE SKIN AND CELLULAR TISSUE:						
Males	Total	47	11	2	1	1
	White	26	3		1	1
	Indian					
	Colored	21	8	2		

Continued

15 to 19 Years	20 to 24 Years	25 to 29 Years	30 to 34 Years	35 to 44 Years	45 to 54 Years	55 to 64 Years	65 to 74 Years	75 to 84 Years	85 to 94 Years	95 and Over	Unknown
					1						
	2	1	3	11	4	4					
					1						
	6	5	7	6	2						
85	107	97	98	138	8						
39	58	61	61	96	4						
	1		1								
46	48	36	36	42	4						
1	3	6	4	4							
3	1	1	3	1	1						
3	4	4	4	7							
1	4	1	4	5							
		1	3								
	3	1	2	1							
1	3	1	3	4	1						
1	1			2	1						
	3	4	9	18	1						
4	3	3	2	7	1						
6	14	15	10	5	1						
	1		1								
7	12	8	3	5	1						
21	17	18	12	35	1						
21	13	12	12	12							
1	4	3	4	4							
4	4	3	3	3							
1	3	4	2	3							
1	1	1	1								
5	6	3	9	15							
4	6	6	5	5							
	1	2	1	1							
			1	1							
1	4	2	1	5	9	5		4		1	
1	3	1	1	5	5	4		1			
	1	1			4	1		3		1	

TABLE III—

Cause of Death	Race	All Ages	Under 1 Year	1 to 4 Years	5 to 9 Years	10 to 14 Years
Females	Total	30	6			1
	White	21	3			1
	Indian					
	Colored	9	3			
151. Furuncle, carbuncle	W Male	11			1	
	W Female	4				
	C Male	1	1			
	C Female	2				
152. Phlegmon, acute abscess	W Male	12	2			1
	W Female	8	1			1
	C Male	11	4	1		
	C Female	2	1			
153. Other diseases of the skin and annexæ, and of the cellular tissue	W Male	3	1			
	W Female	9	2			
	C Male	9	3	1		
	C Female	5	2			
XIII. DISEASES OF THE ORGANS OF LOCOMOTION:						
Males	Total	32		2	6	7
	White	26		1	5	5
	Colored	6		1	1	2
Females	Total	18	3	1	1	2
	White	11	2	1	1	2
	Colored	7	1			
154. Osteomyelitis	W Male	20		1	5	3
	W Female	7	1	1	1	2
	C Male	4		1	1	1
	C Female	3	1			
155. Other diseases of the bones (tuberculosis excepted)	W Male	2				1
	W Female	1				
	C Male					
	C Female	1				
156. Diseases of the joints and other organs of locomotion	W Male	4				1
	W Female	3	1			
	C Male	2				1
	C Female	3				
XIV. CONGENITAL MALFORMATIONS:						
Males	Total	177	167	8	1	
	White	133	125	6	1	
	Indian	2	2			
	Colored	42	40	2		
Females	Total	133	124	8		1
	White	101	95	6		
	Indian					
	Colored	32	29	2		1

Continued

15 to 19 Years	20 to 24 Years	25 to 29 Years	30 to 34 Years	35 to 44 Years	45 to 54 Years	55 to 64 Years	65 to 74 Years	75 to 84 Years	85 to 94 Years	95 and Over	Unknown
2	2	3	1	3	3	3	4	1	1		
2	1	1	1	2	3	2	3	1	1		
	1	2		1		1	1				
	1			2	3	4					
				1	2			1			
				1		1					
1	1	1	1	3	2						
1	1		1		1	1	1				
		1			3	1		1			
		1									
	1							1			
1		1		1		1	2		1		
	1				1			2		1	
	1	1					1				
2	1	1	3	3	2	1	2	1	1		
2	1	1	2	2	2	1	2	1	1		
			1	1							
1	1	2	1	2	1			2	1		
1			1	1	1			1			
	1	2		1				1	1		
1		1	2	2	2	1	1		1		
1			1								
				1							
		2									
							1				
					1						
								1			
1	1							1			
				1				1			
			1								
	1			1					1		
1											
1											

TABLE III—

Cause of Death	Race		All Ages	Under 1 Year	1 to 4 Years	5 to 9 Years	10 to 14 Years
157. Congenital malformations (stillbirths not included)	W	Male	133	125	6	1	------
		Female	101	95	6	------	------
	I	Male	2	2	------	------	------
		Female	------	------	------	------	------
	C	Male	42	40	2	------	------
		Female	32	29	2	------	1
XV. DISEASES OF EARLY INFANCY:							
Males	Total		1,386	1,385	1	------	------
	White		839	838	1	------	------
	Indian		7	7	------	------	------
	Colored		540	540	------	------	------
Females	Total		1,102	1,100	1	1	------
	White		628	626	1	1	------
	Indian		9	9	------	------	------
	Colored		465	465	------	------	------
158. Congenital debility	W	Male	174	174	------	------	------
		Female	128	127	------	1	------
	I	Male	2	2	------	------	------
		Female	4	4	------	------	------
	C	Male	221	221	------	------	------
		Female	183	183	------	------	------
159. Premature birth	W	Male	530	530	------	------	------
		Female	410	410	------	------	------
	I	Male	4	4	------	------	------
		Female	4	4	------	------	------
	C	Male	260	260	------	------	------
		Female	243	243	------	------	------
160. Injury at birth	W	Male	85	84	1	------	------
		Female	49	49	------	------	------
	I	Male	------	------	------	------	------
		Female	1	1	------	------	------
	C	Male	38	38	------	------	------
		Female	19	19	------	------	------
161. Other diseases peculiar to early infancy	W	Male	50	50	------	------	------
		Female	41	40	1	------	------
	I	Male	1	1	------	------	------
		Female	------	------	------	------	------
	C	Male	21	21	------	------	------
		Female	20	20	------	------	------
XVI. SENILITY:							
Males	Total		174	------	------	------	------
	White		88	------	------	------	------
	Indian		1	------	------	------	------
	Colored		85	------	------	------	------

Continued

15 to 19 Years	20 to 24 Years	25 to 29 Years	30 to 34 Years	35 to 44 Years	45 to 54 Years	55 to 64 Years	65 to 74 Years	75 to 84 Years	85 to 94 Years	95 and Over	Unknown
1	-	-	-	-	-	-	-	-	-	-	-
-	-	-	-	-	-	-	-	-	-	-	-
-	-	-	-	-	-	-	-	-	-	-	-
-	-	-	-	-	-	-	-	-	-	-	-
-	-	-	-	-	-	-	-	-	-	-	-
-	-	-	-	-	-	-	-	-	-	-	-
-	-	-	-	-	-	-	-	-	-	-	-
-	-	-	-	-	-	-	-	-	-	-	-
-	-	-	-	-	-	-	-	-	-	-	-
-	-	-	-	-	-	-	-	-	-	-	-
-	-	-	-	-	-	-	-	-	-	-	-
-	-	-	-	-	-	-	-	-	-	-	-
-	-	-	-	-	-	-	-	-	-	-	-
-	-	-	-	-	-	-	-	-	-	-	-
-	-	-	-	-	-	-	-	-	-	-	-
-	-	-	-	-	-	-	-	-	-	-	-
-	-	-	-	-	-	-	-	-	-	-	-
-	-	-	-	-	-	-	-	-	-	-	-
-	-	-	-	-	-	-	-	-	-	-	-
-	-	-	-	-	-	-	-	-	-	-	-
-	-	-	-	-	-	-	-	-	-	-	-
-	-	-	-	-	-	-	-	-	-	-	-
-	-	-	-	-	-	-	-	-	-	-	-
-	-	-	-	-	-	-	-	-	-	-	-
-	-	-	-	-	-	-	-	-	-	-	-
-	-	-	-	-	-	-	-	-	-	-	-
-	-	-	-	-	-	-	-	-	-	-	-
-	-	-	-	-	-	-	-	-	-	-	-
-	-	-	-	-	-	-	-	-	-	-	-
-	-	-	-	-	-	-	-	-	-	-	-
-	-	-	-	-	-	-	-	-	-	-	-
-	-	-	-	-	-	-	-	-	-	-	-
-	-	-	-	-	-	-	-	-	-	-	-
-	-	-	-	-	-	-	-	-	-	-	-
-	-	-	-	-	-	-	-	-	-	-	-
-	-	-	-	-	-	-	-	-	-	-	-
-	-	-	-	-	-	-	-	-	-	-	-
-	-	-	-	-	-	-	-	-	-	-	-
-	-	-	-	-	-	-	36	75	50	12	1
-	-	-	-	-	-	-	10	41	34	3	-
-	-	-	-	-	-	-	-	-	-	1	-
-	-	-	-	-	-	-	26	34	16	8	1

TABLE III—

Cause of Death	Race	All Ages	Under 1 Year	1 to 4 Years	5 to 9 Years	10 to 14 Years
Females	Total	243	------	------	------	------
	White	143	------	------	------	------
	Indian	3	------	------	------	------
	Colored	97	------	------	------	------
XVII. VIOLENT AND ACCIDENTAL DEATHS:						
Males	Total	2,046	73	81	65	83
	White	1,379	36	53	47	60
	Indian	14	------	------	1	------
	Colored	653	37	28	17	23
Females	Total	653	52	64	47	30
	White	447	25	44	34	12
	Indian	8	------	1	1	------
	Colored	198	27	19	12	18
163. Suicide by solid or liquid piosons or by corrosive substances	W Male	21	------	------	------	------
	W Female	18	------	------	------	------
	I Male	------	------	------	------	------
	I Female	1	------	------	------	------
	C Male	------	------	------	------	------
	C Female	1	------	------	------	------
164. Suicide by poisonous gas	W Male	8	------	------	------	------
	W Female	5	------	------	------	------
165. Suicide by hanging or strangulation	W Male	12	------	------	------	------
	W Female	4	------	------	------	------
166. Suicide by drowning	W Male	2	------	------	------	------
	W Female	4	------	------	------	------
	C Male	1	------	------	------	------
	C Female	------	------	------	------	------
167. Suicide by firearms	W Male	153	------	------	------	------
	W Female	11	------	------	------	------
	C Male	14	------	------	------	------
	C Female	2	------	------	------	------
168. Suicide by cutting or piercing instruments	W Male	5	------	------	------	------
	W Female	1	------	------	------	------
169. Suicide by jumping from high places	W Male	------	------	------	------	------
	W Female	1	------	------	------	------
	C Male	1	------	------	------	------
	C Female	1	------	------	------	------
170. Suicide by crushing	W Male	1	------	------	------	------
	W Female	------	------	------	------	------
171. Suicide by other means	W Male	2	------	------	------	------
	W Female	3	------	------	------	------

Continued

15 to 19 Years	20 to 24 Years	25 to 29 Years	30 to 34 Years	35 to 44 Years	45 to 54 Years	55 to 64 Years	65 to 74 Years	75 to 84 Years	85 to 94 Years	95 and Over	Unknown
							27	107	86	23	
							17	61	57	8	
								3			
							10	43	29	15	
204	276	220	193	293	202	173	109	48	21		5
130	160	131	137	191	149	138	88	42	14		3
2	4		1	2	1	1	2				
72	112	89	55	100	52	34	19	6	7		2
59	59	42	26	41	39	30	46	82	34	1	1
37	32	24	17	30	23	20	37	81	29	1	1
2	2						2				
20	25	18	9	11	16	10	7	1	5		
	2	1	2	6	5	5					
4	6	1	4	3							
	1										
		1									
	1		1	3	1	2					
1		2	1		1						
	2		3	1	4	2					
	1		1	1			1				
				1		1					
					2	1	1				
					1						
11	16	15	18	22	26	25	15	4			1
3		1		4	3						
3	4	1	1	2	2		1				
	1	1									
				1		1	2	1			
							1				
	1										
				1							
		1									
	1										
						1					1
	1		1		1						

TABLE III—

Cause of Death	Race		All Ages	Under 1 Year	1 to 4 Years	5 to 9 Years	10 to 14 Years
172. Infanticide (murder of infants less than 1 year)	W	Male					
		Female	1	1			
	C	Male	1	1			
		Female	2	2			
173. Homicide by firearms	W	Male	104			2	1
		Female	14				
	I	Male	3				
		Female	1				
	C	Male	164			1	1
		Female	32				
174. Homicide by cutting or piercing instruments	W	Male	15				
		Female	2				
	I	Male	3				
		Female					
	C	Male	43				3
		Female	10				
175. Homicide by other means	W	Male	18			1	
		Female	3				
	I	Male					
		Female	1				
	C	Male	19				1
		Female	7				
176. Attack by venomous animals	W	Male	2			1	
		Female	1			1	
177. Poisoning by food	W	Male	5	1	1		
		Female	4		1	2	
	C	Male	3	1			
		Female	4	1			
178. Accidental absorption of poisonous gas	W	Male	2				
	C	Male	1				
179. Other acute accidental poisonings (gas excepted)	W	Male	7	2	4		
		Female	1				
	I	Male					
		Female	1		1		
	C	Male	7		5		
		Female	4		3		
180. Conflagration	W	Male	14	2	2	1	1
		Female	3		1		
	C	Male	17	3	3	1	1
		Female	8	2	4		1

Continued

15 to 19 Years	20 to 24 Years	25 to 29 Years	30 to 34 Years	35 to 44 Years	45 to 54 Years	55 to 64 Years	65 to 74 Years	75 to 84 Years	85 to 94 Years	95 and Over	Unknown
1	15	13	17	25	15	13	1	1			
	4	7		2			1				
	1					1	1				
1											
20	34	32	26	29	14	6	1				
7	8	8	3	4	2						
2	3	3	2	1	4						
1			1								
2				1							
3	6	10	7	12	1	1					
	6	2	1		1						
	1	3		6	3	1	2	1			
	1	1									1
	1										
1	5	3	4	2		2		1			
2	2	1	2								
		1									
2							1				
					1						
1			1								
	1			2							
	1	1									
	1										
1											
		1									
				1		1					
					1						
		1	1		1		3	1			1
					1			1			
1			1	2	1		2		2		
									1		

TABLE III—

Cause of Death	Race		All Ages	Under 1 Year	1 to 4 Years	5 to 9 Years	10 to 14 Years
181. Accidental burns	W	Male	41	6	13	2	2
		Female	61	6	24	8	------
	I	Male	1	------	------	------	------
		Female	2	------	------	1	------
	C	Male	17	1	8	------	1
		Female	24	2	5	6	3
182. Accidental mechanical suffocation	W	Male	20	18	------	------	1
		Female	11	11	------	------	------
	C	Male	20	18	1	------	------
		Female	14	14	------	------	------
183. Accidental drowning	W	Male	54	------	4	5	6
		Female	12	------	4	1	1
	I	Male	1	------	------	------	------
		Female	------	------	------	------	------
	C	Male	23	1	------	1	2
		Female	9	------	1	------	3
184. Accidental traumatism by firearms (wounds of war excepted)	W	Male	53	------	3	3	6
		Female	11	------	2	3	2
	C	Male	32	------	2	5	7
		Female	11	------	------	2	1
185. Accidental traumatism by cutting or piercing instruments (wounds of war excepted)	W	Male	5	------	3	------	------
		Female	1	------	------	------	------
	C	Male	4	------	------	------	------
		Female	2	------	1	------	1
186. Accidental traumatism by fall, crushing, landslide, etc.	W	Male	103	1	1	3	4
		Female	131	1	1	1	1
	I	Male	1	------	------	------	------
		Female	1	------	------	------	------
	C	Male	25	4	1	------	------
		Female	16	2	------	1	1
187. Cataclysm (all deaths attributed to cataclysm regardless of their nature)	W	Male	4	------	------	------	------
		Female	4	1	------	1	------
	C	Male	3	------	------	------	------
		Female	1	------	------	------	------
188. Injuries by animals	W	Male	10	------	------	1	1
		Female	------	------	------	------	------
	C	Male	7	------	------	1	------
		Female	2	------	------	------	------
189. Hunger and thirst	W	Male	1	1	------	------	------
190. Excessive cold	W	Male	2	------	------	------	------
	C	Male	5	------	------	------	------

Continued

15 to 19 Years	20 to 24 Years	25 to 29 Years	30 to 34 Years	35 to 44 Years	45 to 54 Years	55 to 64 Years	65 to 74 Years	75 to 84 Years	85 to 94 Years	95 and Over	Unknown
	2	2	4	3	1	3	1	2			
4	1	1	1	2	2	3	2	6	1		
	1										
							1				
3	1			1		1	1				
1	2			1	2	1	1				
				1							
					1						
12	10	2	4	5	3	2		1			
1	5										
	1										
11	4	2	2								
2	2								1		
13	6	4	5	3	7	2	1				
2				2							
7	6	2	1		1		1				
4	1	1			1	1					
	1				1						
								1			
1	1	1				1					
4	5	9	5	8	9	10	14	18	12		
1		1			3	7	20	67	27	1	
							1				
							1				
2	2	3	2	3	2	1	2	1	2		
				1	2	2	3	1	3		
1	2				1						
1						1					
	1	2									
				1							
				1		3	4				
1	1		1	1	1			1			
					1	1					
				1	1						
		1	1				1		2		

TABLE III—

Cause of Death	Race		All Ages	Under 1 Year	1 to 4 Years	5 to 9 Years	10 to 14 Years
191. Excessive heat	W	Male	7	1			
		Female	1				
	C	Male	5				1
		Female					
192. Lightning	W	Male	9				3
		Female	4				
	C	Male	2			1	
		Female	1				
193. Accidents due to electric currents	W	Male	11				
	C	Male	3				
194. Other accidents	W	Male	51	3	5	4	6
		Female	14	4	2	1	1
	I	Male	1				
		Female	1				
	C	Male	30	8	4		1
		Female	9	4		1	1
195. Violent deaths of which the nature (accident, suicide, homicide) is unknown	W	Male	5				
	I	Male	1				
	C	Male	8				
198. Legal executions	W	Male	3				
	C	Male	3				
201. Accidents in mines and quarries	W	Male	1				
202. Accidents from agricultural machinery	W	Male	2				
203. Elevator accidents	W	Male	1				
	C	Male	1				1
205. Other machinery accidents	W	Male	13				
	C	Male	6				
206. Railroad and automobile collisions	W	Male	29				1
	C	Female	6				1
	C	Male	2				
		Female	1				
207. Other railroad accidents	W	Male	61			3	2
		Female	1				
	C	Male	40			3	
		Female	4		1		
208. Street car and automobile collisions	W	Male	2				
		Female	1				
209. Other street car accidents	W	Female	1				

Continued

15 to 19 Years	20 to 24 Years	25 to 29 Years	30 to 34 Years	35 to 44 Years	45 to 54 Years	55 to 64 Years	65 to 74 Years	75 to 84 Years	85 to 94 Years	95 and Over	Unknown
		1	1	1	1	1	1				
							1				
				2		2					
1	2		1	1		1					
	2			2							
					1						
					1						
	2	6	2	1							
2	1										
6	1	3	3	3	4	6	5	1	1		
			1		1		1	3			
					1						
1											
2	2	2		2	4	4	1				
					1		2				
	1		1	1	1		1				
	1										
	2		1	2	2	1					
			2		1						
	2	1									
				1							
		1		1							
					1						
4		1	1	2	3	2					
	3	1			2						
3	8	5	5	2	4	1					
1	1	2			1						
				1	1						
		1									
7	6	7	8	10	4	8	3	3			
1											
4	8	9		12	2						2
	1				1		1				
1		1									
		1									
					1						

TABLE III—

Cause of Death	Race		All Ages	Under 1 Year	1 to 4 Years	5 to 9 Years	10 to 14 Years
210. Automobile accidents	W	Male	467	1	14	19	23
		Female	109	1	8	15	6
	I	Male	3			1	
		Female					
	C	Male	131		4	4	4
		Female	29		3	2	5
211. Motorcycle accidents	W	Male	6				
	C	Male	1				
212. Other land transportation accidents	W	Male	14		3	1	1
		Female	2		1	1	
	C	Male					
		Female	1		1		
213. Water transportation accidents	W	Male	22			1	2
		Female					
	C	Male	13				
		Female	3				2
214. Air transportation accidents	W	Male	11				
		Female	1				
	C	Male	1				
		Female					
XVIII. ILL-DEFINED CAUSES OF DEATH:							
Males	Total		252	49	28	5	4
	White		130	27	10	1	1
	Indian		2				1
	Colored		120	22	18	4	2
Females	Total		210	39	24	6	6
	White		88	22	5	2	2
	Indian		5		3		
	Colored		117	17	16	4	4
199. Sudden death	W	Male	53	1	1		
		Female	22	2			
	I	Male					
		Female	1				
	C	Male	28	4			
		Female	19	1	1		1
200. Cause of death not specified or ill-defined	W	Male	77	26	9	1	1
		Female	66	20	5	2	2
	I	Male	2				1
		Female	4		3		
	C	Male	92	18	18	4	2
		Female	98	16	15	4	3

Continued

15 to 19 Years	20 to 24 Years	25 to 29 Years	30 to 34 Years	35 to 44 Years	45 to 54 Years	55 to 64 Years	65 to 74 Years	75 to 84 Years	85 to 94 Years	95 and Over	Unknown
52	63	46	47	71	45	47	31	8			
16	9	6	7	14	6	8	9	3	1		
			1	1							
10	23	16	7	24	14	13	8	3	1		
3	1	2	3	2	3	5					
2	2	1	1								
	1										
2				1	2		3		1		
2	3	2	2	8	1			1			
	3	3		3	2	1	1				
1											
3	4	2	1			1					
1											
	1										
2	10	6	5	23	26	46	31	13	4		
1	1	1	1	11	15	30	20	9	2		
	1										
1	8	5	4	12	11	16	11	4	2		
5	8	7	9	18	20	31	31	6			
1	4	2	1	4	5	16	20	4			
				1			1				
4	4	5	8	13	15	15	10	2			
				5	9	17	11	7	2		
				2		8	8	2			
							1				
	1	1		5	5	5	3	2	2		
	1	1		3	6	3	2				
1	1	1	1	6	6	13	9	2			
1	4	2	1	2	5	8	12	2			
	1										
				1							
1	7	4	4	7	6	11	8	2			
4	3	4	8	10	9	12	8	2			

TABLE IV—DEATHS (EXCLUSIVE OF STILLBIRTHS) IN EACH COUNTY, BY COLOR, WITH RATE PER 1,000 POPULATION—1933

County	By Place of Death								By Place of Residence							
	Total		White		Indian		Colored		Total		White		Indian		Colored	
	Number	Rate	Number	Rate	Number	Rate	Number	Rate	Number	Rate	Number	Rate	Number	Rate	Number	Rate
Entire State	30,496	9.3	19,140	8.2	168	10.5	11,188	11.8	30,218	9.2	18,898	8.1	169	10.5	11,151	11.8
Alamance	335	7.6	252	7.1			83	9.5	369	8.4	279	7.9			90	10.3
Alexander	98	7.5	86	7.2			12	10.9	108	8.3	95	8.0			13	11.8
Alleghany	51	7.0	48	7.0			3	8.7	55	7.6	50	7.3			5	14.5
Anson	250	8.4	114	8.0			136	8.8	254	8.6	118	8.3			136	8.8
Ashe	151	7.1	144	7.0			7	17.5	157	7.4	150	7.2			7	17.5
Avery	101	8.3	98	8.3			3	10.0	82	6.8	79	6.6			3	10.0
Beaufort	490	13.7	277	12.6			213	15.4	449	12.5	249	11.3			200	13.8
Bertie	272	10.3	98	8.5			174	11.8	279	10.6	101	8.9			178	12.0
Bladen	165	7.2	79	5.9			86	9.0	181	7.9	90	6.8			91	9.5
Brunswick	153	9.5	82	8.2			71	11.8	159	9.9	84	8.4			75	12.5
Buncombe	1,247	12.0	956	11.1			291	16.5	1,040	10.0	790	9.1			250	14.2
Burke	381	12.4	362	13.0			19	7.0	327	10.7	308	11.0			19	7.0
Cabarrus	370	8.0	281	7.4			89	10.7	410	8.8	320	8.4			90	10.8
Caldwell	275	9.3	241	9.0			34	13.6	281	9.5	247	9.1			34	13.6
Camden	58	10.5	26	7.9			32	14.5	60	10.9	27	8.1			33	15.0
Carteret	178	10.3	156	10.6			22	8.4	181	10.5	158	10.8			23	8.8
Caswell	132	7.0	62	6.2			70	8.1	139	7.4	67	6.7			72	8.3
Catawba	322	7.0	268	6.6			54	10.3	335	7.3	278	6.9			57	11.0
Chatham	180	7.4	112	6.9			68	8.5	212	8.8	135	8.3			77	9.6
Cherokee	110	6.7	105	6.6			5	12.5	119	7.3	114	7.1			5	12.5
Chowan	144	12.6	56	9.3			88	16.2	150	13.1	57	9.5			93	17.2
Clay	38	6.8	37	6.7			1	10.0	39	7.0	38	6.9			1	10.0
Cleveland	334	6.0	265	6.2			69	5.4	346	6.3	273	6.4			73	5.7
Columbus	345	8.8	204	7.6			141	11.5	375	9.6	223	8.3			152	12.4
Craven	402	13.0	144	9.0			258	17.3	408	13.2	147	9.1			261	17.5
Cumberland	516	11.0	324	11.0			192	10.8	468	10.0	284	9.7			184	10.3

Currituck	90	13.4	63	14.3			27	12.0	93	13.8	65	14.5			28	12.4
Dare	48	9.2	40	8.3			8	20.0	52	10.0	44	9.1			8	20.0
Davidson	348	7.0	288	6.4			60	11.1	356	7.1	295	6.6			61	11.2
Davie	111	7.6	82	6.8			29	12.0	125	8.6	94	7.8			31	12.9
Duplin	316	8.8	192	8.4			124	9.3	351	9.7	219	9.6			132	9.9
Durham	964	13.4	523	11.2	1		440	17.6	733	10.2	350	7.5			383	15.3
Edgecombe	457	9.2	177	8.3			280	9.9	455	9.1	172	8.0			283	10.0
Forsyth	1,182	10.0	658	8.3			524	13.3	1,148	9.8	624	8.0			524	13.3
Franklin	250	8.3	125	7.4			125	9.4	282	9.4	144	8.6			138	10.4
Gaston	651	7.8	477	6.9			174	13.2	674	8.1	494	7.0			180	13.7
Gates	93	8.7	46	8.3			47	9.2	98	9.2	51	9.2			47	9.2
Graham	25	4.1	25	4.3					28	4.6	28	4.8				
Granville	290	10.0	131	8.9			159	11.1	298	10.2	135	9.1			163	11.4
Greene	116	6.0	51	5.1			65	7.0	135	7.0	59	6.0			76	8.2
Guilford	1,236	8.6	850	7.6			386	12.5	1,204	8.4	828	7.4			376	12.2
Halifax	529	9.6	195	8.4			334	10.5	545	9.9	203	8.8			342	10.8
Harnett	330	8.3	213	7.4	1		116	10.6	370	9.3	249	8.6	1		120	11.0
Haywood	271	9.3	263	9.2			8	11.4	286	9.8	278	9.8			8	11.4
Henderson	274	11.2	239	10.9			35	15.2	268	11.0	231	10.5			37	16.0
Hertford	183	10.2	61	8.2			122	11.7	188	10.5	62	8.3			126	12.1
Hoke	153	10.4	48	8.9	2		103	11.0	133	9.0	45	8.3	2		86	9.2
Hyde	88	10.2	46	9.0			42	12.0	102	11.8	55	10.8			47	13.4
Iredell	488	10.1	363	9.4			125	13.0	438	9.0	311	8.0			127	13.2
Jackson	144	7.9	131	7.7	5		8	6.6	148	8.1	135	7.9	5		8	6.6
Johnston	462	7.8	340	7.4			122	9.0	486	8.2	357	7.8			129	9.5
Jones	84	8.0	37	6.3			47	10.0	92	8.8	43	7.4			49	10.4
Lee	181	10.2	120	10.0			61	10.9	179	10.1	115	9.5			64	11.4
Lenoir	493	13.3	245	11.7			248	15.5	478	13.0	227	10.8			251	15.8
Lincoln	233	9.8	195	9.6			38	10.9	222	9.3	186	9.2			36	7.6
McDowell	203	9.7	176	9.3			27	13.5	213	10.1	185	9.8			28	14.0
Macon	129	9.3	121	9.0			8	16.0	113	8.1	105	7.9			8	16.0
Madison	158	7.8	156	7.8			2	6.6	173	8.5	170	8.5			3	10.0
Martin	194	8.1	66	5.2			128	11.4	224	9.4	81	6.5			143	12.8
Mecklenburg	1,268	9.3	691	7.2			577	14.2	1,208	8.8	626	6.5			582	14.4
Mitchell	93	6.4	92	6.4			1	17.2	103	7.1	102	7.1			1	17.2
Montgomery	110	6.6	84	6.6			26	6.8	125	7.5	97	7.6			28	7.3

TABLE IV—*Continued*

County	By Place of Death								By Place of Residence							
	Total		White		Indian		Colored		Total		White		Indian		Colored	
	Number	Rate	Number	Rate	Number	Rate	Number	Rate	Number	Rate	Number	Rate	Number	Rate	Number	Rate
Moore	212	7.2	136	7.0			76	7.4	206	7.0	127	6.6			79	7.7
Nash	533	9.7	288	9.4			245	10.0	470	8.5	248	8.1			222	9.0
New Hanover	641	14.8	308	11.6			333	19.5	578	13.3	265	10.0			313	18.4
Northampton	208	7.4	75	7.2			133	7.6	219	7.8	79	7.6			140	8.0
Onslow	124	8.0	78	6.9			46	11.2	134	8.7	85	7.5			49	12.0
Orange	180	8.2	113	7.7			67	9.4	215	9.9	137	9.3			78	11.0
Pamlico	80	8.6	49	8.0			31	9.6	86	9.2	55	9.1			31	9.6
Pasquotank	265	13.6	101	9.0			164	19.8	256	13.1	98	8.8			158	19.0
Pender	152	9.6	76	9.2			76	10.0	174	11.0	89	10.8			85	11.1
Perquimans	82	7.6	33	6.1			49	9.2	88	8.2	38	7.0			50	9.4
Person	149	6.5	87	6.3	5		57	6.3	161	7.1	93	6.8	5		63	7.0
Pitt	481	8.5	234	8.1			247	9.0	513	9.1	256	8.8			257	9.4
Polk	79	7.5	61	6.9			18	11.2	72	7.0	54	6.0			18	11.2
Randolph	291	7.8	257	7.7			34	8.7	313	8.4	274	8.2			39	10.0
Richmond	318	9.0	182	8.4			136	9.7	328	9.2	188	8.7			140	10.0
Robeson	654	9.5	294	9.1	129	10.1	231	9.8	636	9.2	274	8.4	131	10.3	231	9.8
Rockingham	422	8.0	291	7.1			131	11.1	440	8.4	305	7.5			135	11.4
Rowan	486	8.2	357	7.6			129	10.8	481	8.1	352	7.5			129	10.8
Rutherford	310	7.3	267	7.3			43	7.6	300	7.1	258	7.0			42	7.5
Sampson	388	9.5	231	8.7	6		151	10.5	424	10.3	260	9.8	6		158	11.0
Scotland	190	9.0	93	10.1	5		92	7.8	198	9.4	98	10.6	5		95	8.0
Stanly	223	7.2	195	7.1			28	7.8	226	7.3	199	7.3			27	7.5
Stokes	136	6.0	117	5.8			19	7.6	147	6.5	124	6.1			23	9.2
Surry	315	7.6	289	7.5			26	9.2	308	7.5	283	7.4			25	8.9
Swain	75	6.4	60	5.8	14		1	0.8	79	6.8	63	6.1	14		2	1.5
Transylvania	90	9.3	84	9.3			6	10.0	96	10.0	88	9.8			8	13.3
Tyrrell	65	12.5	34	9.7			31	18.2	65	12.5	36	10.2			29	17.0

Union	342	8.1	243	7.6	.....	.....	99	9.7	340	8.1	238	7.5	.....	.....	102	10.0
Vance	252	9.0	127	8.0	.....	.....	125	10.0	253	9.0	131	8.3	.....	.....	122	9.8
Wake	1,135	11.5	665	10.5	.....	.....	470	13.3	1,076	11.0	605	9.6	.....	.....	471	13.4
Warren	246	10.3	82	9.4	.....	.....	164	10.9	258	10.9	86	9.9	.....	.....	172	11.4
Washington	124	10.6	48	7.7	.....	.....	76	14.0	129	11.1	52	8.3	.....	.....	77	14.2
Watauga	99	6.3	91	6.0	.....	.....	8	26.6	108	7.0	100	6.5	.....	.....	8	26.6
Wayne	759	13.9	287	9.3	.....	.....	472	19.7	656	12.0	283	9.2	.....	.....	373	15.6
Wilkes	309	8.3	278	8.1	.....	.....	31	11.0	310	8.4	280	8.2	.....	.....	30	10.7
Wilson	507	11.0	220	8.3	.....	.....	287	14.4	503	10.8	220	8.3	.....	.....	283	14.2
Yadkin	126	6.8	119	6.9	.....	.....	7	7.0	151	8.2	142	8.2	.....	.....	9	9.0
Yancey	105	7.2	103	7.1	.....	.....	2	12.2	111	7.6	109	7.6	.....	.....	2	12.2

TABLE V—DEATHS (EXCLUSIVE OF STILLBIRTHS) IN EACH COUNTY, BY CAUSE OF

Cause of Death	Entire State					
	Place of death	Place of res.	Place of death	Place of res.	Place of death	Place of res.
	White	White	Ind.	Ind.	Colored	Colored
All causes—Total recorded	19,140	18,898	168	169	11,188	11,150
1. Typhoid and paratyphoid fever	54	54	------	------	74	74
2 Typhus fever	5	5	------	------	------	------
3. Smallpox	------	------	------	------	------	------
4. Measles	73	73	2	2	16	16
5. Scarlet fever	46	46	------	------	3	3
6. Whooping-cough	95	94	2	2	103	103
7. Diphtheria	178	176	------	------	40	40
8. Influenza	580	574	6	6	411	411
10. Tuberculosis of the respiratory system	828	735	6	6	1,099	1,076
11. Other forms of tuberculosis	73	72	------	------	104	102
12. Syphilis	47	44	------	------	203	203
13. Malaria	30	29	------	------	20	20
14. Dysentery	58	58	1	1	37	37
14. Acute poliomyelitis and polioencephalitis	12	12	1	1	5	5
14. Epidemic cerebrospinal meningitis	11	11	------	------	7	7
14. Other infectious and parasitic diseases	148	147	3	3	75	74
15. Cancer and other malignant tumors	1,316	1,314	9	9	413	413
16. Tumors, nonmalignant or unspecified	77	77	1	1	49	48
17. Chronic rheumatism and gout	41	41	------	------	24	24
18. Diabetes mellitus	273	268	2	2	99	98
19. Alcoholism (acute or chronic)	62	62	------	------	30	30
20. Other general diseases and chronic poisonings	254	252	1	1	106	106
20. Pellagra	222	223	1	1	169	169
21. Progressive locomotor ataxia and paresis	46	46	------	------	34	35
22. Cerebral hemorrhage, cerebral embolism and thrombosis	1,585	1,576	10	10	911	911
23. Other diseases of the nervous system and organs of special sense	311	310	3	3	190	190
24. Diseases of the heart	3,067	3,044	21	21	1,389	1,387
25. Other diseases of the circulatory system	194	194	1	1	97	97
26. Bronchitis	56	55	1	1	29	29
27. Pneumonias	1,223	1,216	13	13	836	834
28. Other diseases of the respiratory system (TB excepted)	104	102	------	------	78	78
29. Diarrhea and enteritis (under 2 years)	462	456	12	12	329	329
29. Diarrhea and enteritis (2 years and over)	188	187	2	2	81	81
30. Appendicitis	228	224	3	3	90	86
31. Cirrhosis of the liver	77	77	2	2	30	30
31. Other diseases of the liver	96	93	------	------	29	29
32. Other diseases of the digestive system	468	463	3	3	292	292
33. Nephritis	2,040	2,034	7	8	990	990
34. Other diseases of the genitourinary system	151	150	2	2	96	95
35. Puerperal septicemia	69	69	2	2	47	47
36. Other diseases of pregnancy and puerperal state	249	248	------	------	167	167
37. Diseases of skin, bones and organs of locomotion	85	81	------	------	43	43
38. Congenital debility, malformations and early infancy	1,701	1,690	18	18	1,079	1,078
39. Senility	232	231	4	4	181	182
40. Suicide	248	245	1	1	19	20
41. Homicide	157	155	8	8	275	275
42. Violent and accidental (suicide and homicide excepted)	1,403	1,368	13	13	552	550
43. Cause not specified or ill-defined	217	218	7	7	237	237

DEATH (ABRIDGED INTERNATIONAL LIST) AND BY COLOR OF DECEDENT—1933

Alamance				Alexander				Alleghany				
Place of death	Place of res.	Place of death	Place of res.	Place of death	Place of res.	Place of death	Place of res.	Place of death	Place of res.	Place of death	Place of res.	
White	White	Colored	Colored	White	White	Colored	Colored	White	White	Col.	Col.	
252	279	83	90	86	95	12	13	48	50	3	5	
				1	1							1
												2
												3
				1	1							4
												5
												6
	2			6	6						1	7
4	4	6	6	5	5			1	1			8
14	15	9	9	3	3	3	3	1	1	1	1	10
												11
2	3		1			1	1					12
												13
				1	1			1		1	1	14
												14
												14
3	3	1	2	1	1							14
9	11	5	7	6	7	1	1	5	5			15
		1	2	1	1				1			16
												17
4	6	2	3	2	3	1	1					18
	1							1	1			19
1	1					1	1	1	1			20
3	2	1	1	2	2							20
1	1											21
25	27	3	3	9	9	2	2	3	3	1	1	22
4	4	2	2	2	2		1	2	2			23
50	52	14	13	8	8			6	6		1	24
3	4	1	1	2	2							25
1	1											26
18	19	7	7	5	5			4	4			27
								1	1			28
3	3			3	3							29
3	3	2	2						1			29
1	3				1							30
1	1			2	2							31
1	2			1	1							31
4	4	1	2			1	1	1				32
41	42	12	13	9	10	1	1	4	4			33
1	2				1			1	1			34
												35
2	4	1	1					1	1			36
1	2											37
18	21	4	4	9	9	1	1	9	9			38
7	7	3	3	1	1			1	1			39
2	2			1	1			1	1			40
		1	1	1	2							41
24	26	5	5	4	7			2	4			42
1	1	2	2					2	2			43

TABLE V—

Cause of Death	Anson			
	Place of death	Place of res.	Place of death	Place of res.
	White	White	Colored	Colored
All causes—Total recorded	114	118	136	136
1. Typhoid and paratyphoid fever			2	2
2. Typhus fever				
3. Smallpox				
4. Measles	1	1		
5. Scarlet fever	1	1		
6. Whooping-cough			4	4
7. Diphtheria			1	1
8. Influenza	2	2	6	6
10. Tuberculosis of the respiratory system	2	2	5	6
11. Other forms of tuberculosis			1	1
12. Syphilis			1	1
13. Malaria				
14. Dysentery				
14. Acute poliomyelitis and polioencephalitis				
14. Epidemic cerebrospinal meningitis				
14. Other infectious and parasitic diseases	1	1	1	
15. Cancer and other malignant tumors	8	8	4	4
16. Tumors, nonmalignant or unspecified				
17. Chronic rheumatism and gout				
18. Diabetes mellitus			4	4
19. Alcoholism (acute or chronic)		1		
20. Other general diseases and chronic poisonings	3	3		
20. Pellagra			1	2
21. Progressive locomotor ataxia and paresis				
22. Cerebral hemorrhage, cerebral embolism and thrombosis	12	12	14	14
23. Other diseases of the nervous system and organs of special sense	5	6	3	3
24. Diseases of the heart	21	22	20	20
25. Other diseases of the circulatory system	3	4	2	2
26. Bronchitis			2	2
27. Pneumonias	6	6	16	16
28. Other diseases of the respiratory system (tuberculosis excepted)			1	1
29. Diarrhea and enteritis (under 2 years)	1	1	2	2
29. Diarrhea and enteritis (2 years and over)	2	1	1	1
30. Appendicitis	2	2	1	
31. Cirrhosis of the liver	1	1		
31. Other diseases of the liver	1			
32. Other diseases of the digestive system	1	2		
33. Nephritis	10	10	14	14
34. Other diseases of the genitourinary system			1	1
35. Puerperal septicemia				
36. Other diseases of pregnancy and puerperal state	2	3	4	3
37. Diseases of skin, bones and organs of locomotion	1	1	1	1
38. Congenital debility, malformation and early infancy	13	15	10	10
39. Senility	4	4		
40. Suicide	1	1		
41. Homicide	1	1	7	6
42. Violent and accidental (suicide and homicide excepted)	7	5	3	4
43. Cause not specified or ill-defined	2	2	4	5

Continued

Ashe				Avery				Beaufort				
Place of death	Place of res.	Place of death	Place of res.	Place of death	Place of res.	Place of death	Place of res.	Place of death	Place of res.	Place of death	Place of res.	
White	White	Colored	Colored	White	White	Colored	Colored	White	White	Col.	Col.	
144	150	7	7	98	79	3	3	277	249	213	200	
				2	2							1
												2
												3
												4
				1	1			1	1			5
1	1			3	3			1	1	2	2	6
3	3			1	1			4	3	1	1	7
8	8			2	2			16	16	7	7	8
2	2	2	2	9	7	1	1	6	6	13	12	10
1	1			1	1					4	4	11
										1	1	12
								1	1			13
										2	2	14
1	1											14
												14
				1				4	3	1	1	14
8	9			4	4			14	14	13	13	15
	1							1	1	1		16
										1	1	17
								9	9	1	1	18
1	1							1	1			19
3	3							8	6	4	4	20
								3	3	1	1	20
												21
13	13	1	1	7	7	1	1	21	20	10	10	22
5	5			1				1	1	4	4	23
29	29	2	2	9	8	1	1	27	29	22	22	24
2	3			1	1			3	2	1	1	25
								2	2	1	1	26
8	8			4	4			12	9	9	9	27
				1	1			1	1	3	3	28
6	5							8	8	8	8	29
2	2			2	1			4	4	3	3	29
	3			3	2			6	3	2	2	30
2	2			1	1					2	2	31
1	1			1	1			1	1	1	1	31
4	4			3	1			12	8	10	8	32
11	12			8	6			33	32	27	27	33
2	2			2	1			3	2	3	1	34
				2	2					2	2	35
1	1			3				6	5			36
								4	2			37
13	13			12	11			18	16	16	16	38
7	7			3	3			5	5	4	4	39
								6	5	1	1	40
1	1							3	3	6	4	41
5	5			8	5			28	22	17	12	42
4	4	2	2	3	3			4	4	9	9	43

TABLE V—

Cause of Death	Bertie			
	Place of death	Place of res.	Place of death	Place of res.
	White	White	Colored	Colored
All causes—Total recorded	98	101	174	178
1. Typhoid and paratyphoid fever		1		
2. Typhus fever				
3. Smallpox				
4. Measles	1	1	2	2
5. Scarlet fever				
6. Whooping-cough			1	1
7. Diphtheria	1	1	1	1
8. Influenza	4	4	9	9
10. Tuberculosis of the respiratory system	7	7	13	13
11. Other forms of tuberculosis				
12. Syphilis			1	2
13. Malaria	1	1	1	1
14. Dysentery			1	1
14. Acute poliomyelitis and polioencephalitis				
14. Epidemic cerebrospinal meningitis				
14. Other infectious and parasitic diseases	2	2	2	2
15. Cancer and other malignant tumors	6	6	8	9
16. Tumors, nonmalignant or unspecified				
17. Chronic rheumatism and gout	4	4	2	2
18. Diabetes mellitus	4	4	4	4
19. Alcoholism (acute or chronic)				
20. Other general diseases and chronic poisonings	2	2		
20. Pellagra	2	3		
21. Progressive locomotor ataxia and paresis				
22. Cerebral hemorrhage, cerebral embolism and thrombosis	12	12	15	15
23. Other diseases of the nervous system and organs of special sense			2	3
24. Diseases of the heart	13	13	11	11
25. Other diseases of the circulatory system			1	1
26. Bronchitis	1	1	1	1
27. Pneumonias	5	5	9	9
28. Other diseases of the respiratory system (tuberculosis excepted)	1	1	2	2
29. Diarrhea and enteritis (under 2 years)	2	3	4	4
29. Diarrhea and enteritis (2 years and over)				
30. Appendicitis				
31. Cirrhosis of the liver	1	1		
31. Other diseases of the liver				
32. Other diseases of the digestive system			4	4
33. Nephritis	11	11	8	8
34. Other diseases of the genitourinary system				
35. Puerperal septicemia				1
36. Other diseases of pregnancy and puerperal state			2	2
37. Diseases of skin, bones and organs of locomotion				
38. Congenital debility, malformations and early infancy	7	7	34	34
39. Senility	4	4	15	15
40. Suicide				
41. Homicide	2	2	3	3
42. Violent and accidental (suicide and homicide excepted)	4	4	13	13
43. Cause not specified or ill-defined	1	1	5	5

Continued

Bladen				Brunswick				Buncombe				
Place of death	Place of res.	Place of death	Place of res.	Place of death	Place of res.	Place of death	Place of res.	Place of death	Place of res.	Place of death	Place of res.	
White	White	Colored	Colored	White	White	Colored	Colored	White	White	Col.	Col.	
79	90	86	91	82	84	71	75	956	790	291	250	
2	2					1	2			1	1	1
												2
												3
2	2											4
										1	1	5
		2	2					6	6	1	1	6
		1	1					4	4	1	1	7
2	2	4	4	1	1	3	3	13	12	8	8	8
1	2	3	3	1	1	3	3	222	114	70	37	10
1	1					1	1	9	8	5	2	11
		1	1					9	6	4	5	12
2	2					1	1	1				13
								2	2			14
		1	1							1		14
								1				14
	1					1	1	3	3	5	4	14
2	2	4	4	3	3	2	2	67	61	6	6	15
								1		2	2	16
				1	1							17
		1	1	2	2	1	2	12	8	1	1	18
										1	1	19
		1	1			1	1	15	13	2	2	20
						1	1	7	7	5	6	20
			1					3	3		2	21
7	7	7	7	17	18	13	14	74	72	26	25	22
1	1	1	2	1	1	3	4	9	7	3	3	23
15	17	8	9	11	11	9	10	130	122	53	50	24
			1	2	2	2	2	9	7	1	1	25
								6	6	1	1	26
5	5	9	9	3	4	8	8	50	48	15	15	27
		3	3	3	3	1	1	7	4			28
5	5	1	1	1	1	3	3	17	16	6	6	29
	1	1	1	2	2			8	6	1	1	29
	1			5	4			14	11	2	2	30
								7	7	2	2	31
								3	3			31
2	2	1	1			1	1	39	35	11	11	32
15	16	9	10	15	15	3	3	58	52	19	18	33
1	1	1	1	1		1	1	10	8	4	3	34
								3	3			35
1	1	3	3			2	2	9	9	2	2	36
1	1							2	1	1	1	37
9	9	9	9	4	4	4	4	57	57	16	15	38
		4	4	2	2	1	1	6	6	1	1	39
								14	15	1	1	40
						1		6	4	8	9	41
2	5	4	4	7	8	2	2	42	43	4	3	42
3	4	7	7	1	1	2	2	1	1			43

TABLE V—

Cause of Death	Burke			
	Place of death	Place of res.	Place of death	Place of res.
	White	White	Colored	Colored
All causes—Total recorded	362	308	19	19
1. Typhoid and paratyphoid fever				
2. Typhus fever				
3. Smallpox				
4. Measles	2	2		
5. Scarlet fever	1	1		
6. Whooping-cough	1	1		
7. Diphtheria	2	2		
8. Influenza	10	9		
10. Tuberculosis of the respiratory system	21	18	3	3
11. Other forms of tuberculosis	2	2		
12. Syphilis				
13. Malaria	2	1		
14. Dysentery				
14. Acute poliomyelitis and polioencephalitis				
14. Epidemic cerebrospinal meningitis				
14. Other infectious and parasitic diseases	2	2		
15. Cancer and other malignant tumors	14	14	1	1
16. Tumors, nonmalignant or unspecified	2	1		
17. Chronic rheumatism and gout				
18. Diabetes mellitus	4	4		
19. Alcoholism (acute or chronic)	2	2		
20. Other general diseases and chronic poisonings	4	4		
20. Pellagra	32	19		
21. Progressive locomotor ataxia and paresis	14	11		
22. Cerebral hemorrhage, cerebral embolism and thrombosis	18	13	1	1
23. Other diseases of the nervous system and organs of special sense	26	15		
24. Diseases of the heart	77	71	4	4
25. Other diseases of the circulatory system	14	9	1	1
26. Bronchitis	1	1		
27. Pneumonias	14	15	2	2
28. Other diseases of the respiratory system (tuberculosis excepted)	1	1		
29. Diarrhea and enteritis (under 2 years)	7	7	2	2
29. Diarrhea and enteritis (2 years and over)	14	7		
30. Appendicitis	1	1		
31. Cirrhosis of the liver				
31. Other diseases of the liver	1	1		
32. Other diseases of the digestive system	2	1	1	1
33. Nephritis	15	15	1	1
34. Other diseases of the genitourinary system	1	1	1	1
35. Puerperal septicemia				
36. Other diseases of pregnancy and puerperal state	4	4		
37. Diseases of the skin, bones, and organs of locomotion	4	3		
38. Congenital debility, malformations and early infancy	8	9		
39. Senility	2	2		
40. Suicide	6	4		
41. Homicide	3	3		
42. Violent and accidental (suicide and homicide excepted)	25	30	2	2
43. Cause not specified or ill-defined	3	2		

Continued.

Cabarrus				Caldwell				Camden				
Place of death	Place of res.	Place of death	Place of res.	Place of death	Place of res.	Place of death	Place of res.	Place of death	Place of res.	Place of death	Place of res.	
White	White	Colored	Colored	White	White	Colored	Colored	White	White	Col.	Col.	
281	320	89	90	241	247	34	34	26	27	32	33	
1	1			2	2							1
												2
												3
1	1			7	7							4
1	2											5
				1	1					1	1	6
1	1	1	1									7
13	15			9	9	1	1					8
7	7	9	9	5	5	4	4	1	1	5	5	10
1	3											11
												12
1	1									2	2	13
	1			2	2			1	1	1	1	14
												14
												14
1	2	1	1	3	3							14
14	16	3	3	14	14	3	3	2	2	1	1	15
1	1		1	1	1							16
1	1											17
3	3			2	2			1	1			18
												19
5	6	4	4	6	6	2	2	1	1			20
2	2	2	2	3	3	1	1	1	1			20
				2	2							21
20	21	6	6	25	25	4	4	6	6	3	3	22
4	5	1	1	3	4					1	1	23
52	54	18	18	33	32	5	5	2	2	2	2	24
2	2			2	2					1	1	25
				1	1							26
33	35	8	8	22	22	2	2	3	3	6	6	27
	2											28
10	10	2	2	7	8	1	1			1	1	29
1	1	2	2	2	2			1	1			29
1	4	1	1	4	5	1	1		1			30
												31
	2				1			1	1	1	1	31
5	6	1	1	8	8	1	1					32
31	35	10	10	11	11	2	2	3	3	2	2	33
	1	2	2	2	2	1	1	1	1			34
1	1			2	2						1	35
3	4			4	4							36
1	1			1	1							37
33	36	9	9	26	26	2	2	1	1	1	1	38
2	2	1	1	4	4	1	1					39
1	2			4	5							40
3	4			2	2	1	1	1	1	1	1	41
22	26	7	7	13	15					2	2	42
3	3	1	1	8	8	2	2			1	1	43

TABLE V—

Cause of Death	Carteret			
	Place of death	Place of res.	Place of death	Place of res.
	White	White	Colored	Colored
All causes—Total recorded	156	158	22	23
1. Typhoid and paratyphoid fever				
2. Typhus fever				
3. Smallpox				
4. Measles				
5. Scarlet fever	1	1		
6. Whooping-cough				
7. Diphtheria	1	1	1	1
8. Influenza	1	1		
10. Tuberculosis of the respiratory system	6	6	1	1
11. Other forms of tuberculosis				
12. Syphilis	1	1	1	1
13. Malaria				
14. Dysentery				
14. Acute poliomyelitis and polioencephalitis				
14. Epidemic cerebrospinal meningitis				
14. Other infectious and parasitic diseases			1	1
15. Cancer and other malignant tumors	9	9	1	1
16. Tumors, nonmalignant or unspecified	1	1		
17. Chronic rheumatism and gout				
18. Diabetes mellitus				
19. Alcoholism (acute or chronic)				
20. Other general diseases and chronic poisonings	3	4	1	1
20. Pellagra				
21. Progressive locomotor ataxia and paresis				
22. Cerebral hemorrhage, cerebral embolism and thrombosis	22	22	2	2
23. Other diseases of the nervous system and organs of special sense	1	1		
24. Diseases of the heart	23	22	4	4
25. Other diseases of the circulatory system	3	3		
26. Bronchitis				
27. Pneumonias	10	10	1	1
28. Other diseases of the respiratory system (tuberculosis excepted)	1	1		
29. Diarrhea and enteritis (under 2 years)	5	5		
29. Diarrhea and enteritis (2 years and over)	1	1		
30. Appendicitis				
31. Cirrhosis of the liver				
31. Other diseases of the liver				
32. Other diseases of the digestive system	4	8		
33. Nephritis	25	25	2	2
34. Other diseases of the genitourinary system	2	3		
35. Puerperal septicemia				
36. Other diseases of pregnancy and puerperal state	2	2		
37. Diseases of the skin, bones and organs of locomotion				
38. Congenital debility, malformations and early infancy	11	11	1	1
39. Senility	2	2		
40. Suicide				
41. Homicide			1	1
42. Violent and accidental (suicide and homicide excepted)	19	16	5	6
43. Cause not specified or ill-defined	2	2		

Continued

Caswell				Catawba				Chatham				
Place of death	Place of res.	Place of death	Place of res.	Place of death	Place of res.	Place of death	Place of res.	Place of death	Place of res.	Place of death	Place of res.	
White	White	Colored	Colored	White	White	Colored	Colored	White	White	Col.	Col.	
62	67	70	72	268	278	54	57	112	135	68	77	
		1	1							3	3	1
												2
												3
				3	3			1	1			4
1	1											5
		1	1					2	2	5	5	6
1	1			3	2					1	1	7
2	2	5	5	14	14	2	2	3	3	2	3	8
3	3	4	4	13	13	4	5	4	4	6	6	10
				1	1	1	1					11
		1	1			1	1					12
												13
		1	1	2	2				1			14
												14
				1	1							14
				2	2			2	2			14
6	8	3	3	19	21	3	3	12	16	3	3	15
									1			16
1	1			1	1	1	1					17
		1	1	5	5							18
					1	1	1	1	1	2	2	19
				2	2	1	1		1			20
2	2	2	2	2	2	1	1	2	2	3	3	20
		1	1								2	21
5	5	5	5	28	28	2	2	14	17	5	5	22
1	1	2	2	7	8			1	1	4	4	23
9	9	11	12	57	59	14	14	19	19	12	13	24
		2	2	1	1			2	4			25
1	1											26
4	4	2	2	15	14	3	3	6	6	4	5	27
		2	2	1	1			1	1			28
1	2			10	9	1	1	1	1			29
		1	1	4	4			1	1			29
		1	1	3	3			1	3			30
	1			2	2		1					31
									1			31
		1	1	4	6	1	1	3	5			32
8	8	1	2	10	12	4	4	13	13	5	6	33
				2	2	1	1		1			34
									1			35
		2	2					1	3	1	1	36
				1	1							37
12	12	11	11	26	25	8	8	8	9	3	4	38
2	3	1	1	3	3			3	2	3	3	39
				3	3			3	3			40
						2	2				1	41
1	1	3	3	20	24	2	3	5	7	3	4	42
2	2	5	5	3	3	1	1	3	3	3	3	43

TABLE V—

Cause of Death	Cherokee			
	Place of death	Place of res.	Place of death	Place of res.
	White	White	Colored	Colored
All causes—Total recorded	105	114	5	5
1. Typhoid and paratyphoid fever	2	2		
2. Typhus fever				
3. Smallpox				
4. Measles				
5. Scarlet fever				
6. Whooping-cough				
7. Diphtheria	1	1		
8. Influenza	6	6		
10. Tuberculosis of the respiratory system	5	5		
11. Other forms of tuberculosis	2	2		
12. Syphilis			1	1
13. Malaria				
14. Dysentery				
14. Acute poliomyelitis and polioencephalitis				
14. Epidemic cerebrospinal meningitis				
14. Other infectious and parasitic diseases	1	1		
15. Cancer and other malignant tumors	10	11	1	1
16. Tumors, nonmalignant or unspecified				
17. Chronic rheumatism and gout				
18. Diabetes mellitus	1	1		
19. Alcoholism (acute or chronic)				
20. Other general diseases and chronic poisonings	1	1		
20. Pellagra	5	6		
21. Progressive locomotor ataxia and paresis				
22. Cerebral hemorrhage, cerebral embolism and thrombosis	4	4		
23. Other diseases of the nervous system and organs of special sense	1	1		
24. Diseases of the heart	21	22	1	1
25. Other diseases of the circulatory system				
26. Bronchitis				
27. Pneumonias	3	3		
28. Other diseases of the respiratory system (tuberculosis excepted)				
29. Diarrhea and enteritis (under 2 years)	2	2		
29. Diarrhea and enteritis (2 years and over)	3	3		
30. Appendicitis	1	1		
31. Cirrhosis of the liver	1	2		
31. Other diseases of the liver				
32. Other diseases of the digestive system	2	2		
33. Nephritis	11	12		
34. Other diseases of the genitourinary system				
35. Puerperal septicemia	1	1		
36. Other diseases of pregnancy and puerperal state	1	1		
37. Diseases of the skin, bones and organs of locomotion	1	1		
38. Congenital debility, malformations and early infancy	9	10		
39. Senility			1	1
40. Suicide				
41. Homicide	2	3		
42. Violent and accidental (suicide and homicide excepted)	5	6		
43. Cause not specified or ill-defined	3	4	1	1

Continued

Chowan				Clay				Cleveland				
Place of death	Place of res.	Place of death	Place of res.	Place of death	Place of res.	Place of death	Place of res.	Place of death	Place of res.	Place of death	Place of res.	
White	White	Colored	Colored	White	White	Colored	Colored	White	White	Col.	Col.	
56	57	88	93	37	38	1	1	265	273	69	73	
--------	--------	1	1	--------	--------	--------	--------	3	3	2	2	1
--------	--------	--------	--------	--------	--------	--------	--------	--------	--------	--------	--------	2
--------	--------	--------	--------	--------	--------	--------	--------	--------	--------	--------	--------	3
--------	--------	--------	--------	--------	--------	--------	--------	--------	--------	--------	--------	4
--------	--------	--------	--------	--------	--------	--------	--------	--------	--------	--------	--------	5
--------	--------	--------	--------	--------	--------	--------	--------	4	4	--------	--------	6
--------	--------	--------	--------	2	2	--------	--------	10	10	1	1	7
--------	--------	3	3	1	1	--------	--------	11	11	2	2	8
2	2	7	7	2	2	--------	--------	5	5	2	4	10
--------	--------	--------	--------	--------	--------	--------	--------	--------	--------	1	1	11
--------	--------	3	3	--------	--------	--------	--------	--------	--------	2	2	12
--------	--------	--------	--------	--------	--------	--------	--------	1	1	--------	--------	13
--------	--------	--------	--------	--------	--------	--------	--------	2	2	--------	--------	14
--------	--------	--------	--------	--------	--------	--------	--------	--------	--------	--------	--------	14
--------	--------	--------	--------	--------	--------	--------	--------	--------	--------	--------	--------	14
--------	--------	--------	--------	1	1	--------	--------	2	2	--------	--------	14
3	3	1	1	4	5	--------	--------	21	21	4	4	15
--------	--------	--------	--------	--------	--------	--------	--------	1	1	--------	--------	16
--------	--------	--------	--------	--------	--------	--------	--------	1	1	--------	--------	17
--------	1	1	1	--------	--------	--------	--------	5	7	2	2	18
--------	--------	--------	--------	--------	--------	--------	--------	1	1	--------	--------	19
1	1	--------	--------	--------	--------	--------	--------	3	5	--------	--------	20
--------	--------	--------	--------	1	1	--------	--------	2	2	1	1	20
--------	--------	1	1	--------	--------	--------	--------	--------	--------	--------	--------	21
8	8	11	11	--------	--------	--------	--------	22	22	6	6	22
--------	--------	3	4	1	1	--------	--------	3	3	--------	--------	23
8	8	7	7	7	7	1	1	43	44	8	9	24
3	3	2	2	--------	--------	--------	--------	3	4	--------	--------	25
--------	--------	--------	--------	--------	--------	--------	--------	1	1	--------	--------	26
4	4	6	6	10	10	--------	--------	26	27	7	7	27
--------	--------	2	2	--------	--------	--------	--------	1	1	1	1	28
3	3	3	3	1	1	--------	--------	7	7	--------	--------	29
1	1	1	1	--------	--------	--------	--------	1	2	--------	--------	29
--------	1	--------	1	--------	--------	--------	--------	1	1	1	--------	30
2	2	--------	--------	--------	--------	--------	--------	--------	--------	--------	--------	31
--------	--------	--------	--------	--------	--------	--------	--------	--------	--------	--------	--------	31
1	1	2	2	--------	--------	--------	--------	4	4	--------	--------	32
7	7	7	8	1	1	--------	--------	21	22	14	14	33
1	1	--------	--------	--------	--------	--------	--------	3	3	1	1	34
--------	--------	2	2	--------	--------	--------	--------	--------	--------	--------	--------	35
--------	--------	1	1	--------	--------	--------	--------	1	1	--------	--------	36
--------	--------	2	2	--------	--------	--------	--------	1	1	--------	--------	37
4	4	11	11	3	3	--------	--------	24	24	7	7	38
--------	--------	1	1	--------	--------	--------	--------	1	1	--------	--------	39
--------	--------	1	1	--------	--------	--------	--------	--------	--------	--------	--------	40
1	1	2	2	1	1	--------	--------	--------	--------	2	2	41
7	6	4	6	1	1	--------	--------	27	26	3	5	42
--------	--------	3	3	1	1	--------	--------	3	3	2	2	43

TABLE V—

Cause of Death	Columbus			
	Place of death	Place of res.	Place of death	Place of res.
	White	White	Colored	Colored
All causes—Total recorded	204	223	141	152
1. Typhoid and paratyphoid fever				
2. Typhus fever				
3. Smallpox				
4. Measles	2	2		
5. Scarlet fever	1	1		
6. Whooping-cough	6	6	3	3
7. Diphtheria	2	3		
8. Influenza	5	5	4	4
10. Tuberculosis of the respiratory system	3	3	15	15
11. Other forms of tuberculosis			1	1
12. Syphilis			6	6
13. Malaria	1			
14. Dysentery				
14. Acute poliomyelitis and polioencephalitis				
14. Epidemic cerebrospinal meningitis		1		
14. Other infectious and parasitic diseases	1	1	1	1
15. Cancer and other malignant tumors	12	12	2	2
16. Tumors, nonmalignant or unspecified			2	2
17. Chronic rheumatism and gout			2	2
18. Diabetes mellitus	1	1		1
19. Alcoholism (acute or chronic)		1		
20. Other general diseases and chronic poisonings	3	3	3	3
20. Pellagra	1	1		
21. Progressive locomotor ataxia and paresis	1	1		
22. Cerebral hemorrhage, cerebral embolism and thrombosis	21	21	8	8
23. Other diseases of the nervous system and organs of special sense	1	1	3	3
24. Diseases of the heart	32	33	10	10
25. Other diseases of the circulatory system	1	1		
26. Bronchitis	1	1	1	1
27. Pneumonias	17	17	16	16
28. Other diseases of the respiratory system (tuberculosis excepted)			1	1
29. Diarrhea and enteritis (under 2 years)	4	5	5	5
29. Diarrhea and enteritis (2 years and over)	3	3	2	2
30. Appendicitis		2		2
31. Cirrhosis of the liver	1	1		
31. Other diseases of the liver				
32. Other diseases of the digestive system		5	3	3
33. Nephritis	30	32	17	18
34. Other diseases of the genitourinary system	1	1		
35. Puerperal septicemia				2
36. Other diseases of pregnancy and puerperal state	3	4	5	8
37. Diseases of the skin, bones and organs of locomotion	1	1		1
38. Congenital debility, malformations and early infancy	31	34	12	12
39. Senility	9	8	1	2
40. Suicide			2	1
41. Homicide	3	3	7	7
42. Violent and accidental (suicide and homicide excepted)	3	6	6	7
43. Cause not specified or ill-defined	3	3	3	3

Continued

Craven				Cumberland				Currituck				
Place of death	Place of res.	Place of death	Place of res.	Place of death	Place of res.	Place of death	Place of res.	Place of death	Place of res.	Place of death	Place of res.	
White	White	Colored	Colored	White	White	Colored	Colored	White	White	Col.	Col.	
144	147	258	261	324	284	192	184	63	65	27	28	
-------	-------	-------	-------	1	1	1	1	-------	-------	-------	-------	1
1	1	-------	-------	-------	-------	-------	-------	-------	-------	-------	-------	2
-------	-------	-------	-------	-------	-------	-------	-------	-------	-------	-------	-------	3
-------	-------	-------	-------	2	2	-------	-------	-------	-------	-------	-------	4
-------	-------	-------	-------	2	2	-------	-------	-------	-------	-------	-------	5
-------	-------	-------	-------	5	4	2	2	-------	-------	-------	-------	6
1	2	-------	-------	5	5	-------	-------	-------	-------	-------	-------	7
2	2	3	3	7	7	7	7	2	2	3	3	8
5	5	20	21	8	8	4	4	4	4	3	3	10
-------	-------	1	1	-------	-------	4	4	1	1	-------	-------	11
1	1	1	1	-------	-------	4	4	-------	-------	1	1	12
-------	-------	-------	-------	1	1	-------	-------	1	1	-------	-------	13
-------	-------	1	1	-------	-------	1	1	-------	-------	-------	-------	14
-------	-------	-------	-------	1	-------	-------	-------	1	1	-------	-------	14
-------	-------	-------	-------	-------	-------	-------	-------	-------	-------	-------	-------	14
5	5	6	5	1	1	1	1	2	2	-------	-------	14
5	7	3	4	22	21	9	9	4	4	1	1	15
1	2	2	2	2	1	1	1	-------	1	-------	-------	16
-------	-------	1	1	1	1	1	1	1	1	-------	-------	17
1	1	1	1	8	5	1	1	-------	-------	1	1	18
2	2	-------	-------	1	1	-------	-------	-------	-------	-------	-------	19
5	5	2	2	7	5	1	1	-------	-------	1	1	20
-------	-------	-------	-------	1	1	2	4	2	2	-------	-------	20
-------	-------	-------	1	-------	-------	-------	-------	-------	-------	-------	-------	21
13	13	21	21	28	27	21	21	4	4	4	4	22
2	1	5	5	8	5	-------	-------	-------	1	1	2	23
24	24	44	44	43	40	27	29	10	10	1	1	24
-------	-------	2	2	5	4	2	2	1	1	-------	-------	25
-------	-------	-------	-------	2	2	-------	-------	-------	-------	-------	-------	26
4	4	29	30	18	13	21	19	2	2	4	4	27
-------	-------	1	1	1	1	3	2	1	1	-------	-------	28
4	4	11	11	14	12	9	9	-------	-------	2	2	29
1	1	-------	-------	3	3	5	5	-------	-------	-------	-------	29
4	3	1	1	9	6	-------	-------	-------	-------	-------	-------	30
-------	-------	1	1	-------	-------	1	1	-------	-------	-------	-------	31
-------	1	1	1	1	1	-------	-------	1	1	-------	-------	31
6	7	8	8	13	11	3	2	-------	-------	1	1	32
25	24	22	22	24	24	11	10	6	7	-------	-------	33
1	3	3	3	2	2	5	3	1	1	-------	-------	34
2	1	2	2	2	1	-------	-------	-------	-------	-------	-------	35
1	1	4	4	8	8	3	3	-------	-------	1	1	36
2	1	2	2	6	5	1	1	1	1	-------	-------	37
12	14	24	24	18	17	11	11	5	4	2	2	38
1	1	9	9	3	3	1	1	5	5	-------	-------	39
2	2	-------	-------	4	4	-------	-------	2	2	-------	-------	40
-------	-------	7	7	5	4	9	8	1	1	-------	-------	41
9	7	16	16	31	24	11	7	4	4	1	1	42
2	2	4	4	1	1	9	9	1	1	-------	-------	43

TABLE V—

Cause of Death	Dare			
	Place of death	Place of res.	Place of death	Place of res.
	White	White	Colored	Colored
All causes—Total recorded	40	44	8	8
1. Typhoid and paratyphoid fever		1		
2. Typhus fever				
3. Smallpox				
4. Measles				
5. Scarlet fever				
6. Whooping-cough				
7. Diphtheria				
8. Influenza	2	2		
10. Tuberculosis of the respiratory system	2	2		
11. Other forms of tuberculosis				
12. Syphilis			1	1
13. Malaria				
14. Dysentery				
14. Acute poliomyelitis and polioencephalitis				
14. Epidemic cerebrospinal meningitis				
14. Other infectious and parasitic diseases				
15. Cancer and other malignant tumors	6	7	1	1
16. Tumors nonmalignant or unspecified				
17. Chronic rheumatism and gout				
18. Diabetes mellitus		1		
19. Alcoholism (acute or chronic)				
20. Other general diseases and chronic poisonings				
20. Pellagra				
21. Progressive locomotor ataxia and paresis				
22. Cerebral hemorrhage, cerebral embolism and thrombosis	1	1		
23. Other diseases of the nervous system and organs of special sense	1	1	2	2
24. Diseases of the heart	7	7	1	1
25. Other diseases of the circulatory system			1	1
26. Bronchitis				
27. Pneumonias	1	1		
28. Other diseases of the respiratory system (tuberculosis excepted)				
29. Diarrhea and enteritis (under 2 years)	2	2		
29. Diarrhea and enteritis (2 years and over)				
30. Appendicitis		1		
31. Cirrhosis of the liver				
31. Other diseases of the liver				
32. Other diseases of the digestive system				
33. Nephritis	7	7	1	1
34. Other diseases of the genitourinary system	1	1		
35. Puerperal septicemia				
36. Other diseases of pregnancy and puerperal state				
37. Diseases of the skin, bones and organs of locomotion				
38. Congenital debility, malformations and early infancy	7	7	1	1
39. Senility	1	1		
40. Suicide	1	1		
41. Homicide				
42. Violent and accidental (suicide and homicide excepted)				
43. Cause not specified or ill-defined	1	1		

Continued

Davidson				Davie				Duplin				
Place of death	Place of res.	Place of death	Place of res.	Place of death	Place of res.	Place of death	Place of res.	Place of death	Place of res.	Place of death	Place of res.	
White	White	Colored	Colored	White	White	Colored	Colored	White	White	Col.	Col.	
288	295	60	61	82	94	29	31	192	219	124	132	
1	1									3	3	1
												2
												3
				1	1							4
3	3											5
										2	2	6
8	7			2	2			4	6	2	3	7
5	6		1	3	3	2	2	6	6	7	7	8
11	11	3	3	2	2	1	1	8	8	7	8	10
1	1	3	3		1							11
		1	1		1					3	3	12
												13
3	3			1	1			1	1	1	1	14
												14
												14
6	5	1	1	1	1			1	1			14
23	24	2	2	3	3	4	4	7	7	1	1	15
2	2				1			2	2			16
								1	1			17
4	3					2	2	2	1	1	1	18
2	1	1	1					1	1			19
5	5	2	2					3	4			20
4	4	1	1	1	1							20
4	4	1	1									21
19	19	5	5	13	13	4	4	32	32	8	8	22
7	7			1	1				2	3	3	23
42	42	8	8	18	18	4	4	33	34	16	16	24
	1							2	2			25
		1	1							1	1	26
13	13	1	2	9	9	1	1	15	19	17	17	27
3	2							1	1	1	1	28
5	5	3	3	2	2			8	9	1	1	29
	1							3	3			29
8	10							1	5	2	3	30
1	1			1	1			1	1			31
1	1	1	1					2	2	1	1	31
7	7	4	4	2	4	1	1	2	3	3	4	32
48	49	10	10	2	2			18	19	12	13	33
					1			1	3			34
1	1				1			3	4	1	1	35
3	3	1	1					1	4	3	3	36
	1									1	1	37
23	26	4	4	12	13	4	4	21	22	15	16	38
2	2							2	2	2	3	39
2	2											40
					1	1	1			1	2	41
21	22	6	5	7	10	4	6	9	13	3	3	42
		1	1	1	1	1	1	1	1	6	6	43

TABLE V—

Cause of Death	Durham					
	Place of death	Place of res.	Place of death	Place of res.	Place of death	Place of res.
	White	White	Ind.	Ind.	Col.	Col.
All causes—Total recorded	523	350	1	------	440	383
1. Typhoid and paratyphoid fever	3	------	------	------	------	------
2. Typhus fever	1	1	------	------	------	------
3. Smallpox	------	------	------	------	------	------
4. Measles	------	------	------	------	------	------
5. Scarlet fever	1	1	------	------	------	------
6. Whooping-cough	------	------	------	------	4	4
7. Diphtheria	2	------	------	------	------	------
8. Influenza	7	6	------	------	12	11
10. Tuberculosis of the respiratory system	14	12	------	------	45	41
11. Other forms of tuberculosis	------	------	------	------	12	10
12. Syphilis	2	1	------	------	13	14
13. Malaria	------	------	------	------	------	------
14. Dysentery	2	------	------	------	------	------
14. Acute poliomyelitis and polioencephalitis	------	------	------	------	------	------
14. Epidemic cerebrospinal meningitis	1	1	------	------	1	1
14. Other infectious and parasitic diseases	3	2	------	------	3	1
15. Cancer and other malignant tumors	72	41	1	------	24	22
16. Tumors, nonmalignant or unspecified	8	1	------	------	5	1
17. Chronic rheumatism and gout	1	1	------	------	------	------
18. Diabetes mellitus	8	5	------	------	2	1
19. Alcoholism (acute or chronic)	2	2	------	------	------	------
20. Other general diseases and chronic poisonings	8	4	------	------	7	5
20. Pellagra	6	5	------	------	4	4
21. Progressive locomotor ataxia and paresis	------	------	------	------	1	1
22. Cerebral hemorrhage, cerebral embolism and thrombosis	37	29	------	------	11	12
23. Other diseases of the nervous system and organs of special sense	13	8	------	------	13	10
24. Diseases of the heart	74	60	------	------	62	56
25. Other diseases of the circulatory system	15	11	------	------	2	1
26. Bronchitis	4	3	------	------	1	1
27. Pneumonias	16	12	------	------	27	25
28. Other diseases of the respiratory system (T.B. excepted)	6	2	------	------	3	3
29. Diarrhea and enteritis (under 2 years)	4	2	------	------	5	5
29. Diarrhea and enteritis (2 years and over)	------	------	------	------	1	1
30. Appendicitis	6	1	------	------	12	7
31. Cirrhosis of the liver	3	1	------	------	1	1
31. Other diseases of the liver	4	1	------	------	2	1
32. Other diseases of the digestive system	21	9	------	------	16	14
33. Nephritis	60	51	------	------	36	31
34. Other diseases of the genitourinary system	15	7	------	------	4	2
35. Puerperal septicemia	2	1	------	------	2	2
36. Other diseases of pregnancy and puerperal state	7	------	------	------	10	7
37. Diseases of the skin, bones and organs of locomotion	5	2	------	------	1	1
38. Congenital debility, malformations and early infancy	38	25	------	------	44	41
39. Senility	5	5	------	------	1	1
40. Suicide	6	4	------	------	2	2
41. Homicide	7	6	------	------	20	19
42. Violent and accidental (suicide and homicide excepted)	31	24	------	------	29	22
43. Cause not specified or ill-defined	3	3	------	------	2	2

Continued

Edgecombe				Forsyth				Franklin				
Place of death	Place of res.	Place of death	Place of res.	Place of death	Place of res.	Place of death	Place of res.	Place of death	Place of res.	Place of death	Place of res.	
White	White	Colored	Colored	White	White	Colored	Colored	White	White	Col.	Col.	
177	172	280	283	658	624	524	524	125	144	125	138	
--------	--------	1	1	2	1	3	3	--------	--------	------	------	1
--------	--------	--------	--------	--------	--------	--------	--------	--------	--------	------	------	2
--------	--------	--------	--------	--------	--------	--------	--------	--------	--------	------	------	3
--------	--------	--------	--------	3	3	2	2	--------	--------	------	------	4
--------	--------	--------	--------	7	7	--------	--------	1	1	------	------	5
1	1	7	7	3	3	1	1	--------	--------	------	------	6
1	1	--------	--------	17	16	3	3	--------	1	1	1	7
4	4	11	11	16	16	14	14	2	3	3	3	8
10	10	39	40	16	19	75	75	5	5	11	13	10
--------	--------	3	4	3	2	14	14	--------	1	2	2	11
1	1	3	3	--------	1	19	19	1	1	2	3	12
3	3	--------	--------	--------	--------	--------	--------	--------	--------	------	------	13
1	1	1	1	--------	1	--------	--------	--------	1	------	------	14
--------	--------	--------	--------	2	2	--------	--------	--------	--------	------	------	14
--------	--------	--------	--------	1	1	2	2	--------	--------	------	------	14
--------	--------	3	3	3	1	1	1	--------	--------	------	------	14
11	11	10	10	49	48	16	16	10	11	4	4	15
1	--------	1	1	3	3	2	2	--------	--------	1	1	16
--------	--------	--------	--------	--------	--------	1	1	1	1	------	------	17
1	1	3	3	12	9	7	7	3	4	------	1	18
2	2	3	3	--------	--------	--------	--------	1	1	------	------	19
4	4	2	2	11	8	5	5	2	2	1	1	20
1	1	1	2	2	4	14	16	2	2	3	3	20
--------	--------	--------	1	1	1	3	4	--------	--------	------	------	21
16	16	16	17	41	38	28	29	9	9	7	8	22
3	3	2	2	8	7	4	4	2	2	4	6	23
22	22	41	41	107	105	69	70	29	30	9	8	24
3	3	5	5	3	3	2	2	--------	--------	1	1	25
--------	--------	2	2	--------	--------	--------	--------	--------	--------	------	------	26
8	8	15	15	36	31	29	29	9	10	10	10	27
2	2	--------	--------	6	5	5	5	--------	1	------	------	28
6	6	16	16	18	17	15	15	--------	--------	4	4	29
--------	--------	1	1	7	7	5	5	1	1	1	1	29
1	1	1	1	9	8	5	5	--------	2	1	1	30
3	3	1	1	3	3	3	3	2	2	------	------	31
--------	--------	--------	--------	6	6	1	1	--------	--------	------	------	31
2	1	8	8	15	15	16	15	1	2	6	7	32
21	21	16	15	78	79	32	32	15	15	17	18	33
2	2	--------	--------	8	5	8	8	1	1	------	1	34
--------	--------	1	1	2	2	4	4	1	2	------	------	35
4	3	5	5	8	7	10	10	1	1	2	5	36
1	1	--------	--------	6	4	1	1	1	1	------	------	37
19	18	30	30	68	63	50	49	15	16	20	21	38
3	3	8	9	9	9	1	1	1	1	3	4	39
6	5	--------	--------	13	13	3	3	3	4	2	2	40
2	2	5	5	4	3	22	21	--------	--------	1	1	41
12	12	12	10	49	45	17	15	5	9	9	8	42
--------	--------	7	7	3	3	12	12	1	1	------	------	43

TABLE V—

Cause of Death	Gaston			
	Place of death	Place of res.	Place of death	Place of res.
	White	White	Colored	Colored
All causes—Total recorded	477	494	174	180
1. Typhoid and paratyphoid fever	1	1		
2. Typhus fever				
3. Smallpox				
4. Measles	1	1		
5. Scarlet fever	1	1		
6. Whooping-cough	4	4		
7. Diphtheria	1	1	1	1
8. Influenza	18	19	6	6
10. Tuberculosis of the respiratory system	14	15	18	18
11. Other forms of tuberculosis	2	1	2	3
12. Syphilis	1	1	2	2
13. Malaria				
14. Dysentery	1	1		
14. Acute poliomyelitis and polioencephalitis				
14. Epidemic cerebrospinal meningitis				
14. Other infectious and parasitic diseases	2	2	1	1
15. Cancer and other malignant tumors	43	45	10	9
16. Tumors, nonmalignant or unspecified	4	5		
17. Chronic rheumatism and gout				
18. Diabetes mellitus	9	6		
19. Alcoholism (acute or chronic)				
20. Other general diseases and chronic poisonings	5	6		
20. Pellagra	8	9	2	4
21. Progressive locomotor ataxia and paresis	2	2		
22. Cerebral hemorrhage, cerebral embolism and thrombosis	51	53	13	14
23. Other diseases of the nervous system and organs of special sense	9	12	3	4
24. Diseases of the heart	67	69	17	17
25. Other diseases of the circulatory system	7	8	1	1
26. Bronchitis	1	1		
27. Pneumonias	32	34	9	9
28. Other diseases of the respiratory system (tuberculosis excepted)	4	5		
29. Diarrhea and enteritis (under 2 years)	15	16	3	3
29. Diarrhea and enteritis (2 years and over)	5	5	2	2
30. Appendicitis	9	11	3	3
31. Cirrhosis of the liver	3	3	1	1
31. Other diseases of the liver	3	3		
32. Other diseases of the digestive system	7	7	5	6
33. Nephritis	34	34	22	23
34. Other diseases of the genitourinary system	3	3	3	3
35. Puerperal septicemia	2	3	2	2
36. Other diseases of pregnancy and puerperal state	7	7	2	2
37. Diseases of the skin, bones and organs of locomotion			1	1
38. Congenital debility, malformations and early infancy	45	44	13	13
39. Senility	5	5	4	5
40. Suicide	3	3	1	1
41. Homicide		1	5	5
42. Violent and accidental (suicide and homicide excepted)	38	37	19	18
43. Cause not specified or ill-defined	10	10	3	3

Continued

Gates				Graham		Granville				
Place of death	Place of res.	Place of death	Place of res.	Place of death	Place of res.	Place of death	Place of res.	Place of death	Place of res.	
White	White	Colored	Colored	White	White	White	White	Colored	Colored	
46	51	47	47	25	28	131	135	159	163	
1	1			1	1					1
										2
										3
										4
										5
						1	1	5	5	6
										7
2	2	2	2	1	1	3	3	11	11	8
1	1	4	4	1	1	6	6	13	14	10
1	1			1	1			1	1	11
		1	1					3	3	12
										13
						1	1	1	1	14
				1	1					14
										14
		2	2			1	1			14
4	5	3	3			17	17	5	5	15
				1	2	2	2			16
		1	1							17
1	1	1	1			3	3	3	3	18
						1	1			19
1	1					3	3	1	1	20
						3	3	1	1	20
										21
8	8	3	3	3	3	10	10	17	17	22
1	1				1	2	2	3	3	23
12	12	4	4	5	5	17	17	19	19	24
1	1	1	1			2	2	2	2	25
								1	1	26
1	1	3	3	2	2	9	9	10	9	27
							1	1	1	28
2	2	1	1			3	4	4	4	29
						2	2	2	2	29
						1	1		1	30
						1	1			31
1	1					1	1			31
2	2	2	2			1	1	5	5	32
2	2	4	4	1	1	20	21	14	15	33
	1					1	1	1	1	34
						1	1			35
	1					3	3	2	2	36
						1	1			37
1	1	3	3	5	5	8	8	17	17	38
		3	3					5	5	39
		1	1					1	1	40
				1	2		1			41
4	6	7	7	1	1	7	7	10	12	42
		1	1	1	1			1	1	43

TABLE V—

Cause of Death	Greene			
	Place of death	Place of res.	Place of death	Place of res.
	White	White	Colored	Colored
All causes—Total recorded	51	59	65	76
1. Typhoid and paratyphoid fever	1	1	1	2
2. Typhus fever				
3. Smallpox				
4. Measles				
5. Scarlet fever				
6. Whooping-cough	3	3		
7. Diphtheria				
8. Influenza	3	3	1	1
10. Tuberculosis of the respiratory system	1	2	2	4
11. Other forms of tuberculosis				
12. Syphilis			1	1
13. Malaria				
14. Dysentery			1	1
14. Acute poliomyelitis and polioencephalitis				
14. Epidemic cerebrospinal meningitis		1		
14. Other infectious and parasitic diseases			1	2
15. Cancer and other malignant tumors	1	2	2	2
16. Tumors, nonmalignant or unspecified				
17. Chronic rheumatism and gout				
18. Diabetes mellitus				
19. Alcoholism (acute or chronic)				
20. Other general diseases and chronic poisonings	1	1	1	2
20. Pellagra			1	1
21. Progressive locomotor ataxia and paresis				
22. Cerebral hemorrhage, cerebral embolism and thrombosis	2	2	3	3
23. Other diseases of the nervous system and organs of special sense	1	1	2	3
24. Diseases of the heart	8	8	7	8
25. Other diseases of the circulatory system	2	2		
26. Bronchitis	1	1		
27. Pneumonias	3	4	10	10
28. Other diseases of the respiratory system (tuberculosis excepted)				
29. Diarrhea and enteritis (under 2 years)	3	3	3	3
29. Diarrhea and enteritis (2 years and over)			2	2
30. Appendicitis				1
31. Cirrhosis of the liver			1	1
31. Other diseases of the liver	1	1		
32. Other diseases of the digestive system	2	2		1
33. Nephritis	7	7	8	8
34. Other diseases of the genitourinary system		1		
35. Puerperal septicemia				
36. Other diseases of pregnancy and puerperal state	1	1		1
37. Diseases of the skin, bones and organs of locomotion				
38. Congenital debility, malformations and early infancy	6	7	15	15
39. Senility	1	1	1	1
40. Suicide	1	1		
41. Homicide	1	2		
42. Violent and accidental (suicide and homicide excepted)		1	1	2
43. Cause not specified or ill-defined	1	1	1	1

Continued

Guilford				Halifax				Harnett						
Place of death	Place of res.	Place of death	Place of res.	Place of death	Place of res.	Place of death	Place of res.	Place of death	Place of res.	Place of death	Place of res.	Place of death	Place of res.	
White	White	Col.	Col.	White	White	Col.	Col.	White	White	Ind.	Ind.	Col.	Col.	
850	828	386	376	195	203	334	342	213	249	1	1	116	120	
------	1	1	1	------	1	1	1	1	2	------	------	2	2	1
------	------	------	------	------	------	------	------	------	------	------	------	------	------	2
------	------	------	------	------	------	------	------	------	------	------	------	------	------	3
1	1	------	------	------	------	1	1	1	1	------	------	1	1	4
4	4	------	------	1	1	------	------	------	------	------	------	------	------	5
------	------	1	1	2	2	5	5	------	------	------	------	------	------	6
11	10	2	2	1	1	1	1	4	4	------	------	------	------	7
21	21	9	9	7	8	27	27	4	4	------	------	3	3	8
36	38	43	46	3	3	30	30	6	7	------	------	11	11	10
5	4	2	2	------	1	2	2	------	------	------	------	------	------	11
5	4	10	8	2	2	5	5	1	1	------	------	1	1	12
------	1	------	------	1	1	------	------	1	1	------	------	1	1	13
4	4	1	1	------	------	------	------	------	2	------	------	------	------	14
------	------	------	------	------	------	------	------	------	1	------	------	------	------	14
------	------	------	------	------	------	------	------	------	------	------	------	------	------	14
9	11	1	1	2	2	2	3	2	2	------	------	1	1	14
65	62	21	19	13	14	8	8	11	13	------	------	5	5	15
6	4	1	1	------	2	1	1	------	------	------	------	------	------	16
------	------	------	------	------	------	1	1	2	2	------	------	------	------	17
17	17	9	8	4	2	3	2	1	3	------	------	2	2	18
4	3	2	2	------	1	------	------	------	------	------	------	------	------	19
10	10	7	7	4	5	3	4	3	5	------	------	1	1	20
12	11	8	9	------	------	3	3	2	2	------	------	------	------	20
------	------	------	2	------	------	------	------	------	------	------	------	------	------	21
71	71	29	28	15	15	26	26	20	19	------	------	10	10	22
11	13	4	3	3	3	2	3	1	1	------	------	------	------	23
156	152	73	72	36	38	34	35	36	40	------	------	14	14	24
8	9	5	5	3	3	3	3	------	2	------	------	------	------	25
------	------	------	------	------	------	2	2	1	1	------	------	------	------	26
46	45	37	37	15	13	26	26	16	16	------	------	15	16	27
2	2	3	3	------	------	5	5	1	1	------	------	------	------	28
11	9	5	5	6	6	21	21	6	6	1	1	9	9	29
6	6	------	------	------	------	1	1	2	2	------	------	2	2	29
13	13	3	3	1	2	------	1	------	3	------	------	------	1	30
4	4	4	4	------	------	------	------	1	1	------	------	------	------	31
7	5	3	3	1	------	------	------	------	------	------	------	------	------	31
23	23	9	7	4	5	7	7	3	10	------	------	1	1	32
88	86	26	25	22	22	15	16	28	28	------	------	14	14	33
6	6	5	4	1	1	4	4	------	------	------	------	------	------	34
2	2	1	1	------	------	1	1	------	------	------	------	------	------	35
14	11	3	2	------	2	4	5	6	6	------	------	1	1	36
5	3	1	1	------	------	1	1	------	------	------	------	------	------	37
65	64	30	29	18	19	51	52	30	35	------	------	13	13	38
4	4	1	1	2	2	14	14	------	------	------	------	1	1	39
16	14	------	------	3	2	------	------	2	2	------	------	------	------	40
1	1	10	10	2	2	6	5	2	3	------	------	2	2	41
74	72	15	13	21	20	12	14	15	19	------	------	5	7	42
7	7	1	1	2	2	6	6	4	4	------	------	1	1	43

TABLE V—

Cause of Death	Haywood			
	Place of death	Place of res.	Place of death	Place of res.
	White	White	Colored	Colored
All causes—Total reported	263	278	8	8
1. Typhoid and paratyphoid fever				
2. Typhus fever				
3. Smallpox				
4. Measles				
5. Scarlet fever	1	1		
6. Whooping-cough	3	3		
7. Diphtheria				
8. Influenza	12	12		
10. Tuberculosis of the respiratory system	10	12		
11. Other forms of tuberculosis				
12. Syphilis				
13. Malaria				
14. Dysentery	1	1		
14. Acute poliomyelitis and polioencephalitis				
14. Epidemic cerebrospinal meningitis				
14. Other infectious and parasitic diseases	3	3		
15. Cancer and other malignant tumors	7	10		
16. Tumors, nonmalignant or unspecified	2	2		
17. Chronic rheumatism and gout				
18. Diabetes mellitus	3	3		
19. Alcoholism (acute or chronic)	1	1		
20. Other general diseases and chronic poisonings	3	3		
20. Pellagra	2	3	2	2
21. Progressive locomotor ataxia and paresis				
22. Cerebral hemorrhage, cerebral embolism and thrombosis	7	7		
23. Other diseases of the nervous system and organs of special sense.	4	5		
24. Diseases of the heart	46	46	1	1
25. Other diseases of the circulatory system	2	2		
26. Bronchitis				
27. Pneumonias	34	35	1	1
28. Other diseases of the respiratory system (tuberculosis excepted)	3	4		
29. Diarrhea and enteritis (under 2 years)	2	2		
29. Diarrhea and enteritis (2 years and over)	3	4		
30. Appendicitis	1	1		
31. Cirrhosis of the liver	1	1		
31. Other diseases of the liver	1	1		
32. Other diseases of the digestive system	8	10		
33. Nephritis	22	22	3	3
34. Other diseases of the genitourinary system	2	2		
35. Puerperal septicemia	1	1		
36. Other diseases of pregnancy and puerperal state	4	5		
37. Diseases of the skin, bones and organs of locomotion			1	1
38. Congenital debility, malformations and early infancy	29	29		
39. Senility	7	7		
40. Suicide	4	5		
41. Homicide	5	5		
42. Violent and accidental (suicide and homicide excepted)	21	22		
43. Cause not specified or ill-defined	8	8		

Continued

Henderson				Hertford				Hoke						
Place of death	Place of res.	Place of death	Place of res.	Place of death	Place of res.	Place of death	Place of res.	Place of death	Place of res.	Place of death	Place of res.	Place of death	Place of res.	
White	White	Col.	Col.	White	White	Col.	Col.	White	White	Ind.	Ind.	Col.	Col.	
239	231	35	37	61	62	122	126	48	45	2	2	103	86	
------	------	------	------	1	1	1	1	------	------	------	------	------	------	1
------	------	------	------	------	------	------	------	------	------	------	------	------	------	2
------	------	------	------	------	------	------	------	------	------	------	------	------	------	3
3	3	------	------	------	------	------	------	------	------	------	------	------	------	4
------	------	------	------	------	------	------	------	------	------	------	------	------	------	5
1	1	1	1	------	------	------	------	------	------	------	------	2	2	6
3	3	------	------	------	------	1	1	------	------	------	------	------	------	7
7	6	------	------	1	1	1	1	3	3	------	------	1	1	8
9	9	3	3	5	5	15	17	4	1	------	------	29	11	10
1	1	------	------	2	1	------	------	------	------	------	------	------	------	11
1	1	1	1	------	------	1	1	------	------	------	------	7	7	12
------	------	------	------	------	------	1	1	------	------	------	------	------	------	13
1	1	------	------	------	------	------	------	------	------	------	------	1	1	14
------	------	------	------	------	------	------	------	------	------	------	------	------	------	14
------	------	------	------	------	------	------	------	------	------	------	------	------	------	14
2	2	------	------	1	1	2	3	------	------	------	------	------	------	14
13	14	1	1	4	4	2	2	------	1	------	------	5	5	15
1	2	1	1	------	------	------	------	------	------	------	------	------	------	16
------	------	------	------	------	------	1	1	------	------	------	------	------	------	17
4	4	------	------	------	------	1	1	1	1	------	------	------	------	18
------	------	------	------	------	------	1	1	------	------	------	------	------	------	19
------	1	1	1	------	------	------	------	1	1	------	------	2	2	20
3	3	------	------	2	2	------	------	------	------	------	------	------	------	20
1	1	------	------	------	------	------	------	------	------	------	------	------	------	21
21	20	4	4	5	5	19	19	4	4	------	------	3	3	22
2	3	------	------	------	------	2	2	4	3	------	------	1	1	23
50	45	9	9	7	8	3	3	11	11	------	------	6	6	24
5	5	------	------	------	1	------	1	------	------	------	------	1	1	25
------	------	------	------	1	1	1	1	------	------	------	------	------	------	26
17	17	2	2	2	2	7	7	1	1	------	------	4	4	27
1	------	1	1	------	------	1	1	------	------	------	------	------	------	28
1	1	------	------	4	4	7	7	------	------	------	------	2	2	29
------	1	------	------	1	1	------	------	------	------	------	------	2	2	29
4	3	------	------	------	------	1	1	------	1	------	------	------	------	30
1	1	------	------	3	3	1	1	------	------	------	------	------	------	31
1	1	------	------	------	------	1	1	------	------	------	------	------	------	31
4	3	2	2	------	------	------	------	3	3	1	1	------	------	32
25	25	2	2	10	10	16	16	11	11	------	------	5	5	33
1	1	------	1	------	------	2	2	------	------	------	------	------	------	34
1	1	------	------	------	------	------	------	------	------	------	------	1	1	35
------	------	------	------	3	3	1	1	------	------	------	------	------	------	36
------	------	------	------	1	1	------	------	------	------	------	------	1	1	37
23	22	3	4	4	4	10	10	4	4	------	------	18	18	38
1	1	1	1	1	1	1	1	------	------	------	------	2	2	39
6	5	------	------	1	1	------	------	------	------	------	------	------	------	40
3	3	------	------	1	1	------	------	------	------	------	------	3	4	41
22	21	3	3	1	1	17	17	1	------	------	------	2	2	42
------	------	------	------	------	------	5	5	------	------	1	1	5	5	43

TABLE V—

Cause of Death	Hyde			
	Place of death	Place of res.	Place of death	Place of res.
	White	White	Colored	Colored
All causes—Total recorded	46	55	42	47
1. Typhoid and paratyphoid fever			2	2
2. Typhus fever				
3. Smallpox				
4. Measles				
5. Scarlet fever				
6. Whooping-cough			4	4
7. Diphtheria		1		
8. Influenza	4	4	5	5
10. Tuberculosis of the respiratory system			1	2
11. Other forms of tuberculosis				
12. Syphilis			1	1
13. Malaria	1	1		
14. Dysentery				
14. Acute poliomyelitis and polioencephalitis				
14. Epidemic cerebrospinal meningitis				
14. Other infectious and parasitic diseases				
15. Cancer and other malignant tumors	2	2		
16. Tumors, nonmalignant or unspecified				1
17. Chronic rheumatism and gout				
18. Diabetes mellitus				
19. Alcoholism (acute or chronic)			1	1
20. Other general diseases and chronic poisonings	2	3		
20. Pellagra	1	1	1	1
21. Progressive locomotor ataxia and paresis				
22. Cerebral hemorrhage, cerebral embolism and thrombosis	6	6	5	5
23. Other diseases of the nervous system and organs of special sense				2
24. Diseases of the heart	14	14	2	2
25. Other diseases of the circulatory system				
26. Bronchitis	1	1		
27. Pneumonias	3	4	3	3
28. Other diseases of the respiratory system (tuberculosis excepted)			1	1
29. Diarrhea and enteritis (under 2 years)				
29. Diarrhea and enteritis (2 years and over)	2	2		
30. Appendicitis				
31. Cirrhosis of the liver				
31. Other diseases of the liver				
32. Other diseases of the digestive system	1	3	1	1
33. Nephritis	3	3		
34. Other diseases of the genitourinary system				
35. Puerperal septicemia			1	1
36. Other diseases of pregnancy and puerperal state			1	1
37. Diseases of skin, bones and organs of locomotion				
38. Congenital debility, malformations and early infancy		2	4	4
39. Senility			4	4
40. Suicide				
41. Homicide				1
42. Violent and accidental (suicide and homicide excepted)	4	6	3	3
43. Cause not specified or ill-defined	2	2	2	2

Continued

Iredell				Jackson						Johnston				
Place of death	Place of res.	Place of death	Place of res.	Place of death	Place of res.	Place of death	Place of res.	Place of death	Place of res.	Place of death	Place of res.	Place of death	Place of res.	
White	White	Col.	Col.	White	White	Ind.	Ind.	Col.	Col.	White	White	Col.	Col.	
363	311	125	127	131	135	5	5	8	8	340	357	122	129	
------	------	1	1	1	1	------	------	------	------	1	1	1	1	1
------	------	------	------	------	------	------	------	------	------	------	------	------	------	2
------	------	------	------	------	------	------	------	------	------	------	------	------	------	3
------	------	------	------	------	------	------	------	------	------	4	5	------	------	4
------	------	------	------	------	------	------	------	------	------	1	1	------	------	5
------	------	1	1	1	1	------	------	------	------	------	------	------	------	6
1	1	------	------	7	7	------	------	------	------	1	1	------	------	7
13	13	1	1	1	1	1	1	1	1	9	9	4	4	8
7	7	9	10	5	7	3	3	------	------	16	16	13	14	10
------	------	1	1	------	1	------	------	1	1	------	------	2	2	11
1	------	3	3	------	------	------	------	------	------	2	2	3	3	12
1	1	------	------	------	------	------	------	------	------	2	2	1	1	13
------	------	------	------	2	2	------	------	------	------	1	2	1	1	14
1	1	------	------	2	2	------	------	1	1	------	------	------	------	14
------	1	------	------	------	------	------	------	------	------	------	------	------	------	14
3	2	1	1	------	------	------	------	------	------	4	6	1	1	14
26	21	7	7	3	3	------	------	------	------	19	20	3	3	15
5	3	------	------	1	------	------	------	------	------	1	2	------	------	16
1	1	1	1	------	------	------	------	------	------	2	2	------	------	17
7	7	1	1	------	------	------	------	------	------	5	6	1	1	18
------	------	------	------	------	------	------	------	------	------	1	1	1	1	19
5	6	2	2	------	------	------	------	------	------	4	5	1	1	20
4	5	------	------	2	2	------	------	------	------	5	5	1	1	20
------	------	------	------	------	------	------	------	------	------	------	------	------	------	21
19	19	6	7	6	6	------	------	------	------	34	35	6	6	22
4	4	------	------	3	3	------	------	------	------	5	6	2	4	23
49	50	19	19	10	13	1	1	1	1	41	41	14	15	24
1	1	------	------	1	1	------	------	2	2	2	2	------	------	25
1	1	------	------	1	1	------	------	------	------	2	2	------	------	26
20	19	5	5	11	11	------	------	------	------	29	30	10	11	27
3	3	------	------	1	1	------	------	------	------	1	2	2	2	28
5	5	7	7	2	2	------	------	------	------	7	7	4	4	29
3	2	1	1	2	2	------	------	------	------	7	7	1	1	29
16	7	4	4	2	2	------	------	------	------	3	3	------	------	30
2	1	2	1	------	------	------	------	------	------	------	------	------	------	31
6	5	1	1	1	1	------	------	------	------	------	1	------	------	31
15	9	4	4	2	2	------	------	------	------	4	4	4	4	32
50	46	20	20	27	27	------	------	------	------	30	30	4	4	33
5	2	2	2	2	2	------	------	------	------	4	4	2	2	34
3	1	1	1	1	2	------	------	------	------	1	1	------	------	35
5	4	------	------	3	3	------	------	------	------	3	3	4	4	36
3	2	1	1	------	------	------	------	------	------	1	1	3	3	37
27	25	10	10	16	16	------	------	------	------	38	42	15	15	38
4	4	3	3	1	1	------	------	2	2	3	3	2	3	39
4	5	------	------	2	1	------	------	------	------	8	8	------	------	40
4	1	2	2	1	1	------	------	------	------	2	2	1	1	41
39	25	8	9	4	3	------	------	------	------	29	29	7	8	42
------	1	1	1	7	7	------	------	------	------	8	8	8	8	43

TABLE V—

Cause of Death	Jones			
	Place of death	Place of res.	Place of death	Place of res.
	White	White	Colored	Colored
All causes—Total recorded	37	43	47	49
1. Typhoid and paratyphoid fever				
2. Typhus fever				
3. Smallpox				
4. Measles				
5. Scarlet fever				
6. Whooping-cough				
7. Diphtheria				
8. Influenza	2	2	5	5
10. Tuberculosis of the respiratory system	1	1	5	5
11. Other forms of tuberculosis				
12. Syphilis			1	1
13. Malaria			1	1
14. Dysentery				
14. Acute poliomyelitis and polioencephalitis				
14. Epidemic cerebrospinal meningitis				
14. Other infectious and parasitic diseases	1	1		1
15. Cancer and other malignant tumors	1	1		
16. Tumors, nonmalignant or unspecified				
17. Chronic rheumatism and gout				
18. Diabetes mellitus			1	1
19. Alcoholism (acute or chronic)	1	1		
20. Other general diseases and chronic poisonings			1	1
20. Pellagra				
21. Progressive locomotor ataxia and paresis				
22. Cerebral hemorrhage, cerebral embolism and thrombosis			1	1
23. Other diseases of the nervous system and organs of special sense	1	1		
24. Diseases of the heart	8	9	3	3
25. Other diseases of the circulatory system	1	1	1	1
26. Bronchitis	1	1		
27. Pneumonias	3	3	2	2
28. Other diseases of the respiratory system (tuberculosis excepted)			1	1
29. Diarrhea and enteritis (under 2 years)	3	3	3	3
29. Diarrhea and enteritis (2 years and over)	1	1		
30. Appendicitis		1		
31. Cirrhosis of the liver				
31. Other diseases of the liver				
32. Other diseases of the digestive system			1	2
33. Nephritis	2	3	2	2
34. Other diseases of the genitourinary system	1	1		
35. Puerperal septicemia		1		
36. Other diseases of pregnancy and puerperal state			1	1
37. Diseases of skin, bones and organs of locomotion		1	1	1
38. Congenital debility, malformations and early infancy	5	5	10	10
39. Senility	2	2	2	2
40. Suicide				
41. Homicide				
42. Violent and accidental (suicide and homicide excepted)	2	3	4	4
43. Cause not specified or ill-defined	1	1	1	1

Continued

Lee				Lenoir				Lincoln				
Place of death	Place of res.	Place of death	Place of res.	Place of death	Place of res.	Place of death	Place of res.	Place of death	Place of res.	Place of death	Place of res.	
White	White	Colored	Colored	White	White	Colored	Colored	White	White	Col.	Col.	
120	115	61	64	245	227	248	251	195	186	38	36	
						9	8					1
												2
												3
1	1			2	2							4
1	1											5
				1				1	1			6
1	1			1		1	1					7
3	3	2	2	4	4	20	20	13	12	3	2	8
3	3	1	1	10	8	22	26	3	4	3	3	10
						6	6	1	1			11
						4	5	1	1	1	1	12
						1	1					13
1	1			2	2	1	1					14
												14
				1	1	1	1					14
2	2	1		2	2	2	2	3	3			14
14	13	2	2	9	10	8	7	10	9	1	1	15
				1	2	3	3					16
2	2			1	1							17
1				2	2	1	1	5	5			18
						1	1	1	1			19
2	1			2	2	2	1	8	6			20
1	1	4	6	1	1		1	3	3			20
												21
7	7	3	3	24	24	18	18	22	22	3	3	22
3	3	1	1	6	6	3	4	1		1	1	23
25	25	10	10	31	30	28	28	28	26	7	7	24
1	1	1	1	3	3	3	3	1				25
				3	3							26
5	5	6	7	17	14	24	24	15	15	3	3	27
2	2					3	3	1				28
2	2			16	14	14	14	2	2			29
										1	1	29
4	4	1	1	8	5	1	1	2	2			30
						1	1					31
1	1	1	1	2	2			1	1			31
3	3			15	12	5	3	3	3	2	1	32
17	17	14	15	27	27	12	12	24	24	4	4	33
				5	2			2	2			34
1	1			1	2			2	1			35
1	1			3	1	6	6	2	2			36
2	2			2	1					1	1	37
5	4	8	8	24	22	25	25	13	13	2	2	38
				2	2	3	5	4	4	2	2	39
4	4							2	2			40
		1	1	2	1	4	3	2	2	2	2	41
5	4	3	3	13	17	8	8	16	16	2	2	42
		2	2	2	2	8	8	3	3			43

TABLE V—

Cause of Death	McDowell			
	Place of death	Place of res.	Place of death	Place of res.
	White	White	Colored	Colored
All causes—Total recorded	176	185	27	28
1. Typhoid and paratyphoid fever				
2. Typhus fever				
3. Smallpox				
4. Measles	1	1		
5. Scarlet fever				
6. Whooping-cough	7	7	2	2
7. Diphtheria	2	2		
8. Influenza	9	9		
10. Tuberculosis of the respiratory system	10	10		
11. Other forms of tuberculosis				
12. Syphilis				
13. Malaria				
14. Dysentery				
14. Acute poliomyelitis and polioencephalitis				
14. Epidemic cerebrospinal meningitis				
14. Other infectious and parasitic diseases	2	2		
15. Cancer and other malignant tumors	12	12	1	1
16. Tumors, nonmalignant or unspecified				
17. Chronic rheumatism and gout	1	1		
18. Diabetes mellitus	1	1	1	1
19. Alcoholism (acute or chronic)				
20. Other general diseases and chronic poisonings	1	2		
20. Pellagra	5	7	2	2
21. Progressive locomotor ataxia and paresis				
22. Cerebral hemorrhage, cerebral embolism and thrombosis	8	9	1	1
23. Other diseases of the nervous system and organs of special sense	3	3		
24. Diseases of the heart	18	18	6	7
25. Other diseases of the circulatory system	1	1	1	1
26. Bronchitis				
27. Pneumonias	14	14	1	1
28. Other diseases of the respiratory system (tuberculosis excepted)	1	1		
29. Diarrhea and enteritis (under 2 years)	4	4	2	2
29. Diarrhea and enteritis (2 years and over)	1	1		
30. Appendicitis	1	1	2	2
31. Cirrhosis of the liver	2	2		
31. Other diseases of the liver				
32. Other diseases of the digestive system	5	7	2	2
33. Nephritis	17	17	1	1
34. Other diseases of the genitourinary system		1		
35. Puerperal septicemia				
36. Other diseases of pregnancy and puerperal state	4	4	1	1
37. Diseases of skin, bones and organs of locomotion	4	5		
38. Congenital debility, malformations and early infancy	18	18	1	1
39. Senility	1	1		
40. Suicide	1	1		
41. Homicide	1	1	1	1
42. Violent and accidental (suicide and homicide excepted)	16	17	1	1
43. Cause not specified or ill-defined	5	5	1	1

Continued

Macon				Madison				Martin				
Place of death	Place of res.	Place of death	Place of res.	Place of death	Place of res.	Place of death	Place of res.	Place of death	Place of res.	Place of death	Place of res.	
White	White	Colored	Colored	White	White	Colored	Colored	White	White	Col.	Col.	
121	105	8	8	156	170	2	3	66	81	128	143	
				1	1					1	1	1
												2
												3
												4
												5
				4	4					4	4	6
				1	1					1	2	7
2	2			3	3			4	4	6	6	8
3	4	1	1	6	6			2	2	16	16	10
3	2	1	1							2	2	11
										2	3	12
												13
1	1											14
1	1											14
												14
1	1			2	2			2	2			14
8	4			10	12			3	5	8	9	15
1	1											16
				1	1					3	3	17
		1	1	2	3			1	2	1		18
								1	1	1	1	19
2	1			1	1			1	2			20
				3	3			2	2			20
				1	1					1	2	21
8	8	1	1	10	12	1	1	8	9	7	7	22
				3	3			2	2	3	4	23
13	13	2	2	19	20			7	7	6	6	24
				4	5			1	2	1	1	25
				1	1							26
6	5	1	1	15	15			8	9	6	6	27
				1	1					1	1	28
1	1			3	4			2	2	4	4	29
										2	2	29
4	2				2				2			30
1												31
1				1	1							31
5	4			3	3			1	1	1	4	32
24	24			14	15	1	1	4	4	6	6	33
				1	3				1			34
2	1									1	1	35
3	2			3	3				1	3	3	36
									2	1	1	37
15	14			16	16			9	9	21	21	38
1	1			8	8			2	2	2	2	39
				2	2			2	3			40
3	2			2	3					3	4	41
11	10			12	12		1	2	3	9	16	42
1	1	1	1	3	3			2	2	5	5	43

TABLE V—

Cause of Death	Mecklenburg			
	Place of death	Place of res.	Place of death	Place of res.
	White	White	Colored	Colored
All causes—Total recorded	691	626	577	582
1. Typhoid and paratyphoid fever			3	3
2. Typhus fever	2	2		
3. Smallpox				
4. Measles	4	4	1	1
5. Scarlet fever		1		
6. Whooping-cough	4	4	1	1
7. Diphtheria	2	1	1	1
8. Influenza	23	21	11	11
10. Tuberculosis of the respiratory system	23	25	54	54
11. Other forms of tuberculosis	3	3	5	5
12. Syphilis	1	1	12	12
13. Malaria	1	1		
14. Dysentery	2	2	3	3
14. Acute poliomyelitis and polioencephalitis	1	1		
14. Epidemic cerebrospinal meningitis	1			
14. Other infectious and parasitic diseases	2	2	2	2
15. Cancer and other malignant tumors	77	69	16	16
16. Tumors, nonmalignant or unspecified	2	1	6	4
17. Chronic rheumatism and gout	1	1	1	1
18. Diabetes mellitus	16	15	2	2
19. Alcoholism (acute or chronic)	1	2		
20. Other general diseases and chronic poisonings	14	13	4	4
20. Pellagra	6	7	9	10
21. Progressive locomotor ataxia and paresis				2
22. Cerebral hemorrhage, cerebral embolism and thrombosis	71	67	71	70
23. Other diseases of the nervous system and organs of special sense	10	8	6	9
24. Diseases of the heart	114	106	102	101
25. Other diseases of the circulatory system	8	8	5	5
26. Bronchitis	1	1	2	2
27. Pneumonias	46	43	54	54
28. Other diseases of the respiratory system (tuberculosis excepted)	8	6	2	2
29. Diarrhea and enteritis (under 2 years)	16	15	7	7
29. Diarrhea and enteritis (2 years and over)	7	7	8	8
30. Appendicitis	4	3	7	7
31. Cirrhosis of the liver	5	5	2	2
31. Other diseases of the liver	12	8	3	3
32. Other diseases of the digestive system	18	12	19	20
33. Nephritis	48	40	35	35
34. Other diseases of the genitourinary system	6	5	4	4
35. Puerperal septicemia	2	1	2	2
36. Other diseases of pregnancy and puerperal state	9	10	5	5
37. Diseases of the skin, bones and organs of locomotion	1		1	1
38. Congenital debility, malformations and early infancy	45	42	39	39
39. Senility			2	2
40. Suicide	14	14	2	3
41. Homicide	7	6	36	37
42. Violent and accidental (suicide and homicide excepted)	53	43	27	27
43. Cause not specified or ill-defined			5	5

Continued.

Mitchell				Montgomery				Moore				
Place of death	Place of res.	Place of death	Place of res.	Place of death	Place of res.	Place of death	Place of res.	Place of death	Place of res.	Place of death	Place of res.	
White	White	Colored	Colored	White	White	Colored	Colored	White	White	Col.	Col.	
92	102	1	1	84	97	26	28	136	127	76	79	
								1	1			1
												2
												3
								1	1	1	1	4
												5
						2	2					6
2	2							1	1	1	1	7
2	2			4	4	3	3	7	6	3	3	8
3	3			2	2	1	1	6	4	10	10	10
												11
										1	1	12
								1	1			13
1	1											14
												14
												14
1	1										1	14
9	10			6	8	2	2	9	10	2	2	15
												16
												17
							1	5	6	1	1	18
												19
2	2			1	1			2	2	1	1	20
1	1			1	1							20
											1	21
5	5			4	5	2	2	8	6	2	2	22
1	2			1	1			2	1	1	1	23
11	12	1	1	14	16	3	3	21	20	12	11	24
1	1			1	1			4	4	1	1	25
1	1							1	1			26
10	10			10	11	1	1	10	10	5	5	27
								1	1	1	1	28
4	4			3	4			4	3	2	2	29
1	1			1	1			3	2			29
1	2									1	1	30
										1	1	31
								1	2			31
	2			3	4			2	1	5	6	32
5	6			11	11	5	5	23	22	11	11	33
	1							1	2			34
										2	2	35
	1			2	2		1	2	2	1	1	36
1	1				1			2	1			37
13	13			8	8	3	3	8	7	5	5	38
3	3			1	1							39
1	1			1	1			1	1			40
2	2			1	1			1	1			41
7	8			6	10	4	4	5	5	4	5	42
4	4			3	3			3	3	2	2	43

TABLE V—

Cause of Death	Nash			
	Place of death	Place of res.	Place of death	Place of res.
	White	White	Colored	Colored
All causes—Total recorded	288	248	245	222
1. Typhoid and paratyphoid fever	5	4	1	1
2. Typhus fever				
3. Smallpox				
4. Measles				
5. Scarlet fever	1	1		
6. Whooping-cough	1	1	2	2
7. Diphtheria	4	2	1	
8. Influenza	5	4	13	13
10. Tuberculosis of the respiratory system	4	4	30	29
11, Other forms of tuberculosis	1	1	1	1
12. Syphilis	1	1	4	1
13. Malaria				
14. Dysentery				
14. Acute poliomyelitis and polioencephalitis				
14. Epidemic cerebrospinal meningitis				
14. Other infectious and parasitic diseases	1		2	1
15. Cancer and other malignant tumors	17	14	8	7
16. Tumors, nonmalignant or unspecified	1		2	1
17. Chronic rheumatism and gout	2	2	1	1
18. Diabetes mellitus	4	2	3	2
19. Alcoholism (acute or chronic)	1	1	2	2
20. Other general diseases and chronic poisonings	5	4	5	4
20. Pellagra	7	6	4	4
21. Progressive locomotor ataxia and paresis				
22. Cerebral hemorrhage, cerebral embolism and thrombosis	24	22	20	22
23. Other diseases of the nervous system and organs of special sense	5	3	6	5
24. Diseases of the heart	44	42	22	19
25. Other diseases of the circulatory system	1	1	1	1
26. Bronchitis	1	1		
27. Pneumonias	18	15	10	11
28. Other diseases of the respiratory system (tuberculosis excepted)	3	2	1	1
29. Diarrhea and enteritis (under 2 years)	5	3	5	5
29. Diarrhea and enteritis (2 years and over)				
30. Appendicitis	4	3	2	1
31. Cirrhosis of the liver				
31. Other diseases of the liver			2	2
32. Other diseases of the digestive system	5	3	7	4
33. Nephritis	33	33	27	25
34. Other diseases of the genitourinary system	2	1	5	4
35. Puerperal septicemia			3	3
36. Other diseases of pregnancy and puerperal state	4	4	5	3
37. Diseases of the skin, bones and organs of locomotion	1	1	2	2
38. Congenital debility, malformations and early infancy	36	35	26	25
39. Senility	1	1	1	1
40. Suicide	6	5		
41. Homicide	4	4	6	5
42. Violent and accidental (suicide and homicide excepted)	28	19	12	11
43. Cause not specified or ill-defined	3	3	3	3

Continued

New Hanover				Northampton				Onslow				
Place of death	Place of res.	Place of death	Place of res.	Place of death	Place of res.	Place of death	Place of res.	Place of death	Place of res.	Place of death	Place of res.	
White	White	Colored	Colored	White	White	Colored	Colored	White	White	Col.	Col.	
308	265	333	313	75	79	133	140	78	85	46	49	
--------	--------	4	3	--------	--------	1	1	--------	--------	--------	--------	1
--------	--------	--------	--------	--------	--------	--------	--------	1	1	--------	--------	2
--------	--------	--------	--------	--------	--------	--------	--------	--------	--------	--------	--------	3
2	2	1	1	--------	--------	--------	--------	--------	--------	--------	--------	4
--------	--------	--------	--------	--------	--------	--------	--------	--------	--------	--------	--------	5
1	--------	--------	--------	--------	--------	6	6	--------	--------	--------	--------	6
2	--------	2	1	--------	--------	--------	--------	1	1	--------	--------	7
3	2	4	4	2	2	4	4	4	5	1	1	8
17	16	21	21	2	2	19	20	3	4	7	8	10
2	2	3	3	--------	--------	--------	--------	--------	--------	--------	--------	11
--------	--------	10	10	--------	--------	1	1	--------	--------	1	1	12
--------	--------	--------	--------	--------	--------	--------	--------	--------	--------	2	2	13
--------	--------	--------	--------	--------	--------	2	2	--------	--------	1	1	14
--------	--------	--------	--------	--------	--------	--------	--------	--------	--------	--------	--------	14
2	1	1	1	--------	--------	--------	--------	--------	--------	--------	--------	14
4	5	7	5	3	3	--------	--------	1	1	--------	1	14
35	36	6	6	9	9	5	6	5	5	--------	1	15
2	1	--------	--------	--------	--------	--------	--------	--------	1	--------	--------	16
--------	--------	1	1	--------	--------	--------	--------	2	2	--------	--------	17
8	8	4	2	2	2	1	2	--------	--------	--------	--------	18
1	1	2	2	--------	--------	--------	--------	--------	--------	1	1	19
3	2	2	2	--------	--------	1	1	--------	--------	1	1	20
1	1	6	7	--------	--------	--------	--------	1	1	--------	--------	20
1	1	--------	1	1	1	--------	--------	--------	--------	--------	--------	21
21	22	34	33	9	9	13	13	8	8	8	8	22
5	4	3	6	2	3	3	4	--------	--------	--------	--------	23
45	41	38	38	14	14	13	13	11	11	2	2	24
7	7	10	10	1	1	1	1	1	1	--------	--------	25
--------	--------	1	1	--------	--------	--------	--------	--------	--------	1	1	26
21	15	23	21	2	4	9	9	3	4	4	4	27
2	2	3	3	--------	--------	2	2	1	1	--------	--------	28
3	2	2	2	--------	--------	13	13	4	4	--------	--------	29
--------	--------	--------	--------	1	1	1	1	1	1	--------	--------	29
3	1	6	3	--------	--------	--------	--------	--------	--------	--------	--------	30
1	1	--------	--------	--------	--------	--------	--------	--------	--------	--------	--------	31
1	1	1	1	--------	1	--------	--------	1	1	--------	--------	31
13	9	10	8	--------	--------	1	1	2	2	2	2	32
45	41	58	57	14	14	8	8	13	14	5	5	33
5	5	9	8	3	3	2	3	--------	--------	--------	--------	34
2	--------	3	1	--------	--------	1	1	1	1	--------	--------	35
4	3	7	6	--------	--------	3	4	--------	--------	1	1	36
1	1	2	1	--------	--------	--------	--------	--------	--------	--------	--------	37
13	7	17	16	4	3	11	11	6	8	5	5	38
--------	--------	--------	--------	--------	--------	1	1	--------	--------	--------	--------	39
2	2	--------	--------	2	3	--------	--------	1	1	--------	--------	40
--------	--------	13	12	--------	--------	1	1	--------	--------	2	2	41
28	21	17	14	4	4	4	5	6	6	1	1	42
2	2	2	2	--------	--------	6	6	1	1	1	1	43

TABLE V—

Cause of Death	Orange			
	Place of death	Place of res.	Place of death	Place of res.
	White	White	Colored	Colored
All causes—Total recorded	113	137	67	78
1. Typhoid and paratyphoid fever				
2. Typhus fever				
3. Smallpox				
4. Measles				
5. Scarlet fever				
6. Whooping-cough				
7. Diphtheria	1	1		
8. Influenza	2	3	1	1
10. Tuberculosis of the respiratory system	3	4	8	9
11. Other forms of tuberculosis	1	1	1	2
12. Syphilis				
13. Malaria				
14. Dysentery				
14. Acute poliomyelitis and polioencephalitis				
14. Epidemic cerebrospinal meningitis				
14. Other infectious and parasitic diseases				
15. Cancer and other malignant tumors	5	11	5	5
16. Tumors, nonmalignant or unspecified	1	1		
17. Chronic rheumatism and gout	2	2		
18. Diabetes mellitus	1	1		
19. Alcoholism (acute or chronic)	1	1		
20. Other general diseases and chronic poisonings			1	2
20. Pellagra	1	2	2	2
21. Progressive locomotor ataxia and paresis				
22. Cerebral hemorrhage, cerebral embolism and thrombosis	10	12	7	9
23. Other diseases of the nervous system and organs of special sense				
24. Diseases of the heart	25	27	8	9
25. Other diseases of the circulatory system	1	1	2	2
26. Bronchitis				
27. Pneumonias	3	3	2	2
28. Other diseases of the respiratory system (tuberculosis excepted)		1	2	2
29. Diarrhea and enteritis (under 2 years)			1	1
29. Diarrhea and enteritis (2 years and over)	3	3	1	1
30. Appendicitis				1
31. Cirrhosis of the liver	1	1		
31. Other diseases of the liver				
32. Other diseases of the digestive system		3	3	4
33. Nephritis	28	30	8	9
34. Other diseases of the genitourinary system				
35. Puerperal septicemia				
36. Other diseases of pregnancy and puerperal state		1		
37. Diseases of the skin, bones and organs of locomotion			1	1
38. Congenital debility, malformations and early infancy	10	13	5	6
39. Senility	2	2		
40. Suicide	3	3		
41. Homicide	1	2		
42. Violent and accidental (suicide and homicide excepted)	8	8	6	7
43. Cause not specified or ill-defined			3	3

Continued

Pamlico				Pasquotank				Pender				
Place of death	Place of res.	Place of death	Place of res.	Place of death	Place of res.	Place of death	Place of res.	Place of death	Place of res.	Place of death	Place of res.	
White	White	Colored	Colored	White	White	Colored	Colored	White	White	Col.	Col.	
49	55	31	31	101	98	164	158	76	89	76	85	
												1
												2
												3
										1	1	4
												5
						6	6					6
						1	1	1	1			7
2	2			2	1	2	2	4	4	2	2	8
1	1	2	2			23	22	2	2	7	7	10
						1	1					11
						2	2			1	1	12
1	1	1	1			1	1					13
1	1			1	1							14
												14
												14
										2	3	14
1	1			8	8	3	3	2	2	1	1	15
						1	1			2	2	16
						1	1					17
				2	2	3	3	1	1		1	18
				2	2	1	1					19
				2	2	1	1			1	1	20
						2	2	2	2	1	2	20
												21
11	11	4	4	6	6	13	13	10	10	13	14	22
1	2	1	1	1	1	1	1					23
10	10	6	6	12	12	9	10	15	18	8	8	24
1	1			1	1	1	1	1	1	1	1	25
						2	2			1	1	26
2	2			9	9	18	18	7	7	3	3	27
1	2			2	2			1	1			28
				3	3	9	9	1	1	5	5	29
		1	1	2	2	2	2	1	1			29
	1	1	1	2	1	3			2			30
1	1											31
						1	1					31
				1	1	5	5	1	2		1	32
2	2	5	5	27	27	23	22	6	7	7	8	33
		1	1	1		1	1				1	34
	1			1	1	2	1			1	1	35
						2	2	1	3			36
	1			1	1	2	2			1	1	37
2	2	4	4	3	3	12	12	4	4	8	8	38
4	4	1	1	2	2	2	2	3	3	1	1	39
				1	1	1	1					40
1	1			1	1	1	1	3	3	3	4	41
6	7	3	3	8	8	6	5	6	10	4	5	42
1	1	1	1					4	4	2	2	43

TABLE V—

Cause of Death	Perquimans			
	Place of death	Place of res.	Place of death	Place of res.
	White	White	Colored	Colored
All causes—Total recorded	33	38	49	50
1. Typhoid and paratyphoid fever				
2. Typhus fever				
3. Smallpox				
4. Measles				
5. Scarlet fever				
6. Whooping-cough			1	1
7. Diphtheria	1	1		
8. Influenza				
10. Tuberculosis of the respiratory system			4	4
11. Other forms of tuberculosis		1		
12. Syphilis				
13. Malaria			1	1
14. Dysentery				
14. Acute poliomyelitis and polioencephalitis				
14. Epidemic cerebrospinal meningitis				
14. Other infectious and parasitic diseases			1	1
15. Cancer and other malignant tumors	3	3	2	2
16. Tumors, nonmalignant or unspecified				
17. Chronic rheumatism and gout				
18. Diabetes mellitus			1	1
19. Alcoholism (acute or chronic)				
20. Other general diseases and chronic poisonings				
20. Pellagra				
21. Progressive locomotor ataxia and paresis				
22. Cerebral hemorrhage, cerebral embolism and thrombosis	8	8	10	10
23. Other diseases of the nervous system and organs of special sense			1	1
24. Diseases of the heart	7	8	5	5
25. Other diseases of the circulatory system	1	1	1	1
26. Bronchitis			3	3
27. Pneumonias			2	2
28. Other diseases of the respiratory system (tuberculosis excepted)				
29. Diarrhea and enteritis (under 2 years)	3	4		
29. Diarrhea and enteritis (2 years and over)	1	1		
30. Appendicitis				1
31. Cirrhosis of the liver			1	1
31. Other diseases of the liver				
32. Other diseases of the digestive system				
33. Nephritis	4	4	7	7
34. Other diseases of the genitourinary system		1	1	1
35. Puerperal septicemia				
36. Other diseases of pregnancy and puerperal state				
37. Diseases of the skin, bones and organs of locomotion				
38. Congenital debility, malformations and early infancy	1	1	4	4
39. Senility				
40. Suicide				
41. Homicide	1	1		
42. Violent and accidental (suicide and homicide excepted)	3	4	3	3
43. Cause not specified or ill-defined			1	1

Continued

Person						Pitt				Polk				
Place of death	Place of res.	Place of death	Place of res.	Place of death	Place of res.	Place of death	Place of res.	Place of death	Place of res.	Place of death	Place of res.	Place of death	Place of res.	
White	White	Ind.	Ind.	Col.	Col.	White	White	Col.	Col.	White	White	Col.	Col.	
87	93	5	5	57	63	234	256	247	257	61	54	18	18	
------	------	------	------	------	------	4	4	1	1	1	1	------	------	1
------	------	------	------	------	------	------	------	------	------	------	------	------	------	2
------	------	------	------	------	------	------	------	------	------	------	------	------	------	3
------	------	------	------	------	------	1	1	1	1	------	------	------	------	4
------	------	------	------	------	------	1	1	------	------	------	------	------	------	5
1	1	------	------	------	------	5	6	7	7	------	------	1	1	6
------	------	------	------	------	------	1	1	------	------	2	2	------	------	7
1	1	------	------	2	2	5	5	10	10	4	4	1	1	8
4	5	------	------	9	9	5	7	25	26	1	1	2	2	10
------	------	------	------	------	------	------	------	5	6	------	------	------	------	11
------	------	------	------	1	1	------	------	3	3	1	1	------	------	12
------	------	------	------	------	------	------	------	------	------	------	------	------	------	13
3	3	------	------	1	1	2	2	3	3	------	------	1	1	14
------	------	------	------	------	------	------	------	1	1	------	------	------	------	14
------	------	------	------	------	------	------	------	------	------	------	------	------	------	14
------	------	1	1	1	1	3	4	1	1	------	------	------	------	14
5	5	------	------	2	2	16	19	8	9	5	5	------	------	15
1	1	------	------	------	1	------	1	------	1	------	------	------	------	16
------	------	------	------	------	------	2	2	------	------	------	------	------	------	17
------	------	------	------	------	------	5	5	1	1	1	1	------	------	18
------	------	------	------	1	1	1	1	1	1	------	------	------	------	19
1	2	------	------	------	------	2	2	1	1	3	2	1	1	20
------	------	------	------	1	1	1	1	5	5	2	2	------	------	20
------	------	------	------	------	------	------	1	------	------	1	1	------	1	21
7	7	------	------	7	7	15	15	18	18	1	1	------	------	22
2	3	------	------	1	1	6	6	3	3	2	2	1	1	23
32	32	1	1	8	9	32	33	23	23	7	7	4	4	24
------	------	------	------	------	1	3	3	1	1	------	------	------	------	25
------	------	------	------	------	------	------	------	------	------	------	------	------	------	26
3	3	2	2	2	2	13	15	21	21	3	2	1	1	27
1	1	------	------	------	------	1	1	1	1	------	1	------	------	28
3	3	------	------	------	------	15	16	9	9	6	------	1	1	29
------	------	------	------	1	1	1	1	3	3	------	------	------	------	29
------	------	------	------	------	------	1	1	1	1	1	1	------	------	30
------	------	------	------	------	------	2	2	------	------	------	------	------	------	31
------	------	------	------	------	------	1	2	1	1	1	1	------	------	31
1	1	1	1	------	------	9	13	5	6	1	2	1	1	32
4	4	------	------	10	10	20	22	21	21	11	11	2	2	33
1	2	------	------	------	------	2	3	1	2	------	------	------	------	34
------	------	------	------	1	1	------	------	1	1	------	------	------	------	35
2	3	------	------	1	3	6	5	2	2	1	------	------	------	36
------	------	------	------	------	------	------	------	1	1	1	------	------	------	37
10	10	------	------	5	6	21	21	36	36	4	2	1	------	38
1	1	------	------	2	2	2	2	2	3	1	1	------	------	39
1	1	------	------	------	------	8	8	------	------	------	------	------	------	40
1	2	------	------	------	------	4	4	3	5	------	1	1	1	41
2	2	------	------	1	1	17	19	16	17	------	2	------	------	42
------	------	------	------	------	------	1	1	5	5	------	------	------	------	43

TABLE V—

Cause of Death	Randolph			
	Place of death	Place of res.	Place of death	Place of res.
	White	White	Colored	Colored
All causes—Total recorded	257	274	34	39
1. Typhoid and paratyphoid fever				
2. Typhus fever				
3. Smallpox				
4. Measles				
5. Scarlet fever				
6. Whooping-cough				
7. Diphtheria		2		
8. Influenza	8	8	1	1
10. Tuberculosis of the respiratory system	8	8	2	3
11. Other forms of tuberculosis				
12. Syphilis	2	2	2	2
13. Malaria				
14. Dysentery	2	2		
14. Acute poliomyelitis and polioencephalitis				
14. Epidemic cerebrospinal meningitis				
14. Other infectious and parasitic diseases	1	1		
15. Cancer and other malignant tumors	21	22	5	5
16. Tumors, nonmalignant or unspecified		1		
17. Chronic rheumatism and gout	1	1		
18. Diabetes mellitus	6	7		
19. Alcoholism (acute or chronic)	1	1	1	1
20. Other general diseases and chronic poisonings	4	5		
20. Pellagra	3	4		
21. Progressive locomotor ataxia and paresis				
22. Cerebral hemorrhage, cerebral embolism and thrombosis	28	29	6	6
23. Other diseases of the nervous system and organs of special sense	4	5		
24. Diseases of the heart	49	50	6	7
25. Other diseases of the circulatory system	1	1		
26. Bronchitis	1	1		
27. Pneumonias	16	15	6	7
28. Other diseases of the respiratory system (tuberculosis excepted)		1		
29. Diarrhea and enteritis (under 2 years)	2	3		
29. Diarrhea and enteritis (2 years and over)	2	2		
30. Appendicitis	3	4		
31. Cirrhosis of the liver	3	3		
31. Other diseases of the liver				
32. Other diseases of the digestive system	4	4	1	1
33. Nephritis	30	30		1
34. Other diseases of the genitourinary system	2	2		
35. Puerperal septicemia				
36. Other diseases of pregnancy and puerperal state	2	4		1
37. Diseases of the skin, bones and organs of locomotion				
38. Congenital debility, malformations and early infancy	22	24	1	1
39. Senility				
40. Suicide	8	8		
41. Homicide	2	2		
42. Violent and accidental (suicide and homicide excepted)	19	20	3	3
43. Cause not specified or ill-defined	2	2		

Continued

Richmond				Robeson						Rockingham				
Place of death	Place of res.	Place of death	Place of res.	Place of death	Place of res.	Place of death	Place of res.	Place of death	Place of res.	Place of death	Place of res.	Place of death	Place of res.	
White	White	Col.	Col.	White	White	Ind.	Ind.	Col.	Col.	White	White	Col.	Col.	
182	188	136	140	294	274	129	131	231	231	291	305	131	135	
2	2	------	------	1	1	------	------	3	3	2	2	3	3	1
------	------	------	------	------	------	------	------	------	------	------	------	------	------	2
------	------	------	------	------	------	------	------	------	------	------	------	------	------	3
1	1	1	1	4	4	2	2	1	1	------	------	------	------	4
------	------	------	------	------	------	------	------	------	------	------	------	------	------	5
------	------	------	------	2	2	2	2	------	------	------	------	1	1	6
------	------	1	1	2	1	------	------	------	------	8	8	------	------	7
7	7	3	3	14	14	3	3	15	15	13	14	10	10	8
3	3	12	14	4	4	2	2	13	13	13	14	11	11	10
1	1	1	1	------	------	------	------	------	------	6	6	------	------	11
1	1	1	1	------	------	------	------	4	4	1	1	2	3	12
------	------	------	------	1	1	------	------	1	1	------	------	------	------	13
------	------	------	------	------	------	1	1	2	2	------	------	------	------	14
------	------	------	------	1	1	1	1	------	------	------	------	------	------	14
------	------	------	------	------	------	------	------	------	------	------	------	------	------	14
1	1	------	------	1	------	2	2	------	------	3	3	1	1	14
12	12	7	7	16	17	6	7	11	10	19	19	3	4	15
1	1	------	------	------	------	1	1	------	1	1	1	4	3	16
------	------	------	------	2	2	------	------	------	------	------	------	------	------	17
4	4	3	3	3	4	1	1	1	1	6	6	1	1	18
2	2	------	------	------	------	------	------	------	------	2	2	------	------	19
------	------	1	1	4	4	1	1	------	------	4	4	------	------	20
2	2	3	3	4	5	1	1	3	3	5	5	4	4	20
------	------	------	------	------	------	------	------	------	------	------	------	------	------	21
19	19	17	17	26	27	8	8	18	17	35	35	11	11	22
2	5	1	1	------	3	3	3	2	2	3	4	1	3	23
36	36	19	20	38	37	17	17	24	24	47	50	21	22	24
------	------	3	3	2	2	1	1	5	4	1	1	1	1	25
------	------	------	------	------	------	1	1	------	------	------	------	------	------	26
7	7	6	6	11	10	8	8	20	21	18	19	6	6	27
1	1	1	1	------	------	------	------	2	3	------	------	2	2	28
9	8	6	6	16	16	10	10	14	14	3	4	3	3	29
1	2	------	------	5	4	1	1	1	1	1	4	1	1	29
------	------	------	1	5	3	3	3	1	1	1	1	------	------	30
------	------	------	------	1	1	2	2	------	------	------	------	------	------	31
2	3	------	------	------	------	------	------	------	------	------	------	------	------	31
4	4	4	4	7	4	1	1	5	5	7	8	4	4	32
12	12	16	16	39	38	7	8	15	13	21	21	18	18	33
------	------	------	------	3	3	2	2	2	3	------	1	1	2	34
1	1	1	1	------	------	1	1	------	------	3	3	------	------	35
3	2	1	1	8	7	------	------	5	4	5	5	4	4	36
1	2	------	------	1	2	------	------	1	1	2	2	------	------	37
17	18	13	13	20	20	14	14	40	40	21	20	5	5	38
2	2	3	3	4	4	3	3	------	------	3	3	1	1	39
2	2	------	------	3	3	1	1	------	1	3	3	------	------	40
1	1	2	2	3	3	8	8	5	6	5	5	5	4	41
23	24	7	7	38	23	10	10	11	11	28	30	4	4	42
2	2	3	3	5	4	5	5	6	6	1	1	3	3	43

TABLE V—

Cause of Death	Rowan			
	Place of death	Place of res.	Place of death	Place of res.
	White	White	Colored	Colored
All causes—Total recorded	357	352	129	129
1. Typhoid and paratyphoid fever	1	1		
2. Typhus fever				
3. Smallpox				
4. Measles				
5. Scarlet fever	2	1		
6. Whooping-cough			1	1
7. Diphtheria	3	3	2	2
8. Influenza	23	21	2	2
10. Tuberculosis of the respiratory system	8	9	6	6
11. Other forms of tuberculosis	3	1		
12. Syphilis	2	2	1	1
13. Malaria				
14. Dysentery	1	1		
14. Acute poliomyelitis and polioencephalitis				
14. Epidemic cerebrospinal meningitis				
14. Other infectious and parasitic diseases	1	1	2	2
15. Cancer and other malignant tumors	30	33	8	8
16. Tumors, nonmalignant or unspecified	4	4		
17. Chronic rheumatism and gout				
18. Diabetes mellitus	5	5	1	1
19. Alcoholism (acute or chronic)	1	1	1	1
20. Other general diseases and chronic poisonings	3	3		
20. Pellagra	4	4		
21. Progressive locomotor ataxia and paresis	1	3		
22. Cerebral hemorrhage, cerebral embolism and thrombosis	18	18	15	15
23. Other diseases of the nervous system and organs of special sense	9	8	1	1
24. Diseases of the heart	55	53	12	12
25. Other diseases of the circulatory system	3	3	1	1
26. Bronchitis	3	3	1	1
27. Pneumonias	15	16	10	10
28. Other diseases of the respiratory system (tuberculosis excepted)	1	1		
29. Diarrhea and enteritis (under 2 years)	2	4	1	1
29. Diarrhea and enteritis (2 years and over)			1	1
30. Appendicitis	8	6	2	2
31. Cirrhosis of the liver				
31. Other diseases of the liver	1	2	1	1
32. Other diseases of the digestive system	10	8	3	3
33. Nephritis	42	43	21	22
34. Other diseases of the genitourinary system	2	2		
35. Puerperal septicemia	2	1		
36. Other diseases of pregnancy and puerperal state	3	3	7	7
37. Diseases of the skin, bones and organs of locomotion	1	3		
38. Congenital debility, malformations and early infancy	39	38	11	11
39. Senility	3	3	2	2
40. Suicide	3	2		
41. Homicide			4	4
42. Violent and accidental (suicide and homicide excepted)	42	39	8	7
43. Cause not specified or ill-defined	3	3	4	4

Continued

Rutherford				Sampson						Scotland						
Place of death	Place of res.	Place of death	Place of res.	Place of death	Place of res.	Place of death	Place of res.	Place of death	Place of res.	Place of death	Place of res.	Place of death	Place of res.	Place of death	Place of res.	
White	White	Col.	Col.	White	White	Ind.	Ind.	Col.	Col.	White	White	I.	I.	C.	C.	
267	258	43	42	231	260	6	6	151	158	93	98	5	5	92	95	
------	------	------	------	2	2	------	------	5	5	------	------	----	----	1	1	1
------	------	------	------	------	------	------	------	------	------	------	------	----	----	----	----	2
------	------	------	------	------	------	------	------	------	------	------	------	----	----	----	----	3
3	3	------	------	5	5	------	------	1	1	5	5	----	----	----	----	4
------	------	------	------	3	3	------	------	1	1	------	------	----	----	----	----	5
3	3	1	1	2	3	------	------	1	1	1	1	----	----	4	4	6
1	1	1	1	2	2	------	------	1	1	------	------	----	----	----	----	7
13	13	2	2	4	4	------	------	8	8	5	5	----	----	8	8	8
11	11	3	3	5	6	------	------	12	12	2	2	----	----	6	8	10
1	1	------	------	2	2	------	------	1	1	------	------	----	----	2	2	11
------	------	1	1	1	1	------	------	2	3	------	------	----	----	1	1	12
------	------	------	------	------	------	------	------	------	------	------	------	----	----	----	----	13
1	1	------	------	1	1	------	------	------	------	------	------	----	----	----	----	14
------	------	------	------	------	------	------	------	------	------	------	------	----	----	----	----	14
------	------	------	------	------	------	------	------	------	------	------	------	----	----	----	----	14
2	2	------	------	2	2	------	------	------	------	1	1	----	----	----	----	14
18	16	2	2	9	10	1	1	6	6	7	7	----	----	5	5	15
1	1	------	------	1	1	------	------	1	1	1	1	----	----	1	1	16
------	------	------	------	------	------	------	------	1	1	------	------	----	----	----	----	17
3	3	1	1	4	4	1	1	1	1	1	1	----	----	2	2	18
1	1	------	------	3	3	------	------	1	1	------	------	----	----	1	1	19
5	3	------	------	------	1	------	------	4	5	2	2	----	----	----	----	20
5	6	2	2	1	1	------	------	2	2	1	1	----	----	----	----	20
------	------	------	------	------	------	------	------	------	------	------	1	----	----	----	----	21
25	25	4	4	24	24	------	------	11	11	10	10	----	----	5	5	22
5	6	------	------	6	6	------	------	1	1	------	------	----	----	----	----	23
53	52	8	8	40	43	1	1	22	21	16	17	----	----	8	9	24
1	1	------	------	4	4	------	------	------	------	1	1	----	----	----	----	25
------	------	------	------	1	1	------	------	------	------	------	------	----	----	----	----	26
22	23	2	2	14	19	------	------	14	14	4	4	1	1	6	6	27
------	------	------	------	------	------	------	------	1	1	------	------	----	----	1	1	28
5	5	1	1	8	10	------	------	9	9	9	9	1	1	4	4	29
4	4	1	1	------	------	------	------	1	1	1	1	1	1	1	1	29
4	4	1	1	1	3	------	------	------	------	2	2	----	----	2	2	30
------	------	------	------	1	1	------	------	------	------	------	------	----	----	----	----	31
2	1	------	------	1	1	------	------	------	1	------	------	----	----	----	----	31
7	7	2	2	4	5	------	------	1	2	3	5	----	----	----	----	32
18	18	5	5	23	24	------	------	15	15	5	4	----	----	4	4	33
------	------	------	------	------	------	------	------	------	1	1	1	----	----	----	----	34
1	1	------	------	------	1	------	------	------	------	1	1	----	----	----	----	35
3	3	------	------	4	4	------	------	2	2	3	3	----	----	2	2	36
2	2	------	------	------	------	------	------	------	------	------	1	----	----	1	1	37
21	21	3	3	30	31	2	2	17	17	7	7	1	1	15	15	38
------	------	1	1	5	5	------	------	3	3	------	------	----	----	3	3	39
------	------	------	------	1	1	------	------	------	------	1	1	----	----	1	1	40
3	2	------	------	1	1	------	------	------	1	------	------	----	----	----	----	41
21	16	2	1	11	20	1	1	1	3	3	4	----	----	6	6	42
2	2	------	------	5	5	------	------	5	5	------	------	1	1	2	2	43

TABLE V—

Cause of Death	Stanly			
	Place of death	Place of res.	Place of death	Place of res.
	White	White	Colored	Colored
All causes—Total recorded	195	199	28	27
1. Typhoid and paratyphoid fever	1	1		
2. Typhus fever				
3. Smallpox				
4. Measles				
5. Scarlet fever				
6. Whooping-cough				
7. Diphtheria				
8. Influenza	7	8	1	1
10. Tuberculosis of the respiratory system	2	3	4	4
11. Other forms of tuberculosis	1	2		
12. Syphilis	2	2		
13. Malaria				
14. Dysentery	2	1		
14. Acute poliomyelitis and polioencephalitis				
14. Epidemic cerebrospinal meningitis				
14. Other infectious and parasitic diseases	2	2		
15. Cancer and other malignant tumors	20	21		
16. Tumors, nonmalignant or unspecified				
17. Chronic rheumatism and gout	2	2		
18. Diabetes mellitus	2	2		
19. Alcoholism (acute or chronic)				
20. Other general diseases and chronic poisonings	1	1		
20. Pellagra	3	3		
21. Progressive locomotor ataxia and paresis				
22. Cerebral hemorrhage, cerebral embolism and thrombosis	21	20	3	2
23. Other diseases of the nervous system and organs of special sense	5	6	1	1
24. Diseases of the heart	35	37	2	2
25. Other diseases of the circulatory system				
26. Bronchitis	1	1		
27. Pneumonias	8	8	2	2
28. Other diseases of the respiratory system (tuberculosis excepted)	2	2		
29. Diarrhea and enteritis (under 2 years)	3	3	1	1
29. Diarrhea and enteritis (2 years and over)	1	1		
30. Appendicitis	3	2		
31. Cirrhosis of the liver				
31. Other diseases of the liver	1	1		
32. Other diseases of the digestive system	3	3		
33. Nephritis	14	14	3	3
34. Other diseases of the genitourinary system	2	2	1	1
35. Puerperal septicemia				
36. Other diseases of pregnancy and puerperal state	4	4	1	1
37. Diseases of the skin, bones and organs of locomotion			1	1
38. Congenital debility, malformations and early infancy	21	21	2	2
39. Senility	4	4	1	1
40. Suicide				
41. Homicide	2	2	1	1
42. Violent and accidental (suicide and homicide excepted)	17	17	3	3
43. Cause not specified or ill-defined	3	3	1	1

Continued

Stokes				Surry				Swain						
Place of death	Place of res.	Place of death	Place of res.	Place of death	Place of res.	Place of death	Place of res.	Place of death	Place of res.	Place of death	Place of res.	Place of death	Place of res.	
White	White	Col.	Col.	White	White	Col.	Col.	White	White	Ind.	Ind.	Col.	Col.	
117	124	19	23	289	283	26	25	60	63	14	14	1	2	
------	------	------	------	2	1	------	------	------	------	------	------	------	------	1
------	------	------	------	------	------	------	------	------	------	------	------	------	------	2
------	------	------	------	------	------	------	------	------	------	------	------	------	------	3
------	------	------	------	------	------	------	------	------	------	------	------	------	------	4
------	------	------	------	2	2	------	------	------	------	------	------	------	------	5
------	------	------	------	2	2	------	------	------	------	------	------	------	------	6
3	4	1	1	2	2	1	------	------	------	------	------	------	------	7
8	7	------	------	10	10	------	------	1	1	2	2	------	------	8
3	3	1	2	13	14	3	3	6	6	1	1	------	------	10
2	2	------	------	2	3	------	------	------	------	------	------	------	------	11
------	------	------	------	1	1	------	------	------	------	------	------	------	------	12
------	------	------	------	------	------	------	------	------	------	------	------	------	------	13
------	------	------	------	------	------	------	------	1	1	------	------	------	------	14
------	------	------	------	------	------	------	------	------	------	------	------	------	------	14
------	1	------	------	1	------	------	------	1	2	------	------	------	------	14
------	1	------	------	5	4	1	1	2	2	------	------	------	------	14
5	6	2	2	15	16	1	1	------	------	1	1	------	------	15
------	1	------	------	1	------	------	------	------	------	------	------	------	------	16
------	------	------	------	------	------	------	------	------	------	------	------	------	------	17
2	3	------	------	2	2	------	------	1	1	------	------	------	------	18
------	------	------	------	3	3	------	------	------	------	------	------	------	------	19
------	------	------	------	1	1	------	------	1	1	------	------	------	------	20
3	3	------	------	3	4	------	------	------	------	------	------	------	------	20
------	------	------	------	------	------	------	------	1	1	------	------	------	------	21
9	8	3	4	14	13	2	2	5	5	2	2	------	------	22
1	1	------	------	4	7	------	------	------	------	------	------	------	------	23
18	19	1	1	28	28	6	6	4	4	1	1	------	------	24
------	------	------	------	1	1	------	------	------	------	------	------	------	------	25
------	------	------	------	------	------	------	------	------	------	------	------	------	------	26
12	12	------	------	22	23	3	2	8	9	2	2	------	------	27
------	------	------	------	2	3	------	------	------	------	------	------	------	------	28
1	1	1	1	14	14	------	------	1	1	------	------	------	------	29
4	4	------	------	8	8	------	------	3	3	------	------	------	------	29
------	------	------	------	9	5	------	------	------	------	------	------	------	------	30
2	2	------	------	1	1	------	------	------	------	------	------	------	------	31
------	------	1	1	4	3	------	------	------	------	------	------	------	------	31
4	4	1	2	12	10	1	1	1	1	------	------	------	------	32
12	12	4	4	26	26	1	1	6	6	------	------	1	1	33
------	------	------	------	2	2	------	------	1	1	------	------	------	------	34
------	------	------	------	1	1	------	------	------	------	1	1	------	------	35
1	2	1	1	10	8	1	1	2	2	------	------	------	------	36
1	1	------	------	1	2	------	------	------	------	------	------	------	------	37
12	12	------	------	28	27	3	3	8	8	1	1	------	------	38
3	3	3	3	8	8	------	------	2	2	1	1	------	------	39
5	6	------	------	9	9	------	------	------	------	------	------	------	------	40
------	------	------	------	3	3	1	1	------	------	------	------	------	1	41
6	6	------	1	12	11	1	1	4	5	2	2	------	------	42
------	------	------	------	5	5	1	2	1	1	------	------	------	------	43

TABLE V—

Cause of Death	Transylvania			
	Place of death	Place of res.	Place of death	Place of res.
	White	White	Colored	Colored
All causes—Total recorded	84	88	6	8
1. Typhoid and paratyphoid fever	1	1	1	1
2. Typhus fever				
3. Smallpox				
4. Measles				
5. Scarlet fever				
6. Whooping-cough	1	1		
7. Diphtheria				
8. Influenza	3	3		
10. Tuberculosis of the respiratory system	3	4	1	1
11. Other forms of tuberculosis				
12. Syphilis				
13. Malaria				
14. Dysentery	1	1		
14. Acute poliomyelitis and polioencephalitis				1
14. Epidemic cerebrospinal meningitis				
14. Other infectious and parasitic diseases	1	1		
15. Cancer and other malignant tumors	7	7		
16. Tumors, nonmalignant or unspecified	1	1		
17. Chronic rheumatism and gout				
18. Diabetes mellitus				
19. Alcoholism (acute or chronic)				
20. Other general diseases and chronic poisonings	1	1		
20. Pellagra				
21. Progressive locomotor ataxia and paresis				
22. Cerebral hemorrhage, cerebral embolism and thrombosis	3	3	1	1
23. Other diseases of the nervous system and organs of special sense				
24. Diseases of the heart	14	14		1
25. Other diseases of the circulatory system		2		
26. Bronchitis				
27. Pneumonias	8	8	1	1
28. Other diseases of the respiratory system (tuberculosis excepted)	1	1		
29. Diarrhea and enteritis (under 2 years)	2	2		
29. Diarrhea and enteritis (2 years and over)				
30. Appendicitis	4	4		
31. Cirrhosis of the liver				
31. Other diseases of the liver			1	1
32. Other diseases of the digestive system	1	2		
33. Nephritis	12	13		
34. Other diseases of the genitourinary system	1	1		
35. Puerperal septicemia	1	1		
36. Other diseases of pregnancy and puerperal state				
37. Diseases of the skin, bones and organs of locomotion				
38. Congenital debility, malformations and early infancy	9	10	1	1
39. Senility				
40. Suicide	1	1		
41. Homicide	1	1		
42. Violent and accidental (suicide and homicide excepted)	6	4		
43. Cause not specified or ill-defined	1	1		

Continued

Tyrrell				Union				Vance				
Place of death	Place of res.	Place of death	Place of res.	Place of death	Place of res.	Place of death	Place of res.	Place of death	Place of res.	Place of death	Place of res.	
White	White	Colored	Colored	White	White	Colored	Colored	White	White	Col.	Col.	
34	36	31	29	243	238	99	102	127	131	125	122	
		1	1									1
												2
												3
												4
				3	2							5
				1	1	1	1					6
				1	1	1	1			1	1	7
1	1	4	4	7	7	11	11	1	1	12	12	8
		3	3	9	10	8	8	8	8	10	10	10
				1								11
						1	1	1	1	4	4	12
						1	1	1	1			13
										1	1	14
												14
												14
				2	2			1	1	2	2	14
2	2	1	1	18	18	2	2	4	5	7	7	15
1	1			1	1			2	2	1	1	16
				1	1							17
		1	1	4	4			2	2	1	1	18
				2	2			1	1			19
				4	5	1	1					20
				2	3	2	2	2	2	3	3	20
											1	21
1	1	4	4	16	16	8	8	8	10	10	9	22
				5	3	1	1	2	2	1	1	23
				47	49	12	13	15	16	10	9	24
												25
				3	3			1	1			26
3	3	1	1	18	19	7	7	12	13	16	16	27
	1			2	2	1	1	1	1	1	1	28
		3	3	3	3	2	2	5	5			29
2	2			1	1	4	4			4	4	29
				3	2	1	1	1	1	7	6	30
				1	1	1	1					31
				1	1			2	2			31
1	1			8	8	2	2	5	5	2	2	32
12	12	3	3	25	25	8	9	23	24	14	14	33
			1	3	3		1					34
1	2							1	1			35
2	2			3	1	3	3	1	1			36
1				1	1			1	1			37
6	7	7	6	21	20	8	8	15	14	7	7	38
				2	2	1	1	1	1	3	3	39
				1	1			1	2			40
				1		4	4	1	1			41
1	1	2		22	20	5	5	8	6	7	6	42
		1	1			3	3			1	1	43

TABLE V—

Cause of Death	Wake			
	Place of death	Place of res.	Place of death	Place of res.
	White	White	Colored	Colored
All causes—Total recorded	665	605	470	471
1. Typhoid and paratyphoid fever			5	5
2. Typhus fever				
3. Smallpox				
4. Measles	2	1	2	2
5. Scarlet fever	1	1		
6. Whooping-cough	1	1	1	1
7. Diphtheria	3	3		
8. Influenza	12	10	13	13
10. Tuberculosis of the respiratory system	23	24	24	30
11. Other forms of tuberculosis	3	2	5	3
12. Syphilis	1	1	8	7
13. Malaria			1	1
14. Dysentery	5	2	3	3
14. Acute poliomyelitis and polioencephalitis				
14. Epidemic cerebrospinal meningitis			1	1
14. Other infectious and parasitic diseases	5	3	4	4
15. Cancer and other malignant tumors	48	48	17	17
16. Tumors, nonmalignant or unspecified	1	1	3	4
17. Chronic rheumatism and gout				
18. Diabetes mellitus	9	9	3	2
19. Alcoholism (acute or chronic)	6	2	1	1
20. Other general diseases and chronic poisonings	5	5	3	3
20. Pellagra	9	10	6	7
21. Progressive locomotor ataxia and paresis	10	7		3
22. Cerebral hemorrhage, cerebral embolism and thrombosis	39	38	41	41
23. Other diseases of the nervous system and organs of special sense	19	18	7	8
24. Diseases of the heart	138	123	80	78
25. Other diseases of the circulatory system	9	7	2	2
26. Bronchitis	3	3		
27. Pneumonias	42	40	32	32
28. Other diseases of the respiratory system (tuberculosis excepted)	6	5	1	1
29. Diarrhea and enteritis (under 2 years)	8	8	7	7
29. Diarrhea and enteritis (2 years and over)	6	6	1	1
30. Appendicitis	7	5	2	2
31. Cirrhosis of the liver	1	1	2	2
31. Other diseases of the liver	4	3	1	1
32. Other diseases of the digestive system	15	14	21	20
33. Nephritis	84	82	48	46
34. Other diseases of the genitourinary system	4	4	5	4
35. Puerperal septicemia	3	2	6	6
36. Other diseases of pregnancy and puerperal state	6	6	10	8
37. Diseases of the skin, bones and organs of locomotion			3	3
38. Congenital debility, malformations and early infancy	53	48	47	47
39. Senility	1	1	4	6
40. Suicide	14	14		
41. Homicide	7	4	19	18
42. Violent and accidental (suicide and homicide excepted)	50	41	28	27
43. Cause not specified or ill-defined	2	2	3	4

Continued

Warren				Washington				Watauga				
Place of death	Place of res.	Place of death	Place of res.	Place of death	Place of res.	Place of death	Place of res.	Place of death	Place of res.	Place of death	Place of res.	
White	White	Colored	Colored	White	White	Colored	Colored	White	White	Col.	Col.	
82	86	164	172	48	52	76	77	91	100	8	8	
		1	1						1			1
												2
												3
								2	2			4
												5
		1	1			1	1	1	1			6
	1	1	1	1	1	1	1	2	2			7
2	2	8	8			6	6	2	2			8
1	1	15	15	4	4	6	6	1	1			10
		1	1					1	1			11
			1			1	1					12
		1	1	2	2	1	1					13
		2	2									14
												14
												14
1	1					1	1		1			14
6	6	5	5	3	3	5	5	2	2			15
			1									16
		2	2									17
1	1	3	3	1	1							18
												19
1	1	1	1			2	2	1	1			20
		3	4			1	1					20
										1	1	21
10	11	12	12	5	5	5	5	7	7			22
		3	4	1	1	6	6	3	3			23
23	23	15	16	10	10	7	7	5	5	1	1	24
		1	1			2	2	1	1			25
1	1											26
3	4	21	20	2	2	7	7	5	5			27
1	1	1	1			1	1	1	1			28
1	1	7	7	1	1	3	3	1	1			29
				1	1			1	1			29
		2	2					1	4			30
1	1					2	2					31
										1	1	31
3	3	1	2	2	2	1	1	2	4	1	1	32
9	10	19	19	5	6	4	4	13	14			33
		1	1	2	2	2	2					34
				1	1							35
1	1	1	1									36
												37
8	8	23	23	2	2	7	7	15	15	4	4	38
2	2	3	3	1	1	1	1	4	4			39
1	1			2	2			1				40
		2	4				1	2	3			41
5	5	4	5	2	5	2	2	5	6			42
1	1	4	4			1	1	12	12			43

TABLE V—

Cause of Death	Wayne			
	Place of death	Place of res.	Place of death	Place of res.
	White	White	Colored	Colored
All causes—Total recorded	287	283	472	373
1. Typhoid and paratyphoid fever	2	2	1	1
2. Typhus fever				
3. Smallpox				
4. Measles	1	1		
5. Scarlet fever	1	1		
6. Whooping-cough	3	3	3	3
7. Diphtheria	4	4		
8. Influenza	5	5	12	12
10. Tuberculosis of the respiratory system	8	8	61	56
11. Other forms of tuberculosis			2	3
12. Syphilis	1	1	14	10
13. Malaria	1	1	1	1
14. Dysentery			2	2
14. Acute poliomyelitis and polioencephalitis			1	1
14. Epidemic cerebrospinal meningitis	1		1	1
14. Other infectious and parasitic diseases	2	2	1	1
15. Cancer and other malignant tumors	23	22	15	15
16. Tumors, nonmalignant or unspecified		1	3	3
17. Chronic rheumatism and gout			1	1
18. Diabetes mellitus	3	4	1	1
19. Alcoholism (acute or chronic)	2	2	1	1
20. Other general diseases and chronic poisonings	7	6	4	4
20. Pellagra			40	22
21. Progressive locomotor ataxia and paresis			25	6
22. Cerebral hemorrhage, cerebral embolism and thrombosis	25	25	39	34
23. Other diseases of the nervous system and organs of special sense	2	3	44	21
24. Diseases of the heart	45	46	38	34
25. Other diseases of the circulatory system	4	4	7	6
26. Bronchitis			2	2
27. Pneumonias	17	17	22	20
28. Other diseases of the respiratory system (tuberculosis excepted)	3	3	5	5
29. Diarrhea and enteritis (under 2 years)	15	15	9	9
29. Diarrhea and enteritis (2 years and over)	3	3	2	2
30. Appendicitis	4	2	1	1
31. Cirrhosis of the liver	2	3		
31. Other diseases of the liver	2	2	1	1
32. Other diseases of the digestive system	10	9	17	17
33. Nephritis	24	26	21	21
34. Other diseases of the genitourinary system	3	3	3	3
35. Puerperal septicemia	3	2		
36. Other diseases of pregnancy and puerperal state	5	5	8	6
37. Diseases of the skin, bones and organs of locomotion	1	1	3	3
38. Congenital debility, malformations and early infancy	22	23	19	19
39. Senility	3	3	20	9
40. Suicide	2	2		
41. Homicide	4	4	8	6
42. Violent and accidental (suicide and homicide excepted)	23	18	9	8
43. Cause not specified or ill-defined	1	1	5	2

Continued

Wilkes				Wilson				Yadkin				Yancey				
Place of death	Place of res.	Place of death	Place of res.	Place of death	Place of res.	Place of death	Place of res.	Place of death	Place of res.	Place of death	Place of res.	Place of death	Place of res.	Place of death	Place of res.	
White	White	Col.	Col.	White	White	Col.	Col.	White	White	Col.	Col.	White	W.	C.	C.	
278	280	31	30	220	220	287	283	119	142	7	9	103	109	2	2	
------	------	------	------	------	------	4	4	------	------	------	------	------	------	------	------	1
------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	2
------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	3
------	------	------	------	------	------	------	------	------	------	------	------	1	1	------	------	4
------	------	------	------	------	------	1	1	1	1	------	------	------	------	------	------	5
1	1	------	------	3	3	1	1	------	------	------	------	------	------	------	------	6
8	8	------	------	1	1	1	1	1	1	------	------	2	2	------	------	7
8	8	1	1	5	5	4	4	7	7	1	1	6	6	------	------	8
10	9	5	5	7	7	40	40	2	2	------	------	6	6	1	1	10
1	1	------	------	2	2	3	3	------	------	------	------	1	1	------	------	11
------	------	1	1	------	------	4	4	------	------	1	1	------	------	------	------	12
------	------	------	------	1	1	------	------	------	------	------	------	------	1	------	------	13
------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	14
------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	14
------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	14
2	2	2	2	------	------	1	1	------	1	------	------	2	2	------	------	14
17	18	------	------	10	10	13	12	8	9	2	2	5	5	------	------	15
------	1	------	------	1	1	1	1	------	1	------	------	------	------	------	------	16
------	------	------	------	2	2	------	------	------	------	------	------	------	------	------	------	17
3	3	------	------	3	3	1	1	1	2	------	------	1	1	------	------	18
3	3	1	1	------	------	------	------	------	------	------	------	------	------	------	------	19
3	3	3	3	3	4	4	4	------	1	1	1	3	3	------	------	20
------	------	------	------	------	------	1	1	1	2	------	------	3	3	------	------	20
1	2	------	------	------	1	------	------	------	------	------	------	------	------	------	------	21
23	25	3	2	11	11	19	19	8	8	1	1	2	2	1	1	22
5	5	------	------	1	1	1	1	1	2	------	------	1	1	------	------	23
46	46	5	5	23	26	24	24	28	28	------	------	15	15	------	------	24
------	------	------	------	------	------	------	------	1	1	------	------	2	2	------	------	25
1	1	------	------	------	------	1	1	2	2	------	------	------	------	------	------	26
19	19	1	1	10	11	29	29	16	16	------	------	9	9	------	------	27
1	1	------	------	1	1	1	1	------	------	------	------	------	------	------	------	28
2	2	------	------	7	8	10	10	6	6	------	------	1	1	------	------	29
9	9	------	------	4	4	4	4	2	3	------	------	2	4	------	------	29
4	2	------	------	1	1	4	4	------	1	------	------	1	2	------	------	30
------	1	------	------	------	------	------	------	------	------	------	------	------	------	------	------	31
1	1	------	------	2	2	1	1	1	2	------	------	------	------	------	------	31
8	8	1	1	5	6	10	9	1	1	------	1	3	4	------	------	32
17	17	3	3	36	35	27	27	15	15	------	------	9	9	------	------	33
3	3	------	------	2	2	2	2	------	1	------	------	------	------	------	------	34
1	2	------	------	1	1	2	1	------	1	------	------	2	2	------	------	35
2	2	------	------	5	5	3	3	------	3	------	------	3	3	------	------	36
3	3	------	------	1	1	2	2	------	1	------	------	------	------	------	------	37
31	31	3	3	34	31	28	28	9	12	1	2	15	15	------	------	38
9	9	------	------	2	2	5	6	3	3	------	------	1	1	------	------	39
2	2	------	------	5	6	------	------	------	------	------	------	------	------	------	------	40
7	7	1	1	3	3	9	8	1	1	------	------	1	1	------	------	41
22	20	------	------	24	19	12	11	3	7	------	------	4	5	------	------	42
5	5	1	1	4	4	14	14	1	1	------	------	2	2	------	------	43

TABLE VI—DEATHS (EXCLUSIVE OF STILLBIRTHS) IN CITIES OR TOWNS, BY CAUSE

Cause of Death	Total					
	Place of death	Place of res.	Place of death	Place of res.	Place of death	Place of res.
	White	White	Ind.	Ind.	Col.	Col.
All causes—Total recorded	4,677	3,563	1	------	3,538	3,245
1. Typhoid and paratyphoid fever	11	2	------	------	20	15
2. Typhus fever	4	1	------	------	------	------
3. Smallpox	------	------	------	------	------	------
4. Measles	10	9	------	------	4	3
5. Scarlet fever	13	12	------	------	1	1
6. Whooping-cough	20	15	------	------	18	17
7. Diphtheria	43	28	------	------	12	9
8. Influenza	108	86	------	------	85	79
10. Tuberculosis of the respiratory system	182	175	------	------	298	338
11. Other forms of tuberculosis	19	13	------	------	55	51
12. Syphilis	22	14	------	------	92	84
13. Malaria	3	2	------	------	2	2
14. Dysentery	12	6	------	------	6	5
14. Acute poliomyelitis and polioencephalitis	4	3	------	------	1	------
14. Epidemic cerebrospinal meningitis	8	2	------	------	7	6
14. Other infectious and parasitic diseases	36	21	------	------	31	25
15. Cancer and other malignant tumors	392	323	1	------	130	117
16. Tumors, nonmalignant or unspecified	37	14	------	------	26	18
17. Chronic rheumatism and gout	6	5	------	------	7	7
18. Diabetes mellitus	92	62	------	------	33	26
19. Alcoholism (acute or chronic)	21	14	------	------	10	9
20. Other general diseases and chronic poisonings	67	51	------	------	45	39
20. Pellagra	30	24	------	------	55	54
21. Progressive locomotor ataxia and paresis	14	12	------	------	4	6
22. Cerebral hemorrhage, cerebral embolism and thrombosis	310	281	------	------	292	284
23. Other diseases of the nervous system and organs of special sense	90	65	------	------	37	30
24. Diseases of the heart	720	628	------	------	505	487
25. Other diseases of the circulatory system	55	44	------	------	19	19
26. Bronchitis	15	12	------	------	9	9
27. Pneumonias	245	187	------	------	266	250
28. Other diseases of the respiratory system (T. B. excepted)	36	24	------	------	24	21
29. Diarrhea and enteritis (under 2 years)	90	58	------	------	70	69
29. Diarrhea and enteritis (2 years and over)	29	26	------	------	28	26
30. Appendicitis	117	47	------	------	56	29
31. Cirrhosis of the liver	23	21	------	------	18	17
31. Other diseases of the liver	42	25	------	------	13	11
32. Other diseases of the digestive system	175	99	------	------	143	117
33. Nephritis	433	379	------	------	308	289
34. Other diseases of the genitourinary system	71	37	------	------	52	39
35. Puerperal septicemia	27	11	------	------	21	11
36. Other diseases of pregnancy and puerperal state	70	30	------	------	58	40
37. Diseases of the skin, bones and organs of locomotion	31	14	------	------	15	13
38. Congenital debility, malformations and early infancy	370	284	------	------	269	255
39. Senility	21	21	------	------	13	14
40. Suicide	70	65	------	------	7	8
41. Homicide	35	16	------	------	158	132
42. Violent and accidental (suicide and homicide excepted)	427	274	------	------	178	127
43. Cause not specified or ill-defined	21	21	------	------	37	37

OF DEATH (ABRIDGED INTERNATIONAL LIST) AND BY COLOR OF DECEDENT—1933

Asheville				Charlotte				Concord				
Place of death	Place of res.	Place of death	Place of res.	Place of death	Place of res.	Place of death	Place of res.	Place of death	Place of res.	Place of death	Place of res.	
White	White	Colored	Colored	White	White	Colored	Colored	White	White	Col.	Col.	
468	352	214	206	498	396	444	443	112	118	24	24	
--------	--------	1	--------	--------	--------	2	1	--------	--------	------	------	1
--------	--------	--------	--------	2	1	--------	--------	--------	--------	------	------	2
--------	--------	--------	--------	--------	--------	--------	--------	--------	--------	------	------	3
--------	--------	--------	--------	4	4	1	1	--------	--------	------	------	4
--------	--------	1	1	--------	--------	--------	--------	1	1	------	------	5
3	3	1	1	3	3	--------	--------	--------	--------	------	------	6
1	1	--------	--------	1	--------	1	1	--------	--------	------	------	7
8	6	7	6	17	14	9	9	7	7	------	------	8
81	58	21	26	7	13	25	38	5	5	5	5	10
4	2	2	2	2	2	4	4	--------	1	------	------	11
7	2	3	2	1	--------	11	11	--------	--------	------	------	12
1	--------	--------	--------	--------	--------	--------	--------	--------	--------	------	------	13
--------	--------	--------	--------	1	1	3	3	--------	--------	------	------	14
--------	--------	1	--------	1	1	--------	--------	--------	--------	------	------	14
1	--------	--------	--------	1	--------	--------	--------	--------	--------	------	------	14
2	2	4	4	2	2	2	2	1	1	------	------	14
37	34	5	5	56	47	11	11	7	6	1	1	15
1	--------	2	2	2	1	6	4	--------	--------	------	1	16
--------	--------	--------	--------	1	1	1	1	1	1	------	------	17
9	5	1	1	15	12	1	1	1	1	------	------	18
--------	--------	1	1	--------	--------	--------	--------	--------	--------	------	------	19
7	6	2	2	8	7	4	4	1	2	1	1	20
1	1	4	4	2	3	9	9	1	1	1	1	20
2	2	--------	--------	--------	--------	--------	--------	--------	--------	------	------	21
32	29	25	24	46	38	64	62	6	7	------	------	22
8	4	3	2	7	5	4	5	1	1	------	------	23
65	59	47	47	80	68	73	73	19	20	6	5	24
4	3	1	1	6	5	4	4	2	2	------	------	25
3	2	1	1	1	1	2	2	--------	--------	------	------	26
25	18	10	10	28	23	46	45	14	14	1	1	27
4	2	--------	--------	7	5	1	1	--------	2	------	------	28
7	4	6	6	10	8	4	4	5	5	------	------	29
3	2	1	1	5	4	7	7	1	1	1	1	29
13	4	2	2	4	1	6	4	--------	1	------	------	30
5	6	2	2	4	4	1	1	--------	--------	------	------	31
1	1	--------	--------	9	4	3	3	--------	1	------	------	31
26	13	11	11	17	8	19	18	3	3	------	------	32
24	19	15	15	37	27	19	18	10	13	2	2	33
8	4	4	2	6	4	4	3	--------	--------	1	1	34
2	1	--------	--------	--------	--------	1	1	--------	--------	------	------	35
6	3	2	2	6	2	2	1	1	1	------	------	36
1	--------	1	1	1	--------	1	1	--------	--------	------	------	37
26	22	14	12	38	31	31	30	14	14	3	3	38
--------	--------	1	1	--------	--------	--------	--------	--------	--------	1	1	39
7	9	1	1	10	9	2	3	--------	--------	------	------	40
3	1	7	6	5	3	33	33	1	1	------	------	41
29	23	4	2	45	34	23	20	10	6	------	------	42
1	1	--------	--------	--------	--------	4	4	--------	--------	1	1	43

TABLE VI—

Cause of Death	Durham					
	Place of death	Place of res.	Place of death	Place of res.	Place of death	Place of res.
	White	White	Ind.	Ind.	Col.	Col.
All causes—Total recorded	461	266	1	------	395	319
1. Typhoid and paratyphoid fever	3	------	------	------	------	------
2. Typhus fever	1	------	------	------	------	------
3. Smallpox	------	------	------	------	------	------
4. Measles	------	------	------	------	------	------
5. Scarlet fever	1	1	------	------	------	------
6. Whooping-cough	------	------	------	------	4	3
7. Diphtheria	2	------	------	------	------	------
8. Influenza	7	6	------	------	9	7
10. Tuberculosis of the respiratory system	11	9	------	------	43	37
11. Other forms of tuberculosis	------	------	------	------	12	10
12. Syphilis	2	1	------	------	13	14
13. Malaria	------	------	------	------	------	------
14. Dysentery	2	------	------	------	------	------
14. Acute poliomyelitis and polioencephalitis	------	------	------	------	------	------
14. Epidemic cerebrospinal meningitis	1	1	------	------	1	1
14. Other infectious and parasitic diseases	3	2	------	------	3	1
15. Cancer and other malignant tumors	62	31	1	------	19	16
16. Tumors, nonmalignant or unspecified	8	------	------	------	5	1
17. Chronic rheumatism and gout	------	------	------	------	------	------
18. Diabetes mellitus	8	4	------	------	2	1
19. Alcoholism (acute or chronic)	2	1	------	------	------	------
20. Other general diseases and chronic poisonings	7	3	------	------	7	5
20. Pellagra	5	2	------	------	4	4
21. Progressive locomotor ataxia and paresis	------	------	------	------	1	1
22. Cerebral hemorrhage, cerebral embolism and thrombosis	30	22	------	------	10	10
23. Other diseases of the nervous system and organs of special sense	13	7	------	------	12	9
24. Diseases of the heart	65	50	------	------	53	45
25. Other diseases of the circulatory system	14	10	------	------	2	1
26. Bronchitis	4	3	------	------	1	1
27. Pneumonias	12	7	------	------	23	20
28. Other diseases of the respiratory system (T. B. excepted)	6	2	------	------	3	3
29. Diarrhea and enteritis (under 2 years)	3	1	------	------	5	5
29. Diarrhea and enteritis (2 years and over)	------	------	------	------	1	1
30. Appendicitis	6	1	------	------	12	5
31. Cirrhosis of the liver	2	------	------	------	1	1
31. Other diseases of the liver	4	1	------	------	2	1
32. Other diseases of the digestive system	18	5	------	------	16	13
33. Nephritis	49	37	------	------	29	23
34. Other diseases of the genitourinary system	15	6	------	------	4	2
35. Puerperal septicemia	2	1	------	------	2	1
36. Other diseases of pregnancy and puerperal state	7	------	------	------	10	7
37. Diseases of the skin, bones and organs of locomotion	5	2	------	------	1	1
38. Congenital debility, malformations and early infancy	35	20	------	------	34	30
39. Senility	5	5	------	------	------	------
40. Suicide	5	3	------	------	2	2
41. Homicide	5	3	------	------	19	15
42. Violent and accidental (suicide and homicide excepted)	28	16	------	------	28	20
43. Cause not specified or ill-defined	3	3	------	------	2	2

Continued

Elizabeth City				Fayetteville				Gastonia				Goldsboro				
Place of death	Plaac of res.	Place of death	Place of res.	Place of death	Place of res.	Place of death	Place of res.	Place of death	Place of res.	Place of death	Place of res.	Place of death	Place of res.	Place of death	Place of res.	
White	White	Col.	Col.	White	White	Col.	Col.	White	White	Col.	Col.	W.	W.	C.	C.	
71	65	105	100	196	132	115	99	145	134	79	78	131	99	143	136	
------	------	------	------	1	1	------	------	------	------	------	------	1	----	----	----	1
------	------	------	------	------	------	------	------	------	------	------	------	------	----	----	----	2
------	------	------	------	------	------	------	------	------	------	------	------	------	----	----	----	3
------	------	------	------	1	1	------	------	1	1	------	------	------	----	----	----	4
------	------	------	------	------	------	------	------	------	------	------	------	------	----	----	----	5
------	------	3	3	4	2	2	2	3	3	------	------	1	1	2	2	6
------	------	1	1	2	1	------	------	------	------	------	------	------	----	----	----	7
2	1	2	2	5	4	6	6	6	4	2	2	3	3	5	5	8
------	------	20	19	5	5	1	1	3	4	5	6	2	2	11	13	10
------	------	1	1	------	------	3	3	1	1	2	2	------	----	1	2	11
------	------	1	1	------	------	2	2	1	1	------	------	1	1	6	6	12
------	------	1	1	------	------	------	------	------	------	------	------	1	1	----	----	13
1	1	------	------	------	------	------	------	1	1	------	------	------	----	----	----	14
------	------	------	------	1	------	------	------	------	------	------	------	------	----	----	----	14
------	------	------	------	------	------	------	------	------	------	------	------	1	----	1	1	14
------	------	------	------	------	------	1	1	1	1	------	------	1	----	1	1	14
5	5	3	3	18	15	5	5	12	12	6	6	8	7	7	7	15
------	------	1	1	2	------	1	1	3	3	------	------	------	----	2	2	16
------	------	1	1	1	1	------	------	------	------	------	------	------	----	1	1	17
2	2	2	2	6	3	1	1	4	------	------	------	1	1	----	----	18
2	2	------	------	------	------	------	------	------	------	------	------	2	2	1	1	19
2	2	1	1	6	4	1	1	1	1	------	------	2	----	3	2	20
------	------	2	2	1	------	1	------	2	2	2	2	------	----	2	2	20
------	------	------	------	------	------	------	------	------	------	------	------	------	----	----	----	21
4	4	7	7	12	10	14	14	10	12	7	8	6	6	13	13	22
1	1	1	1	4	------	------	------	5	6	------	------	1	1	----	----	23
10	9	7	8	25	21	17	18	17	18	8	8	22	21	12	12	24
------	------	------	------	3	2	------	------	------	------	------	------	3	2	----	----	25
------	------	1	1	2	2	------	------	1	1	------	------	------	----	2	2	26
7	6	10	10	14	9	11	8	6	6	2	2	6	5	11	10	27
2	2	------	------	1	------	3	2	1	1	------	------	------	----	3	3	28
1	1	3	3	10	5	5	5	4	4	2	2	5	4	5	5	29
1	1	2	2	------	------	3	2	2	2	2	2	2	2	2	2	29
2	1	3	------	8	3	------	------	7	4	3	2	4	1	1	----	30
------	------	------	------	------	------	1	1	1	1	1	1	1	1	----	----	31
------	------	------	------	1	1	------	------	1	1	------	------	2	1	----	----	31
------	------	2	2	10	5	2	1	2	2	2	2	6	4	13	12	32
15	15	15	15	9	9	7	6	7	7	14	13	9	9	9	9	33
1	------	1	1	2	2	4	2	2	2	1	1	2	1	2	2	34
1	1	2	1	2	1	------	------	1	1	------	------	3	1	----	----	35
------	------	2	2	5	3	1	1	1	1	------	------	3	----	5	3	36
1	1	2	2	5	4	------	------	------	------	1	1	------	----	----	----	37
2	1	4	4	7	6	5	5	12	10	5	5	12	11	8	8	38
2	2	------	------	------	------	------	------	3	3	3	3	1	1	----	----	39
------	------	------	------	1	1	------	------	------	------	------	------	2	2	----	----	40
1	1	1	1	2	1	7	4	------	1	2	2	3	2	7	4	41
6	6	3	2	19	9	7	3	19	13	8	7	14	6	6	5	42
------	------	------	------	1	1	4	4	4	4	1	1	------	----	1	1	43

TABLE VI—

Cause of Death	Greensboro			
	Place of death	Place of res.	Place of death	Place of res.
	White	White	Colored	Coloerd
All causes—Total recorded	352	298	225	203
1. Typhoid and paratyphoid fever				
2. Typhus fever				
3. Smallpox				
4. Measles				
5. Scarlet fever	2	2		
6. Whooping-cough				
7. Diphtheria	2		2	2
8. Influenza	9	7	4	3
10. Tuberculosis of the respiratory system	10	14	17	23
11. Other forms of tuberculosis	3	3	1	1
12. Syphilis	2	1	7	5
13. Malaria				
14. Dysentery			1	1
14. Acute poliomyelitis and polioencephalitis				
14. Epidemic cerebrospinal meningitis				
14. Other infectious and parasitic diseases	5	2		
15. Cancer and other malignant tumors	27	24	13	8
16. Tumors, nonmalignant or unspecified	2	1	1	1
17. Chronic rheumatism and gout				
18. Diabetes mellitus	6	6	7	6
19. Alcoholism (acute or chronic)	2	1		
20. Other general diseases and chronic poisonings	2	2	6	6
20. Pellagra	6	3	8	8
21. Progressive locomotor ataxia and paresis				
22. Cerebral hemorrhage, cerebral embolism and thrombosis	29	27	18	17
23. Other diseases of the nervous system and organs of special sense	8	8	3	2
24. Diseases of the heart	69	65	41	39
25. Other diseases of the circulatory system	2	3	1	1
26. Bronchitis				
27. Pneumonias	23	16	15	11
28. Other diseases of the respiratory system (tuberculosis excepted)			3	3
29. Diarrhea and enteritis (under 2 years)	4	2	2	2
29. Diarrhea and enteritis (2 years and over)	2	3		
30. Appendicitis	4	3	2	2
31. Cirrhosis of the liver	1	1	3	3
31. Other diseases of the liver	4	1	3	3
32. Other diseases of the digestive system	11	8	8	6
33. Nephritis	29	24	16	15
34. Other diseases of the genitourinary system	3	1	5	4
35. Puerperal septicemia	2	1	1	
36. Other diseases of pregnancy and puerperal state	7	3	1	
37. Diseases of the skin, bones and organs of locomotion	1		1	1
38. Congenital debility, malformations and early infancy	26	26	18	17
39. Senility			1	1
40. Suicide	11	8		
41. Homicide			7	7
42. Violent and accidental (suicide and homicide excepted)	37	31	9	5
43. Cause not specified or ill-defined	1	1		

Continued

High Point				Kinston				New Bern				
Place of death	Place of res.	Place of death	Place of res.	Place of death	Place of res.	Place of death	Place of res.	Place of death	Place of res.	Place of death	Place of res.	
White	White	Colored	Colored	White	White	Colored	Colored	White	White	Col.	Col.	
222	210	89	89	122	75	103	93	84	68	127	121	
--------	--------	1	1	--------	--------	5	3	--------	--------	--------	--------	1
--------	--------	--------	--------	--------	--------	--------	--------	1	--------	--------	--------	2
--------	--------	--------	--------	--------	--------	--------	--------	--------	--------	--------	--------	3
--------	--------	--------	--------	--------	--------	--------	--------	--------	--------	--------	--------	4
2	2	--------	--------	--------	--------	--------	--------	--------	--------	--------	--------	5
--------	--------	1	1	1	--------	--------	--------	--------	--------	--------	--------	6
5	4	--------	--------	1	--------	1	1	1	2	--------	--------	7
4	4	3	3	1	1	9	8	1	1	--------	--------	8
8	12	12	12	4	3	8	10	3	3	9	10	10
1	--------	--------	--------	--------	--------	3	3	--------	--------	1	1	11
3	3	2	2	--------	--------	3	4	--------	--------	--------	--------	12
--------	1	--------	--------	--------	--------	--------	--------	--------	--------	--------	--------	13
1	1	--------	--------	2	--------	--------	--------	--------	--------	--------	--------	14
--------	--------	--------	--------	--------	--------	--------	--------	--------	--------	--------	--------	14
--------	--------	--------	--------	1	--------	1	1	--------	--------	--------	--------	14
1	1	1	1	1	1	--------	--------	2	1	4	3	14
18	17	4	4	3	1	3	2	3	5	1	2	15
2	1	--------	--------	1	1	1	1	1	1	1	1	16
--------	--------	--------	--------	1	1	--------	--------	--------	--------	1	1	17
3	2	1	1	--------	--------	--------	--------	--------	--------	--------	--------	18
2	2	2	2	--------	--------	--------	--------	1	1	--------	--------	19
3	3	1	1	1	1	2	1	4	2	1	1	20
2	2	--------	--------	--------	--------	--------	--------	--------	--------	--------	--------	20
--------	--------	--------	--------	--------	--------	--------	--------	--------	--------	--------	1	21
13	15	5	5	8	7	6	5	10	10	9	8	22
2	3	--------	--------	3	3	1	1	2	1	3	3	23
35	32	17	17	17	13	14	14	13	13	22	22	24
2	2	2	2	--------	--------	--------	--------	--------	--------	1	1	25
--------	--------	--------	--------	1	1	--------	--------	--------	--------	--------	--------	26
10	12	15	15	7	4	7	7	2	2	20	21	27
--------	--------	--------	--------	--------	--------	3	2	--------	--------	--------	--------	28
6	5	2	2	5	2	1	1	1	--------	2	2	29
3	2	--------	--------	--------	--------	--------	--------	--------	--------	--------	--------	29
9	9	1	1	8	3	1	--------	4	1	1	1	30
2	2	1	1	--------	--------	--------	--------	--------	--------	1	1	31
1	1	--------	--------	2	2	--------	--------	--------	--------	--------	--------	31
10	9	--------	--------	8	5	4	2	3	1	5	5	32
19	19	4	4	16	14	6	6	13	11	14	14	33
1	1	--------	--------	3	--------	--------	--------	1	2	--------	--------	34
--------	--------	--------	--------	1	1	--------	--------	2	1	--------	--------	35
4	3	--------	--------	3	1	5	4	1	--------	2	2	36
4	3	--------	--------	2	--------	--------	--------	2	1	2	2	37
25	21	8	8	12	5	9	8	5	5	8	8	38
1	1	--------	--------	--------	--------	2	2	1	1	2	2	39
3	3	--------	--------	--------	--------	--------	--------	1	1	--------	--------	40
1	1	2	2	1	--------	2	1	--------	--------	7	4	41
16	11	4	4	7	4	3	3	4	--------	7	2	42
--------	--------	--------	--------	1	1	3	3	2	2	3	3	43

TABLE VI—

Cause of Death	Raleigh			
	Place of death	Place of res.	Place of death	Place of res.
	White	White	Colored	Colored
All causes—Total recorded	426	300	275	235
1. Typhoid and paratyphoid fever			2	2
2. Typhus fever				
3. Smallpox				
4. Measles	1			
5. Scarlet fever				
6. Whooping-cough			1	1
7. Diphtheria	2	2		
8. Influenza	6	3	4	3
10. Tuberculosis of the respiratory system	14	13	9	12
11. Other forms of tuberculosis	1		4	2
12. Syphilis	1	1	6	3
13. Malaria			1	1
14. Dysentery	3		2	1
14. Acute poliomyelitis and polioencephalitis				
14. Epidemic cerebrospinal meningitis			1	
14. Other infectious and parasitic diseases	4	1	2	2
15. Cancer and other malignant tumors	33	29	12	11
16. Tumors, nonmalignant or unspecified	1	1	2	
17. Chronic rheumatism and gout				
18. Diabetes mellitus	7	6	3	2
19. Alcoholism (acute or chronic)	6	2	1	1
20. Other general diseases and chronic poisonings	3	2	3	3
20. Pellagra	2	3	4	4
21. Progressive locomotor ataxia and paresis	10	7		1
22. Cerebral hemorrhage, cerebral embolism and thrombosis	19	17	31	29
23. Other diseases of the nervous system and organs of special sense.	16	13	1	
24. Diseases of the heart	96	77	45	42
25. Other diseases of the circulatory system	7	4	1	1
26. Bronchitis	1			
27. Pneumonias	26	16	16	14
28. Other diseases of the respiratory system (tuberculosis excepted).	3		1	
29. Diarrhea and enteritis (under 2 years)	3	1	4	4
29. Diarrhea and enteritis (2 years and over)	3	2		
30. Appendicitis	7	1	2	
31. Cirrhosis of the liver			2	2
31. Other diseases of the liver	4	2	1	1
32. Other diseases of the digestive system	10	4	14	9
33. Nephritis	47	42	28	26
34. Other diseases of the genitourinary system	4	3	5	4
35. Puerperal septicemia	3	1	4	2
36. Other diseases of pregnancy and puerperal state	5	2	8	5
37. Diseases of the skin, bones and organs of locomotion			2	2
38. Congenital debility, malformations and early infancy	34	22	23	22
39. Senility	1	1	1	2
40. Suicide	8	8		
41. Homicide	5	1	12	10
42. Violent and accidental (suicide and homicide excepted)	29	12	16	10
43. Cause not specified or ill-defined	1	1	1	1

Continued

Rocky Mount				Salisbury				Shelby				Statesville				
Place of death	Place of res.	Place of death	Place of res.	Place of death	Place of res.	Place of death	Place of res.	Place of death	Place of res.	Place of death	Place of res.	Place of death	Place of res.	Place of death	Place of res.	
White	White	Col.	Col.	White	White	Col.	Col.	White	White	Col.	Col.	W.	W.	C.	C.	
159	99	161	125	156	117	57	45	93	77	16	15	161	91	37	37	
3	1							1		2	2					1
																2
																3
																4
				1												5
1						1	1	1	1					1	1	6
4	1	1		1	1	2	2	6	6			1	1			7
1		9	9	6	4			4	3	1	1	4	4			8
3	2	17	15	3	4	1					2	2	2	2	3	10
		1	2	2						1	1					11
1	1	5	2	2	2					1	1	1		1	1	12
								1								13
								1	1							14
																14
																14
1		1		1	1	2	2	1	1			2	1	1	1	14
10	7	7	6	11	12	3	3	4	4	1	1	9	3	1	1	15
1		1		2	2							5	1			16
1	1							1						1	1	17
3	1	3	2	2	2	1		5	4			3	2			18
		2	1	1	1	1	1									19
2	1	2	1	1	1			2	3			2		1	1	20
4	2	2	2					1	1			1	1			20
					1											21
15	12	5	6	8	8	6	6	7	7			8	7	3	3	22
4		3	2	3	2							1	1			23
24	21	25	22	22	15	4	3	16	14			21	19	4	4	24
1	1			2	2			1	1			1	1			25
		1	1	2	2											26
8	3	8	9	5	5	7	7	5	5	1	1	4	4			27
2	2											1	1			28
3		5	5	1	1			2	1			2	2	1	1	29
						1	1					1	1			29
4		2	1	7	3	2		1		1		13	4	2	2	30
2	2	1	1									1		1		31
		1		1	1							4	2			31
4	2	7	3	8	4	2	2	1	1			9	3	2	2	32
8	7	14	13	16	15	8	7	7	6	4	2	17	12	8	8	33
2	1	2	1	1				1	1	1		4	1			34
		2		2								2				35
1		2				3	1					4	2			36
		1	1					1				3	1			37
18	15	16	14	14	10	3	3	7	7			6	4	3	3	38
1	1					1	1							1	1	39
5	4			3	2							1	2			40
2		5	2			3	2			2	2	2		1		41
19	10	10	4	26	15	5	2	16	10	1	2	26	8	3	4	42
1	1			2	1	1	1						1			43

TABLE VI—

Cause of Death	Thomasville			
	Place of death	Place of res.	Place of death	Place of res.
	White	White	Colored	Colored
All causes—Total recorded	60	55	22	22
1. Typhoid and paratyphoid fever				
2. Typhus fever				
3. Smallpox				
4. Measles				
5. Scarlet fever	2	2		
6. Whooping-cough				
7. Diphtheria	2			
8. Influenza		1		
10. Tuberculosis of the respiratory system	2	2	2	2
11. Other forms of tuberculosis			1	1
12. Syphilis				
13. Malaria				
14. Dysentery				
14. Acute poliomyelitis and polioencephalitis				
14. Epidemic cerebrospinal meningitis				
14. Other infectious and parasitic diseases	1			
15. Cancer and other malignant tumors	2	2		
16. Tumors, nonmalignant or unspecified	1			
17. Chronic rheumatism and gout				
18. Diabetes mellitus				
19. Alcoholism (acute or chronic)	2	1		
20. Other general diseases and chronic poisonings	2	2		
20. Pellagra	1	1		
21. Progressive locomotor ataxia and paresis				
22. Cerebral hemorrhage, cerebral embolism and thrombosis	3	3	4	4
23. Other diseases of the nervous system and organs of special sense	2	2		
24. Diseases of the heart	3	3	4	4
25. Other diseases of the circulatory system				
26. Bronchitis				
27. Pneumonias	2	2	1	2
28. Other diseases of the respiratory system (tuberculosis excepted)	2	1		
29. Diarrhea and enteritis (under 2 years)	1	1	2	2
29. Diarrhea and enteritis (2 years and over)				
30. Appendicitis	3	1		
31. Cirrhosis of the liver				
31. Other diseases of the liver				
32. Other diseases of the digestive system	2	2	2	2
33. Nephritis	11	11	3	3
34. Other diseases of the genitourinary system				
35. Puerperal septicemia				
36. Other diseases of pregnancy and puerperal state	1	1		
37. Diseases of the skin, bones and organs of locomotion				
38. Congenital debility, malformations and early infancy	10	10	1	1
39. Senility				
40. Suicide	1	1		
41. Homicide				
42. Violent and accidental (suicide and homicide excepted)	4	6	2	1
43. Cause not specified or ill-defined				

Continued

Wilmington				Wilson				Winston-Salem				
Place of death	Place of res.	Place of death	Place of res.	Place of death	Place of res.	Place of death	Place of res.	Place of death	Place of res.	Place of death	Place of res.	
White	White	Colored	Colored	White	White	Colored	Colored	White	White	Col.	Col.	
258	214	286	254	81	67	154	134	421	330	467	467	
------	------	4	3	------	------	------	------	2	------	3	3	1
------	------	------	------	------	------	------	------	------	------	------	------	2
------	------	------	------	------	------	------	------	------	------	------	------	3
2	2	1	------	------	------	------	------	1	1	2	2	4
------	------	------	------	------	------	------	------	4	4	------	------	5
------	------	------	------	1	1	1	1	2	1	1	1	6
2	------	2	1	------	------	------	------	10	9	2	1	7
3	2	2	2	2	1	1	1	12	10	12	12	8
8	11	13	17	2	2	19	17	9	11	58	70	10
2	2	3	2	1	1	1	1	2	1	14	13	11
------	------	10	9	------	------	3	3	------	1	18	18	12
------	------	------	------	------	------	------	------	------	------	------	------	13
------	------	------	------	------	------	------	------	------	1	------	------	14
------	------	------	------	------	------	------	------	2	2	------	------	14
2	1	1	1	------	------	------	------	1	------	2	2	14
4	4	7	5	------	------	1	1	3	------	1	1	14
31	32	5	4	1	1	9	7	35	29	14	14	15
2	1	------	------	1	------	1	1	2	1	2	2	16
------	------	1	1	------	------	------	------	------	------	1	1	17
8	7	4	2	------	------	1	1	9	4	6	6	18
1	1	2	2	------	------	------	------	------	------	------	------	19
2	2	2	2	------	1	3	3	9	6	5	4	20
------	------	4	4	------	------	------	------	1	2	12	12	20
1	1	------	------	------	------	------	------	1	1	3	3	21
16	17	29	27	3	3	11	10	25	20	25	26	22
5	3	1	1	------	------	1	------	4	4	4	4	23
37	32	34	32	7	7	11	11	57	51	61	61	24
5	4	5	6	------	------	------	------	2	2	2	2	25
------	------	1	1	------	------	------	------	------	------	------	------	26
18	13	21	17	2	2	15	15	21	15	26	25	27
2	2	3	3	------	------	------	------	5	4	4	4	28
3	2	1	1	5	3	5	4	9	6	15	15	29
------	------	------	------	1	1	3	2	5	5	5	5	29
3	------	6	2	1	1	4	2	9	5	5	5	30
1	1	------	------	------	------	------	------	3	3	3	3	31
1	1	1	1	2	2	1	1	5	3	1	1	31
11	7	10	7	2	1	8	6	14	12	16	14	32
38	32	48	47	15	14	19	17	37	36	26	26	33
5	3	9	8	2	2	2	2	8	3	7	6	34
2	------	3	1	------	------	2	1	2	1	4	4	35
4	2	7	5	3	2	2	1	8	4	6	6	36
1	1	2	1	------	------	------	------	4	1	1	------	37
11	6	15	14	11	8	13	13	45	30	48	47	38
------	------	------	------	1	1	------	------	5	5	------	------	39
1	1	------	------	4	4	------	------	7	7	2	2	40
------	------	12	11	1	1	7	6	3	------	22	20	41
24	19	15	12	12	7	7	4	37	28	17	15	42
2	2	2	2	1	1	3	3	1	1	11	11	43

TABLE VII—DEATH RATES PER 100,000 POPULATION (BY PLACE OF DEATH, ALSO BY PLACE OF USUAL RESIDENCE) IN EACH COUNTY, FROM *NINE IMPORTANT CAUSES, WITH ESTIMATED POPULATION—1933

County	Estimated Population	Rate per 100,000 Population																	
		Diarrhea and Enteritis (Under 2 Years of Age)		Diphtheria		Malaria		Measles		Pellagra		Scarlet Fever		Tuberculosis of the Respiratory System		Typhoid Fever		Whooping-cough	
		Rate by Place of Death	Rate by Place of Res.	Rate by Place of Death	Rate by Place of Res.	Rate by Place of Death	Rate by Place of Res.	Rate by Place of Death	Rate by Place of Res.	Rate by Place of Death	Rate by Place of Res.	Rate by Place of Death	Rate by Place of Res.	Rate by Place of Death	Rate by Place of Res.	Rate by Place of Death	Rate by Place of Res.	Rate by Place of Death	Rate by Place of Res.
Entire State	3,275,000	24.5	24.3	6.6	6.5	1.5	1.4	2.8	2.8	12.0	12.0	1.4	1.4	59.0	55.4	3.9	3.9	6.1	6.0
Alamance	43,800	6.8	6.8	------	4.6	------	------	------	------	9.1	6.8	------	------	52.5	54.8	------	------	------	------
Alexander	13,000	23.0	23.0	46.1	46.1	------	------	7.7	7.7	15.4	15.4	------	------	46.1	46.1	7.7	7.7	------	------
Alleghany	7,186	------	------	------	13.9	------	------	------	------	------	------	------	------	28.0	28.0	------	------	------	------
Anson	29,500	10.1	10.1	3.4	3.4	------	------	3.4	3.4	3.4	10.2	3.4	3.4	23.7	27.1	10.2	10.2	13.6	13.6
Ashe	21,000	28.6	23.8	14.2	14.2	------	------	------	------	------	------	------	------	19.0	19.0	------	------	4.8	4.8
Avery	12,100	------	------	8.2	8.2	------	------	------	------	------	------	8.2	8.2	82.6	66.1	16.5	16.5	24.8	24.8
Beaufort	35,700	44.8	44.8	14.0	11.2	2.8	2.8	------	------	11.2	11.2	2.8	2.8	53.2	50.4	------	------	8.4	8.4
Bertie	26,200	22.9	26.7	7.6	7.6	7.6	7.6	11.4	11.4	7.6	11.4	------	------	76.3	76.3	------	3.8	3.8	3.8
Bladen	22,800	26.3	26.3	4.3	4.3	8.8	8.8	8.8	8.8	------	------	------	------	17.5	21.9	8.8	8.8	8.8	8.8
Brunswick	16,000	25.0	25.0	------	------	6.2	6.2	------	------	6.2	6.2	------	------	25.0	25.0	6.2	12.5	------	------
Buncombe	103,700	22.2	21.2	4.8	4.8	1.0	------	------	------	11.6	12.5	1.0	1.0	281.6	145.6	1.0	1.0	6.8	6.8
Burke	30,500	29.5	29.5	6.6	6.6	6.6	3.2	6.6	6.6	104.9	62.2	3.2	3.2	78.6	68.8	------	------	3.2	3.2
Cabarrus	46,100	26.0	26.0	4.3	4.3	2.1	2.1	2.1	2.1	8.6	8.6	2.1	4.3	34.7	34.7	2.1	2.1	------	------
Caldwell	29,400	27.2	30.6	------	------	------	------	------	------	13.6	13.6	------	------	30.6	30.6	6.8	6.8	3.4	3.4
Camden	5,500	18.1	18.1	------	------	36.3	36.3	23.8	23.8	18.1	18.1	------	------	109.0	109.0	------	------	18.1	18.1
Carteret	17,200	29.0	29.0	12.0	12.0	------	------	------	------	------	------	5.8	5.8	40.6	40.6	------	------	------	------
Caswell	18,600	5.3	10.8	5.3	5.3	------	------	------	------	21.5	21.5	5.3	5.3	37.6	37.6	5.3	5.3	5.3	5.3
Catawba	45,700	24.0	21.8	6.5	4.3	------	------	6.5	6.5	6.5	6.5	------	------	37.1	39.3	------	------	------	------
Chatham	24,200	4.1	4.1	4.1	4.1	------	------	4.1	4.1	20.6	20.6	------	------	41.3	41.3	12.3	12.3	28.9	28.9
Cherokee	16,300	12.3	12.3	6.1	6.1	------	------	------	------	30.6	36.8	------	------	30.6	30.6	12.3	12.3	------	------
Chowan	11,400	52.6	52.6	------	------	------	------	------	------	------	------	------	------	78.9	78.9	8.8	8.8	------	------

Clay	5,600	17.8	17.8	35.7	35.7					17.8	17.8			35.7	35.7					
Cleveland	54,900	12.8	12.8	20.0	20.0	1.8	1.8			5.4	5.4			12.8	16.3	9.1	9.1	7.2	7.2
Columbus	39,000	23.0	25.6	5.1	7.6	2.6		5.1	5.1	2.6	2.6	2.6	2.6	46.1	46.1			23.0	23.0
Craven	30,900	48.5	48.5	3.2	6.4									80.9	84.1				
Cumberland	47,000	48.9	44.6	10.6	10.6	2.1	2.1	4.2	4.2	6.3	10.6	4.2	4.2	25.5	25.5	4.2	4.2	14.8	12.8
Currituck	6,710	29.8	29.8			14.9	14.9			29.8	29.8			104.3	104.3				
Dare	5,200	38.4	38.4											38.4	38.4		19.2		
Davidson	50,000	16.0	16.0	16.0	14.0					10.0	10.0	6.0	6.0	28.0	28.0	2.0	2.0		
Davie	14,500	13.8	13.8	13.8	13.8			6.8	6.8	6.8	6.8			20.6	20.6				
Duplin	35,900	25.0	27.8	16.7	25.0									41.8	44.5	8.3	8.3	5.5	5.5
Durham	71,500	12.5	9.8	2.8						14.0	12.5	1.3	1.3	82.5	74.1	4.1		5.5	5.5
Edgecombe	49,600	44.3	44.3	2.0	2.0	6.0	6.0			4.0	6.0			98.8	100.8	2.0	2.0	16.1	16.1
Forsyth	117,600	28.0	27.2	17.0	16.1			4.2	4.2	13.6	17.0	6.0	6.0	77.3	79.9	4.2	3.4	3.4	3.4
Franklin	29,900	13.3	13.3	3.3	6.6					16.7	16.7	3.3	3.3	53.5	60.2				
Gaston	82,700	21.8	23.0	2.4	2.4			1.2	1.2	12.0	15.7	1.2	1.2	38.6	39.9	1.2	1.2	4.8	4.8
Gates	10,600	28.3	28.3											47.1	47.1	9.4	9.4		
Graham	6,000													16.6	16.6	16.6	16.6		
Granville	29,000	24.1	27.5							13.7	13.7			65.5	69.0			20.6	20.6
Greene	19,100	31.4	31.4							5.2	5.2			15.7	31.4	10.4	15.7	15.7	15.7
Guilford	142,200	11.2	9.8	9.1	8.4		0.7	0.7	0.7	14.0	14.0	2.8	2.8	55.5	59.0	0.7	1.4	0.7	0.7
Halifax	54,900	49.1	49.1	3.6	3.6	2.5	2.5	2.5	2.5	7.5	7.5	2.5	2.5	60.1	60.1	2.5	3.6	12.8	12.8
Harnett	39,600	40.4	40.4	10.1	10.1	5.0	5.0	5.0	5.0	5.0	5.0			42.9	45.4	7.5	10.1		
Haywood	29,100	6.9	6.9							13.7	17.1	3.4	3.4	34.3	41.2			10.3	10.3
Henderson	24,300	4.1	4.1	12.3	12.3			12.3	12.3	12.3	12.3			49.3	49.3			8.2	8.2
Hertford	17,800	61.8	61.8	5.6	5.6	5.6	5.6			11.2	11.2			112.3	123.5	11.2	11.2		
Hoke	14,700	13.6	13.6											217.6	81.6			13.6	13.6
Hyde	8,600				11.6	11.6	11.6			23.2	23.2			11.6	23.2	23.2	23.2	46.5	46.5
Iredell	48,200	24.9	24.9	2.0	2.0	2.0	2.0			8.2	10.3			33.1	35.2	2.0	2.0	2.0	2.0
Jackson	18,200	11.0	11.0	38.4	38.4					11.0	11.0			44.0	54.9	5.4	5.4	5.4	5.4
Johnston	59,100	18.6	18.6	1.6	1.6	5.0	5.0	6.8	8.4	10.1	10.1	1.6	1.6	49.0	50.8	3.3	3.3		
Jones	10,500	57.1	57.1			9.5	9.5							57.1	57.1				
Lee	17,600	11.3	11.3	5.6	5.6			5.6	5.6	28.4	39.8	5.6	5.6	22.7	22.7				
Lenoir	36,800	81.5	76.0	5.4	2.7	2.7	2.7	5.4	5.4	2.7	5.4			87.0	92.3	24.4	21.7	2.7	
Lincoln	23,700	8.4	8.4							12.6	12.6			25.3	29.5			4.2	4.2
McDowell	20,900	28.7	28.7	9.5	9.5			4.7	4.7	33.4	43.0			47.8	47.8			43.0	43.0
Macon	13,800	7.2	7.2											29.0	36.2				
Madison	20,300	14.7	19.7	4.9	4.9					14.7	14.7			29.5	29.5	4.9	4.9	19.7	19.7

TABLE VII—*Continued*

County	Estimated Population	Rate per 100,000 Population																	
		Diarrhea and Enteritis (Under 2 Years of Age)		Diphtheria		Malaria		Measles		Pellagra		Scarlet Fever		Tuberculosis of the Respiratory System		Typhoid Fever		Whooping-cough	
		Rate by Place of Death	Rate by Place of Res.	Rate by Place of Death	Rate by Place of Res.	Rate by Place of Death	Rate by Place of Res.	Rate by Place of Death	Rate by Place of Res.	Rate by Place of Death	Rate by Place of Res.	Rate by Place of Death	Rate by Place of Res.	Rate by Place of Death	Rate by Place of Res.	Rate by Place of Death	Rate by Place of Res.	Rate by Place of Death	Rate by Place of Res.
Martin	23,800	25.2	25.2	4.2	8.4					8.4	8.4			75.6	75.6	4.2	4.2	16.8	16.8
Mecklenburg	136,100	16.8	16.1	2.2	1.4	0.7	0.7	3.6	3.6	11.0	12.4		0.7	57.3	58.0	2.2	2.2	3.6	3.6
Mitchell	14,400	27.7	27.7	13.8	13.8					7.0	7.0			20.8	20.8				
Montgomery	16,500	18.1	24.2							6.0	6.0			18.1	18.1			12.1	12.1
Moore	29,400	20.4	17.0	6.8	6.8	3.4	3.4	6.8	6.8					54.4	47.6	3.4	3.4		
Nash	54,800	18.2	14.5	9.1	3.6					20.0	18.2	1.8	1.8	62.0	60.2	10.9	9.1	5.4	5.4
New Hanover	43,400	11.5	9.2	9.2	2.3			6.9	6.9	16.1	18.4			89.8	85.2	9.2	6.9	2.3	
Northampton	27,800	46.8	46.8											75.5	79.1	3.5	3.5	21.5	21.5
Onslow	15,400	26.0	26.0	6.4	6.4	13.0	13.0			6.4	6.4			64.9	77.9				
Orange	21,700	4.6	4.6	4.6	4.6					13.8	18.4			50.6	59.9				
Pamlico	9,300					21.5	21.5							32.2	32.2				
Pasquotank	19,400	61.8	61.8	5.1	5.1	5.1	5.1			10.3	10.3			118.5	113.4			30.9	30.9
Pender	15,800	38.0	38.0	6.3	6.3			6.3	6.3	19.0	25.3			57.0	57.0				
Perquimans	10,668	28.1	37.4	9.3	9.3	9.3	9.3							37.4	37.4			9.3	9.3
Person	22,600	13.2	13.2							4.4	4.4			57.5	61.9			4.4	4.4
Pitt	56,000	42.8	44.6	1.7	1.7			3.5	3.5	10.7	10.7	1.7	1.7	53.5	58.9	8.9	8.9	21.4	23.2
Polk	10,500	66.6	9.5	19.0	19.0					19.0	19.0			28.5	28.5	9.5	9.5	9.5	9.5
Randolph	37,200	5.3	8.0		5.3					8.0	10.7			26.8	29.5				
Richmond	35,500	42.2	39.4	2.8	2.8	5.6	5.6	5.6	5.6	14.0	14.0			42.2	47.8	5.6	5.6		
Robeson	68,500	58.3	58.3	2.9	1.4			10.2	10.2	11.6	13.1			27.7	27.7	5.8	5.8	5.8	5.8
Rockingham	52,300	11.4	13.3	15.2	15.2					17.2	17.2			45.8	47.8	9.5	9.5	1.9	1.9
Rowan	58,800	5.1	8.5	8.5	8.5					6.8	6.8	3.4	1.7	23.8	25.5	1.7	1.7	1.7	1.7

Rutherford	42,000	14.2	14.2	4.7	4.7			7.1	7.1	16.6	19.0			33.3	33.3			9.5	9.5
Sampson	40,800	41.6	46.5	7.3	7.3			14.7	14.7	7.3	7.3	10.0	10.0	41.6	44.1	17.1	17.1	7.3	10.0
Scotland	21,000	66.6	66.6					23.8	23.8	4.7	4.7			38.0	47.6	4.7	4.7	23.8	23.8
Stanly	30,700	13.0	13.0							9.7	9.7			19.5	22.8	3.2	3.2		
Stokes	22,600	8.8	8.8	17.6	22.1					13.2	13.2			17.6	22.1				
Surry	41,000	34.1	34.1	7.3	4.8					7.3	9.7	4.8	4.8	39.0	41.4	4.8	2.4	4.8	4.8
Swain	11,568	8.6	8.6											60.5	60.5				
Transylvania	9,600	20.8	20.8											41.6	52.0	20.8	20.8	10.4	10.4
Tyrrell	5,200	57.6	57.6											57.6	57.6	19.2	19.2		
Union	41,800	12.0	12.0	4.8	4.8	2.3	2.3			9.5	12.0	7.1	4.8	40.6	43.0			4.8	4.8
Vance	28,100	17.8	17.8	3.5	3.5	3.5	3.5			17.8	17.8			64.0	64.0				
Wake	98,100	15.2	15.2	3.0	3.0	1.0	1.0	4.0	3.0	15.2	17.3	1.0	1.0	47.9	55.0	5.0	5.0	2.0	2.0
Warren	23,700	33.7	33.7	4.2	8.4	4.2	4.2			12.6	16.8			67.5	67.5	4.2	4.2	4.2	4.2
Washington	11,600	34.4	34.4	17.2	17.2	25.8	25.8			8.6	8.6			86.2	86.2			8.6	8.6
Watauga	15,500	6.4	6.4	12.9	12.9			12.9	12.9					6.4	6.4		6.4	6.4	6.4
Wayne	54,600	44.0	44.0	7.3	7.3	3.6	3.6	1.8	1.8	73.2	40.2	1.8	1.8	126.3	117.2	5.4	5.4	12.8	12.8
Wilkes	36,800	5.4	5.4	21.7	21.7									40.7	38.0			2.7	2.7
Wilson	46,300	36.7	39.0	4.3	4.3	2.1	2.1			2.1	2.1	2.1	2.1	101.5	101.5	8.6	8.6	8.6	8.6
Yadkin	18,300	32.7	32.7	5.4	5.4					5.4	10.9	5.4	5.4	10.9	10.9				
Yancey	14,486	6.9	6.9	13.8	13.8		6.9	6.9	6.9	20.7	20.7			48.3	48.3				

*No deaths from smallpox reported during 1933.

TABLE VIII—DEATHS (EXCLUSIVE OF STILLBIRTHS) BY CAUSE

Cause of Death	Total	Under 1 Day	1 Day
All causes	4,975	1,253	272
1. Typhoid fever	1		
6. Smallpox			
7. Measles	24		
8. Scarlet fever	4		
9. Whooping-cough	120		
10. Diphtheria	31		
11. Influenza	179		2
13. Dysentery	28		
15. Erysipelas	15		
16. Acute poliomyelitis and acute polioencephalitis	2		
18. Epidemic cerebrospinal meningitis	4		
22. Tetanus	3		
23. Tuberculosis of the respiratory system	9		
24. Tuberculosis of the meninges and central nervous system	6		
25-32. Tuberculosis (all other forms)	1		
34. Syphilis	62	5	1
35. Gonococcus infection and other venereal diseases			
36. Purulent infection, septicemia	2		
63. Rickets	11		
79. Meningitis	32		
86. Infantile convulsions	39	1	1
89. Diseases of the ear and of the mastoid process	20		
90-95. Pericarditis, endocarditis and myocarditis (acute), other diseases of the heart	10		
106. Bronchitis	21		
107. Bronchopneumonia	337		1
108. Lobar pneumonia	114		
110. Pleurisy			
117. Ulcer of the stomach and duodenum			
119. Diarrhea and enteritis	575		
121. Appendicitis	1		
122. Hernia, intestinal obstruction	22		
130. Acute nephritis	8		
151. Furuncle	1		
152. Phlegmon, acute abscess	8		
153. Other diseases of the skin and of the cellular tissue	8		
157. Congenital malformation	291	68	24
158. Congenital debility	711	174	58
159. Premature birth	1,451	863	131
160. Injury at birth	191	88	25
161. Other diseases peculiar to early infancy	132	35	15
181. Accidental burns	15		
182. Accidental mechanical suffocation	61	1	2
186. Accidental traumatism by fall	8		
172. Infanticide	4	2	
199-200. Sudden death; cause not specified or ill-defined	88	7	2
Total all other causes	325	9	10

*Including one child dying out of North Carolina but resident of the State.

BY CERTAIN SUBDIVISIONS OF THE FIRST YEAR OF LIFE—1933*

2 Days	3 to 6 Days	7 to 13 Days	14 to 20 Days	21 to 29 Days	1 Month	2 Months	3 to 5 Months	6 to 8 Months	9 to 11 Months
214	345	279	197	173	457	333	691	432	329
						1			
			1		1	1	5	9	7
			1			1			2
	1		1	5	24	16	37	13	23
				1	6	5	5	8	6
	5	7	11	7	24	21	57	25	20
			1	1	3	4	9	5	5
				1	7	1	4	1	1
					2				
							1	2	1
	1	2							
					1		1	2	5
								3	3
								1	
1	6	4	3		10	8	15	3	6
		1					1		
					1	2	3	3	2
	2	3			6	2	6	9	4
	5	9	3		4	5	4	5	2
		1				3	8	3	5
	1			2	2	1	2	1	1
	1	1	1	1	5	1	8	1	2
5	4	10	13	19	51	36	88	59	51
	5	3	5	2	14	12	29	20	24
	3	11	8	23	60	65	178	141	86
								1	
	1		1		3	5	6	5	1
1				2	2			3	
									1
			1		2		3	2	
		1			2		5		
22	40	18	13	9	29	18	25	16	9
52	74	68	40	41	80	51	54	13	6
88	121	83	60	28	41	17	16	2	1
18	29	15	6	2	1	2	3	2	
12	26	21	4	7	9	3			
							2	8	5
5	4	1	3	3	7	11	19	2	3
						1	1	4	2
						1	1		
2	4	3	7	3	7	7	16	18	12
8	12	17	14	16	53	32	79	42	33

TABLE IX—DEATHS UNDER 1 YEAR OF AGE (EXCLUSIVE OF STILLBIRTHS), AND MATERNAL DEATHS IN EACH COUNTY WITH RATES PER 1,000 LIVE BIRTHS—1933

County	Infant Mortality				Maternal Mortality			
	By Place of Death		By Place of Residence		By Place of Death		By Place of Residence	
	Number	Rate	Number	Rate	Number	Rate	Number	Rate
Entire State	4,974	66.0	4,950	65.8	535	7.1	532	7.0
Alamance	36	34.8	41	38.3	3	2.9	5	4.7
Alexander	18	56.6	18	54.9				
Alleghany	10	60.6	10	59.5	1	6.1	1	6.0
Anson	36	53.1	38	57.1	6	8.8	6	9.0
Ashe	22	42.4	21	39.8	1	1.9	1	1.9
Avery	16	46.1	15	45.4	5	14.4	2	6.0
Beaufort	70	87.1	67	83.8	8	10.0	7	8.8
Bertie	67	94.1	68	95.4	2	2.8	3	4.2
Bladen	45	65.5	45	65.2	4	5.8	4	5.8
Brunswick	18	38.4	18	37.9	2	4.3	2	4.2
Buncombe	125	70.0	123	70.1	14	7.8	14	8.0
Burke	23	34.2	24	35.3	4	5.9	4	5.9
Cabarrus	71	71.4	74	72.0	4	4.0	5	4.9
Caldwell	53	62.8	53	62.5	6	7.1	6	7.1
Camden	10	104.2	10	103.1			1	10.3
Carteret	28	72.4	28	73.7	2	5.2	2	5.3
Caswell	32	71.0	32	70.0	2	4.4	2	4.4
Catawba	56	52.6	55	51.0				
Chatham	19	47.8	23	55.4	2	5.0	5	12.0
Cherokee	16	42.6	17	44.9	2	5.3	2	5.3
Chowan	33	124.1	33	124.1	3	11.3	3	11.3
Clay	6	44.1	6	43.5				
Cleveland	54	43.2	55	43.9	1	0.8	1	0.8
Columbus	86	80.8	89	81.5	8	7.5	14	12.8
Craven	60	92.0	62	93.8	9	13.8	8	12.1
Cumberland	89	78.3	81	72.4	13	11.4	12	10.7
Currituck	10	73.0	9	64.3	1	7.3	1	7.1
Dare	12	96.8	12	93.8				
Davidson	41	37.4	45	40.7	5	4.6	5	4.5
Davie	19	57.8	20	59.3			1	3.0
Duplin	63	68.5	68	72.8	8	8.7	12	12.8
Durham	126	76.9	104	71.8	21	12.8	10	6.9
Edgecombe	94	80.1	92	78.0	10	8.5	9	7.6
Forsyth	182	77.3	173	75.6	24	10.2	23	10.0
Franklin	47	66.7	52	72.5	4	5.7	8	11.2
Gaston	109	62.3	110	61.9	13	7.4	14	7.9
Gates	13	59.4	13	59.1			1	4.5
Graham	9	77.6	9	74.4				
Granville	47	64.9	48	65.8	6	8.3	6	8.2
Greene	41	80.6	43	81.9	1	2.0	2	3.8
Guilford	151	56.6	144	54.9	20	7.5	16	6.1
Halifax	126	87.4	128	88.7	5	3.5	8	5.5
Harnett	68	62.3	76	68.2	7	6.4	7	6.3
Haywood	47	64.6	47	63.9	5	6.9	6	8.2
Henderson	36	63.5	37	65.8	1	1.8	1	1.8
Hertford	34	89.5	34	88.5	4	10.5	4	10.4
Hoke	34	94.4	34	93.4	1	2.8	1	2.7
Hyde	10	54.0	12	62.5	2	10.8	2	10.4
Iredell	67	69.4	64	70.6	9	9.3	6	6.6
Jackson	26	54.3	26	53.8	4	8.4	5	10.4
Johnston	101	64.1	106	66.8	8	5.1	8	5.0
Jones	26	91.5	26	91.0	1	3.5	2	7.0

TABLE IX—*Continued*

County	Infant Mortality				Maternal Mortality			
	By Place of Death		By Place of Residence		By Place of Death		By Place of Residence	
	Number	Rate	Number	Rate	Number	Rate	Number	Rate
Lee	24	66.8	22	61.8	2	5.6	2	5.6
Lenoir	98	116.9	93	113.4	10	11.9	9	10.1
Lincoln	29	50.8	29	52.0	4	7.0	3	5.4
McDowell	38	70.6	39	72.4	5	9.3	5	9.3
Macon	19	50.7	18	48.1	5	13.3	3	8.0
Madison	31	56.8	32	58.0	3	5.5	3	5.4
Martin	55	78.0	56	78.8	4	5.7	5	7.0
Mecklenburg	154	65.0	148	64.2	18	7.6	18	7.8
Mitchell	21	49.1	21	47.9	----	----	1	2.3
Montgomery	19	60.1	20	62.3	2	6.3	3	9.3
Moore	27	47.7	25	44.3	5	8.8	5	8.9
Nash	94	74.0	89	70.8	12	9.4	10	8.0
New Hanover	49	57.3	40	49.1	16	18.7	10	12.2
Northampton	39	63.0	39	62.1	4	6.5	5	8.0
Onslow	19	42.3	21	46.2	2	4.5	2	4.4
Orange	20	51.4	24	55.0	----	----	1	2.3
Pamlico	6	22.3	6	22.1	----	----	1	3.7
Pasquotank	41	96.9	41	98.6	5	11.8	4	9.6
Pender	27	67.8	27	66.2	2	5.0	4	9.8
Perquimans	13	52.8	14	56.4	----	----	----	----
Person	25	43.3	27	46.0	4	6.9	7	11.9
Pitt	125	83.2	126	83.1	9	6.0	8	5.3
Polk	22	95.2	13	57.5	1	4.3	----	----
Randolph	35	39.5	38	42.4	2	2.3	5	5.6
Richmond	61	73.3	61	72.5	6	7.2	5	5.9
Robeson	140	73.5	139	73.4	14	7.4	12	6.3
Rockingham	55	43.7	55	43.4	12	9.5	12	9.5
Rowan	68	55.7	68	55.2	12	9.8	11	8.9
Rutherford	50	47.8	50	47.9	4	3.8	4	3.8
Sampson	77	69.9	84	75.5	6	5.4	7	6.3
Scotland	41	80.4	41	80.2	6	11.8	6	11.7
Stanly	35	49.9	35	50.6	5	7.1	5	7.2
Stokes	18	35.2	20	38.7	2	3.9	3	5.8
Surry	58	58.8	57	58.0	12	12.2	10	10.2
Swain	11	45.1	11	45.1	3	12.3	3	12.3
Transylvania	16	64.5	16	64.3	1	4.0	1	4.0
Tyrrell	19	133.8	19	133.8	4	28.2	4	28.2
Union	49	49.7	48	48.8	6	6.1	4	4.1
Vance	52	84.4	51	83.6	2	3.2	2	3.3
Wake	157	82.1	148	78.3	25	13.1	22	11.6
Warren	56	83.4	57	84.1	2	3.0	2	2.9
Washington	26	87.5	26	87.1	1	3.4	1	3.3
Watauga	30	68.2	30	68.0	----	----	----	----
Wayne	89	80.0	90	80.8	16	14.4	13	11.7
Wilkes	48	45.2	48	45.5	3	2.8	4	3.8
Wilson	110	94.2	107	91.8	11	9.4	10	8.6
Yadkin	16	40.2	20	47.2	----	----	4	9.4
Yancey	24	59.1	24	58.2	5	12.3	5	12.1

TABLE X—CASES AND DEATHS FROM SPECIAL

Disease		Total	Jan.	Feb.
Total cases and deaths	Cases	*49,767	8,509	4,700
	Deaths	30,496	3,000	2,568
1. Anthrax	Cases			
	Deaths			
2. Chancroid	Cases	35	5	1
	Deaths			
3. Chickenpox	Cases	4,167	639	547
	Deaths	2		
4. Diphtheria	Cases	2,497	91	76
	Deaths	218	24	5
5. Endemic typhus	Cases	46	1	
	Deaths	5		
6. German measles	Cases	187	10	11
	Deaths	1		
7. Gonorrhea	Cases	2,167	167	149
	Deaths	29	1	3
8. Influenza	Cases	7,215	5,289	1,104
	Deaths		393	228
9. Malaria	Cases			
	Deaths	50	1	1
10. Measles	Cases	16,197	1,219	1,578
	Deaths	91	3	7
11. Meningococcus meningitis (epidemic)	Cases	66	8	11
	Deaths	18	1	4
12. Mumps (parotitis)	Cases			
	Deaths	1		
13. Ophthalmia neonatorium	Cases	9		1
	Deaths			
14. Paratyphoid fever	Cases	12		
	Deaths			
15. Pellagra	Cases	833	22	75
	Deaths	392	27	17
16. Pneumonia (all forms)	Cases			
	Deaths	2,072	321	271
17. Poliomyelitis (acute)	Cases	30	1	1
	Deaths	18	1	2
18. Scarlet fever	Cases	3,662	223	144
	Deaths	49	4	1
19. Septic sore throat	Cases	123	12	9
	Deaths	22	4	1
20. Smallpox	Cases	35	4	4
	Deaths			
21. Syphilis	Cases	4,570	337	362
	Deaths	250	24	18
22. Trachoma	Cases	5		
	Deaths			
23. Tuberculosis of the respiratory system	Cases			
	Deaths	1,933	192	158
24. Tuberculosis (all other forms)	Cases			
	Deaths	177	7	12
25. Tularemia	Cases	28	4	8
	Deaths	1		

DISEASES BY MONTH OF OCCURRENCE—1933

March	April	May	June	July	Aug.	Sept.	Oct.	Nov.	Dec.
4,937	*4,892	5,260	3,797	2,209	1,771	2,127	2,707	3,791	5,067
2,758	2,343	2,548	2,695	2,370	2,207	2,254	2,393	2,628	2,732
3		3	3	1	5	1	2	5	6
922	579	444	116	33	17	20	39	295	516
1		1							
64	73	52	36	58	138	383	726	529	271
5	4	5	2	2	13	27	47	47	37
	1	1	4	6	9	3	3	5	13
	1		1	2		1			
20	43	52	4	7	7	6	8	8	11
									1
197	149	175	196	186	216	195	178	184	175
2	1	1	4	4	2	2	1	4	4
332	79	46	27	4	9	116	56	82	71
116	70	26	9	11	6	12	16	61	48
2	2	4	5	6	5	6	9	6	3
2,220	2,708	2,885	1,497	399	101	109	160	896	2,425
12	15	18	13	6	2		1	4	10
5	5	1	4	5	2	4	3	10	8
3	3	1			1	1	1	1	2
									1
1			2	1		1	1		2
1			2	2	3	2	2		
28	62	118	213	137	62	38	44	22	12
24	27	40	57	51	35	27	31	37	19
277	187	145	71	58	70	81	101	222	268
2	1	3	1	1	2	8	3	6	1
2			1	2	1	2	1	3	3
198	232	184	99	104	184	298	654	840	502
3	2	5	1	3		2	9	12	7
15	5	5	8	3	4	18	19	12	13
2		2			2	4	3	1	3
10	1	12	1					1	2
412	344	387	499	339	404	496	341	341	308
17	18	23	22	23	14	20	23	18	30
		3				2			
186	164	159	191	173	146	160	137	137	130
20	16	20	19	15	16	12	15	13	12
9	3	1			1				2
							1		

TABLE X—

Disease		Total	Jan.	Feb.
26. Typhoid fever	Cases	684	17	15
	Deaths	128	4	3
27. Undulant fever	Cases	15	1	3
	Deaths	4		
28. Whooping-cough	Cases	7,155	459	601
	Deaths	200	14	13
29. Diarrhea and enteritis (under 2 years)	Cases			
	Deaths	803	11	13
30. Rocky Mountain spotted fever	Cases	27		
	Deaths	5		
31. Automobile fatalities (total)	Cases			
	Deaths	772	43	35
32. Milk sickness	Cases			
	Deaths	2		1
33. Rabies	Cases	1		
	Deaths	5	1	

* Includes one dysentery case.

Continued

March	April	May	June	July	Aug.	Sept.	Oct.	Nov.	Dec.
15	29	44	112	171	98	76	65	24	18
2	2	7	20	30	22	13	11	8	6
2	1	1	1		1	1	3		1
	1			2	1				
481	576	842	972	743	497	345	399	530	710
7	15	13	39	41	16	10	8	8	16
22	31	125	219	97	75	66	79	41	24
				9	11	5	1	1	
			2	1	2				
52	51	51	70	61	73	58	81	98	99
								1	
		1							
1	1				1			1	

TABLE XI—CASES FROM 30 OF THE

County or City	Anthrax	Chancroid	Chicken Pox	Diphtheria	Dysentery Bacillary	Endemic Typhus	German Measles	Gonorrhea	Influenza	Measles	Meningococcus Meningitis
Alamance			26	79			3	15	28	11	1
Alexander			41	17				34	182	142	2
Alleghany											1
Anson			15	17		1	3	4	58	347	1
Ashe				14			1	5	6	7	
Avery			4	12				4	1	3	
Beaufort			28	15		1	2	19	10	50	
Bertie				4				2	43	24	1
Bladen			13	12			5	18	28	338	1
Brunswick				6					9	29	
Buncombe			18	20			19	7	61	13	
Asheville		1	80	23			1		1	17	
Burke		1		22				2	7	20	2
Cabarrus			105	24				9	160	87	
Caldwell			4	5			1	4	171	161	1
Camden				1							
Carteret		1	4	9				15	91	15	
Caswell			4	13				4	2	22	1
Catawba			6	19				1	39	168	3
Chatham				3						3	
Cherokee		1		11			1	2	1	4	
Chowan			4	6					10	3	
Clay			6	5							
Cleveland		1	13	69			6	7	204	433	
Columbus			14	14			6	18	3	600	
Craven			8	5		5			4	6	
New Bern		1	18	8		13		2	34	3	
Cumberland		2	44	43				26		1,638	1
Currituck				1			1		5		
Dare		2		2				14	64	1	
Davidson			79	114				6	259	47	1
Davie			14	19					17	185	1
Duplin			12	90			2	19	63	15	1
Durham			86	7			3		10	26	
Durham City		2	445	21	1			159	59	501	4
Edgecombe		1	10	22				6	5	21	
Forsyth			54	86			4	12	24	343	1
Winston-Salem			134	176			4	85	177	1,221	4
Franklin			16	22			1	58	207	3	2
Gaston			49	39		1	3	21	309	508	1
Gates			13	2				2	624	1	
Graham				1						6	
Granville			144	10		4	2	8	9	9	
Greene			132	7				2	4	37	1
Guilford			84	57				1	96	57	1
Greensboro		1	542	72			31	143	15	22	1
High Point			34	77			7	3	34	13	1
Halifax			14	34			2	46	22	10	1
Harnett			6	22				1	8	213	
Haywood			26	32				13	101	3	
Henderson			48	27			42	6	31	62	1
Hertford				8				3	6	2	
Hoke		1	11	7				44	45	36	
Hyde				1					8		
Iredell		1	92	32		1		69	712	240	
Jackson				11			1		2		1
Johnston				13				2	42	4	1

REPORTABLE DISEASES BY COUNTIES—1933

Opthalmia Neonatorum	Paratyphoid Fever	Pellagra	Plague	Poliomyelitis	Rabies	Rocky Mountain Spotted Fever	Scarlet Fever	Septic Sore Throat	Smallpox	Syphilis	Trachoma	Tularemia	Tuberculosis	Typhoid Fever	Typhus, Europe	Undulant Fever	Whooping-cough	Yellow Fever
----	1	5	----	1	----	----	42	----	----	2	----	2	21	1	----	----	7	----
1	----	31	----	----	----	----	15	----	----	1	----	----	7	6	----	----	13	----
----	----	----	----	----	----	----	1	----	----	----	----	----	----	----	----	----	----	----
----	----	1	----	1	----	----	19	1	----	2	----	3	3	3	----	1	45	----
----	----	1	----	----	----	----	16	----	----	----	----	----	----	3	----	----	1	----
----	----	----	----	----	----	----	----	----	----	1	----	----	4	14	----	----	18	----
1	----	3	----	----	----	----	36	----	----	21	----	----	8	3	----	----	18	----
----	----	----	----	----	----	----	17	----	----	1	----	----	9	3	----	----	2	----
----	----	55	----	2	----	----	17	----	----	5	----	----	8	7	----	----	9	----
----	----	----	----	----	----	----	2	----	----	1	----	----	17	7	----	----	21	----
----	----	6	----	1	----	----	61	1	----	2	----	----	44	10	----	----	160	----
----	----	3	----	----	----	----	40	----	----	2	----	----	79	8	----	----	150	----
----	----	8	----	----	----	----	6	----	----	5	----	----	10	1	----	----	17	----
----	----	1	----	----	----	----	40	1	----	51	----	----	33	3	----	1	24	----
----	----	2	----	----	----	----	20	----	----	2	----	----	2	7	----	----	37	----
----	----	----	----	----	----	----	----	----	----	----	----	----	3	2	----	----	5	----
----	----	1	----	----	----	----	56	1	----	9	----	----	5	4	----	----	4	----
----	----	3	----	1	----	1	12	----	----	----	----	----	9	----	----	----	1	----
1	----	9	----	----	----	----	27	1	----	1	----	----	8	9	----	----	19	----
----	----	1	----	----	----	1	1	----	----	----	----	2	9	1	----	----	15	----
----	----	----	----	----	----	----	5	----	----	----	----	----	6	3	----	----	9	----
----	----	----	----	----	----	----	3	----	----	----	----	----	1	4	----	----	36	----
----	----	----	----	----	----	----	24	----	----	----	----	----	----	3	----	----	4	----
----	----	3	----	----	----	----	23	4	----	3	----	----	18	25	----	----	56	----
1	----	5	----	1	----	----	23	1	----	39	----	----	21	6	----	----	109	----
----	----	2	----	----	----	----	16	----	----	----	----	----	5	8	----	----	4	----
1	----	1	----	----	----	----	17	----	----	1	----	----	11	3	----	1	33	----
----	----	2	----	2	----	----	56	1	2	9	----	----	21	22	----	----	245	----
----	----	----	----	----	----	----	4	----	----	3	----	----	10	----	----	----	4	----
----	----	2	----	----	----	----	5	----	----	7	----	----	3	1	----	----	2	----
----	----	3	----	----	----	3	165	1	----	4	----	----	26	4	----	----	49	----
----	----	1	----	----	----	----	19	----	----	----	----	----	3	5	----	----	4	----
----	----	----	----	1	----	----	16	2	----	4	----	----	19	13	----	----	18	----
----	1	3	----	----	----	1	43	----	----	9	----	1	16	----	----	----	95	----
----	1	9	----	----	----	2	86	1	1	340	----	1	112	10	----	1	148	----
----	----	----	----	----	----	----	19	1	----	31	----	----	116	9	----	----	92	----
----	----	6	----	2	----	----	96	----	----	5	----	----	38	1	----	----	191	----
----	----	16	----	1	----	----	241	1	1	857	----	1	209	8	----	----	105	----
1	----	20	----	----	----	----	29	3	3	57	----	1	25	7	----	----	83	----
1	----	28	----	----	----	----	125	4	----	37	----	----	61	12	----	----	114	----
----	----	----	----	----	----	----	17	----	1	----	----	----	6	2	----	----	----	----
----	----	----	----	----	----	----	3	----	----	----	----	----	----	8	----	----	----	----
----	----	5	----	----	----	----	24	1	----	42	----	2	11	6	----	----	682	----
----	1	2	----	----	----	----	15	----	----	7	----	----	5	6	----	----	65	----
----	----	25	----	----	----	2	101	1	----	1	----	1	33	10	----	----	89	----
----	3	3	----	1	----	2	101	2	----	336	----	----	66	12	----	5	266	----
----	----	8	----	----	----	3	222	3	----	6	----	1	37	5	----	----	57	----
----	----	25	----	2	----	----	44	7	----	114	----	----	21	24	----	----	40	----
----	----	12	----	----	----	----	53	----	----	----	----	----	119	10	----	----	2	----
----	----	8	----	----	----	----	44	3	----	6	----	----	5	----	----	----	45	----
----	----	15	----	1	----	----	13	----	7	25	2	----	9	1	----	----	258	----
----	----	----	----	----	----	----	10	1	----	----	----	----	5	4	----	----	2	----
----	----	26	----	----	----	----	4	5	----	16	----	----	16	----	----	----	27	----
----	----	----	----	----	----	----	----	----	----	----	----	----	1	----	----	----	----	----
----	----	3	----	----	----	----	69	9	----	49	----	----	16	15	----	----	21	----
----	----	----	----	1	----	----	3	----	----	----	----	----	1	3	----	----	----	----
----	----	2	----	----	----	----	34	4	----	8	----	----	18	7	----	----	3	----

TABLE XI—

County or City	Anthrax	Chancroid	Chicken Pox	Diphtheria	Dysentery Bacillary	Endemic Typhus	German Measles	Gonorrhea	Influenza	Measles	Meningococcus Meningitis
Jones			2						80	4	
Lee			14	12					13	388	
Lenoir			23	39		1		9	38	199	2
Lincoln			14	14					67	69	
McDowell			2	9				35	119	33	
Macon		2	5	10			1			12	
Madison				11				1			
Martin			3	1			1	4		27	1
Mecklenburg			2	25		1		1	10	68	1
Charlotte			270	35		2	4	478	29	1,560	
Mitchell									2		
Montgomery			1	14					2	4	1
Moore		2	34	29			2	61	18	243	
Nash			9	24			4	27	147	1	
Rocky Mount			15	17				1	138		2
New Hanover			82	9		1		1	1	311	
Wilmington		9	294	19		7	6	66	8	1,692	3
Northampton			5	7					1	1	3
Onslow			19	4		1	1		12	135	
Orange			17	10			2	6	7	34	1
Pamlico			10	8				9	55	59	
Pasquotank			15	8			2		18	4	
Pender			6	9				1	1	77	
Perquimans			58	3							
Person			15	4		2	1		19	5	
Pitt			42	76			3		10	326	
Polk				1							
Randolph			57	54		1	2	29	254	29	1
Richmond			61	6				22	2	487	
Robeson			27	23		1		170	358	990	1
Rockingham			30	149				2	83	68	
Rowan			54	51			2	3	116	233	1
Rutherford			9	29				4	7	26	
Sampson		1	11	21		1		40	2	127	
Scotland			5	1			2	1	1	176	1
Stanly			28	14				9	256	208	
Stokes			36	10			1	1	62	108	1
Surry			52	16			1	20	218	97	3
Swain								3	1		
Transylvania			5	11			2		1	2	1
Tyrrell				1					2		
Union			3	22			2	4	8	4	2
Vance			35	12			1	2	1	5	
Wake			60	16		1		2	110	224	1
Raleigh			152	16			2	114	116	32	
Warren			2	13				7	5	2	
Washington			24	3					1		
Watauga				13					1	2	
Wayne			1	24					15	14	1
Goldsboro			7	7			2	11	524	33	
Wilkes		2	10	35				58	17	210	1
Wilson		3	31	14		1	1	36	14	8	
Yadkin			10	43			1	8	127	88	
Yancey				7					7	42	
Totals		35	4,167	2,497	1	46	187	2,167	7,215	16,197	66

Continued

Opthalmia Neonatorum	Paratyphoid Fever	Pellagra	Plague	Poliomyelitis	Rabies	Rocky Mountain Spotted Fever	Scarlet Fever	Septic Sore Throat	Smallpox	Syphilis	Trachoma	Tularemia	Tuberculosis	Typhoid Fever	Typhus, Europe	Undulant Fever	Whooping-cough	Yellow Fever
----	----	10	----	1	----	----	4	2	1	----	----	----	3	10	----	----	----	----
----	----	1	----	----	1	1	18	1	----	----	----	1	8	4	----	----	50	----
----	----	----	----	1	----	----	44	2	3	109	----	----	21	17	----	----	47	----
----	----	14	----	----	----	----	10	----	----	6	----	----	8	1	----	----	32	----
----	----	8	----	----	----	----	12	1	----	10	----	----	5	4	----	----	47	----
----	----	----	----	----	----	----	10	9	----	----	----	----	----	----	----	----	20	----
----	----	----	----	----	----	----	6	----	----	----	----	----	3	10	----	----	26	----
----	----	----	----	----	----	----	4	----	----	----	----	----	10	6	----	----	166	----
----	----	32	----	----	----	----	38	----	----	6	----	----	16	5	----	----	169	----
----	----	54	----	3	----	----	93	----	----	629	----	----	59	9	----	1	795	----
----	----	----	----	----	----	----	----	----	----	----	----	----	2	2	----	----	----	----
----	----	1	----	----	----	1	8	----	----	----	----	----	2	7	----	----	5	----
1	----	14	----	----	----	1	23	3	----	72	----	----	18	5	----	----	15	----
----	1	6	----	----	----	1	28	2	7	86	----	2	18	21	----	----	122	----
----	----	2	----	----	----	----	17	----	----	1	----	----	36	7	----	----	73	----
----	----	----	----	----	----	----	12	----	----	5	----	----	5	----	----	----	28	----
----	----	5	----	----	----	----	30	----	1	187	----	----	43	10	----	----	31	----
----	----	1	----	----	----	----	20	----	----	24	----	----	3	1	----	----	1	----
----	----	1	----	----	----	----	9	----	----	----	----	----	7	1	----	----	----	----
----	1	----	----	1	----	----	11	----	----	38	----	----	9	1	----	----	36	----
----	----	2	----	----	----	----	17	----	----	1	----	----	4	3	----	----	59	----
----	----	7	----	----	----	----	6	----	----	----	----	----	30	2	----	----	30	----
----	----	1	----	----	----	----	2	----	----	3	----	----	10	5	----	----	16	----
----	----	----	----	----	----	----	1	----	----	----	----	----	5	1	----	----	14	----
----	----	5	----	----	----	----	9	----	----	----	----	----	13	----	----	----	243	----
----	2	3	----	2	----	----	26	3	----	8	----	----	34	21	----	----	187	----
----	----	1	----	----	----	----	----	----	----	----	----	----	1	----	----	----	----	----
1	----	25	----	----	----	7	122	4	----	6	3	----	14	8	----	----	152	----
----	----	59	----	----	----	----	50	----	----	62	----	----	25	11	----	----	29	----
----	----	55	----	1	----	----	95	----	----	127	----	----	33	25	----	----	85	----
----	----	12	----	----	----	----	43	1	2	4	----	----	20	14	----	----	9	----
----	----	4	----	----	----	1	102	8	----	4	----	----	49	7	----	----	62	----
----	----	2	----	----	1	----	17	----	----	15	----	----	3	1	----	----	26	----
----	----	7	----	----	----	----	54	4	----	59	----	----	13	26	----	----	13	----
----	----	6	----	----	----	----	3	----	1	1	----	----	14	1	----	----	62	----
----	----	----	----	----	----	----	30	4	1	3	----	2	88	2	----	----	14	----
----	----	3	----	----	----	----	26	2	----	----	----	----	59	7	----	----	16	----
----	----	20	----	----	----	----	35	3	1	35	----	----	27	2	----	----	105	----
----	----	----	----	----	----	----	----	----	----	----	----	----	105	----	----	----	----	----
----	----	----	----	----	----	----	----	----	----	----	----	----	1	5	----	----	25	----
----	----	----	----	1	----	----	2	----	----	----	----	----	1	----	----	----	5	----
----	----	----	----	----	----	----	35	----	1	17	----	4	15	----	----	----	106	----
----	----	5	----	----	----	----	32	1	----	7	----	----	34	2	----	----	144	----
----	----	6	----	----	----	----	45	3	----	10	----	1	50	21	----	2	109	----
----	----	9	----	----	----	----	126	----	----	566	----	2	60	6	----	1	57	----
----	----	6	----	1	----	----	17	2	----	15	----	----	17	3	----	2	2	----
----	----	----	----	----	----	----	----	----	----	----	----	----	4	----	----	----	20	----
----	1	----	----	----	----	----	10	----	----	----	----	----	1	2	----	----	4	----
----	----	63	----	----	----	----	38	----	----	----	----	1	19	13	----	----	25	----
----	----	10	----	----	----	----	28	1	----	270	----	----	40	6	----	----	59	----
----	----	----	----	----	----	----	28	6	----	21	----	----	10	4	----	----	17	----
----	----	4	----	----	----	----	37	----	2	37	----	----	41	10	----	----	48	----
----	----	2	----	----	----	----	27	1	----	4	----	----	31	1	----	----	217	----
----	----	2	----	1	----	----	2	----	----	----	----	----	8	5	----	----	8	----
9	12	833	----	30	1	27	3,662	123	35	4,570	5	28	2,524	684	----	15	7,155	----

TABLE XII—DEATH RATES PER 100,000 POPULATION FROM TEN IMPORTANT CAUSES, FOR THE STATE AS A WHOLE, WITH ESTIMATED POPULATION FOR EACH YEAR—1914 1933

Year	Estimated Population	Death Rate per 100,000 Population from—									
		Diarrhea and Enteritis (Under 2 Years of Age)	Diphtheria	Malaria	Measles	Pellagra	Scarlet Fever	Smallpox	Tuberculosis (All Forms)	Typhoid Fever	Whooping-cough
1914	2,339,452	81.2	15.8	10.8	7.6	23.6	0.9	1.1	139.3	35.8	18.7
1915	2,371,095	72.9	22.1	12.7	0.5	35.0	1.2	0.4	156.4	31.3	11.5
1916	2,402,738	72.7	17.3	12.9	7.1	19.4	2.5	0.5	146.3	29.1	18.1
1917	2,434,381	91.4	12.6	12.0	44.8	24.9	1.6	0.4	141.5	30.2	26.2
1918	2,466,024	77.5	10.2	8.2	12.4	25.7	0.9	0.1	137.5	22.2	28.5
1919	2,497,667	55.1	9.6	8.1	5.0	15.3	0.9	0.3	120.3	17.0	8.7
1920	*2,559,123	59.9	11.1	8.2	2.3	11.6	1.5	1.0	113.6	12.5	13.4
1921	2,614,335	61.7	13.9	6.6	4.9	12.7	1.3	0.8	101.0	11.7	14.6
1922	2,649,982	52.4	19.2	6.7	0.4	11.5	2.4	0.2	97.5	11.2	7.2
1923	2,686,325	53.0	12.3	5.6	19.0	8.3	0.9	0.4	94.7	9.9	18.6
1924	2,722,669	54.5	11.8	4.5	15.6	10.0	1.0	0.8	99.1	9.9	17.4
1925	2,812,000	52.0	11.0	4.3	0.4	14.1	1.1	0.2	89.0	9.8	5.3
1926	2,858,000	49.8	9.2	2.9	2.9	16.0	1.1	0.4	96.8	9.4	10.1
1927	2,897,000	40.7	9.5	1.8	7.9	23.7	1.0	0.4	88.9	7.8	21.8
1928	2,936,000	44.8	12.0	2.2	17.0	29.2	1.4	0.5	83.3	6.3	6.5
1929	2,975,000	33.3	10.8	2.2	0.5	32.0	1.8	0.03	85.8	5.5	9.0
1930	*3,170,276	35.0	8.6	1.4	0.06	32.0	1.2	0.1	76.4	4.7	9.5
1931	3,217,000	26.0	7.1	1.5	3.1	21.6	1.8	0.06	71.4	4.8	6.5
1932	3,244,000	19.9	5.1	1.7	1.8	14.6	1.0	------	67.8	4.9	7.4
1933	3,275,000	24.5	6.6	1.5	2.8	12.0	1.4	------	64.4	3.9	6.1

*U. S. Census years.

No deaths due to smallpox.